U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	EPA Reg. Number: 2517-126	Date of Issuance: 9/1/22	
NOTICE OF PESTICIDE: <u>X</u> Registration Reregistration (under FIFRA, as amended)	Term of Issuance: Conditional, Time-Limited Expires: 01/27/2023 Name of Pesticide Product: MarketQuest One Drop Flea & Tick		
Name and Address of Registrant (include ZIP Code): Mr. Prince M. Bamaze Sergeant's Pet Care Products, Inc. 10077 South 134th Street Omaha, NE 68138			
Note: Changes in labeling differing in substance from that accepted in connection with this registrati Registration Division prior to use of the label in commerce. In any correspondence on this product a			
On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.			
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.			
This product is conditionally registered in accordance with FIFRA section $3(c)(7)(A)$. You must comply with the following conditions:			
 Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data. 			
Signature of Approving Official:	Date:		
Elizabet Falue	9/1/22		
Elizabeth Fertich, Product Manager 04 Invertebrate & Vertebrate Branch 1, Registration Division (7505P) Office of Pesticide Programs EPA Form 8570-6			

Registration Notice Conditional Time-Limited Dog Spot-On Extension v.20151203

- 2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 01/27/2023.
- 3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in an Agency letter dated 10/14/2014.
- 4. Submit one copy of the final printed label for the record before you release the product for shipment.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin Interim Decision, and has concluded that your submission is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 04/04/2016
- Alternate CSF 1 dated 07/29/2014
- Alternate CSF 2 dated 06/18/2015
- Alternate CSF 3 dated 09/21/2015

If you have any questions, please contact Kaitlin Saunders by phone at 202-566-2890, or via email at Saunders.Kaitlin@epa.gov.

Enclosure

24 August 2022 - Amendment Information in [] is optional Version 22.1 Page 1 of 15 EPA No. 2517-126 Supersedes EPA SAL 01/27/2017

{Optional text appears in brackets [] - Text in parenthesis () may or may not appear on the label - Text in braces {} is information/note to reviewer}

MarketQuest One Drop Flea & Tick Control with IGR* for Dogs

*Insect Growth Regulator

{The word dog will be at least 40-75% in height of the largest letter in the primary brand name on the market label} {A large, clear picture of a dog in the weight range for the product as packaged will be on the front panel of the market label}

{ABN} [Sergeant's Flea & Tick Squeeze-On for Dogs]

Sublabel A: Direct to Consumer Packaging Option

{FRONT PANEL}

{A minimum of 1.5 cm x 1.5 cm icon as indicated black cat, black text, red circle and line through cat, on white background to ensure easy spotting, in lower right-hand corner of front label panel.}



{One of the statements below will appear prominently in a box on the front panel of market label as required}

{Weight Break Group 1}

For Dogs [[&][and] puppies] ONLY [weighing] 7 [-][to] 14 lbs [,][and] 12 weeks] [of age] or older {OR} For Use ONLY on Dogs [[&][and] puppies] [weighing] 7 [-][to] 14 lbs [,][and] 12 weeks [of age] or older

{Weight Break Group 2}

For Dogs [[&][and] puppies] ONLY [weighing] 15 [-][to] 32 lbs [,][and] 12 weeks [of age] or older {OR} For Use ONLY on Dogs [[&][and] puppies] [weighing] 15 [-][to] 32 lbs [,][and] 12 weeks [of age] or older

{Weight Break Group 3}

For Dogs [[&][and] puppies] ONLY [weighing] 33 [-][to] 66 lbs [,][and] 12 weeks [of age] or older {OR} For Use ONLY on Dogs [[&][and] puppies] [weighing] 33 [-][to] 66 lbs [,][and] 12 weeks [of age] or older

{Weight Break Group 4}

For Dogs ONLY [weighing] over 66 lbs [,][and] 12 weeks [of age] or older {OR} For Use ONLY on Dogs [weighing] over 66 lbs [,][and] 12 weeks [of age] or older

ACTIVE INGREDIENTS:

Permethrin* [CAS# 52645-53-1]	45.00%
S-Methoprene [CAS# 65733-16-6]	1.20%
OTHER INGREDIENTS:	<u>53.80%</u>
TOTAL	100.00%



Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2517-126

24 August 2022 - Amendment Information in [] is optional Version 22.1 Page 2 of 15 EPA No. 2517-126 Supersedes EPA SAL 01/27/2017

*Cis/trans ratio: Max 55% (\pm) cis and min 45% (\pm) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [Back][Insert][or][Side][Label][Other][Panel][s] for First Aid and Additional Precautionary Statements.

NET CONTENTS:

[One][1][Two][2][Three][3][Four][4][Five][5][Six][6][Seven][7][Eight][8][Nine][9] [Ten][10][Eleven][11][Twelve][12][Twenty-Four][24]

{Packaging Containing 0.034 fl oz (1.0 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 7-14 lbs.}

 $1-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tube] [vial]} \\ 0.068 \text{ fl oz } (2.0 \text{ mL}), 2-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.102 \text{ fl oz } (3.0 \text{ mL}), 3-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.136 \text{ fl oz } (4.0 \text{ mL}), 4-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.17 \text{ fl oz } (5.0 \text{ mL}), 5-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.204 \text{ fl oz } (6.0 \text{ mL}), 6-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.238 \text{ fl oz } (7.0 \text{ mL}), 7-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.272 \text{ fl oz } (8.0 \text{ mL}), 8-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.306 \text{ fl oz } (9.0 \text{ mL}), 9-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.34 \text{ fl oz } (10.0 \text{ mL}), 10-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.374 \text{ fl oz } (11.0 \text{ mL}), 11-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.408 \text{ fl oz } (12.0 \text{ mL}), 12-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{$

{*Packaging Containing 0.051 fl oz (1.5 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 15-32 lbs.*}

 $1-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tube] [vial]} \\ 0.102 \text{ fl oz } (3.0 \text{ mL}), 2-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.153 \text{ fl oz } (4.5 \text{ mL}), 3-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.204 \text{ fl oz } (6.0 \text{ mL}), 4-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.255 \text{ fl oz } (7.5 \text{ mL}), 5-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.306 \text{ fl oz } (9.0 \text{ mL}), 6-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.357 \text{ fl oz } (10.5 \text{ mL}), 7-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.408 \text{ fl oz } (12.0 \text{ mL}), 8-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.459 \text{ fl oz } (13.5 \text{ mL}), 9-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.561 \text{ fl oz } (16.5 \text{ mL}), 11-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.561 \text{ fl oz } (18.0 \text{ mL}), 12-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 1.224 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.51 \text{ fl oz } (18.0 \text{ mL}), 12-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.512 \text{ fl oz } (18.0 \text{ mL}), 12-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.512 \text{ fl oz } (18.0 \text{ mL}), 12-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524 \text{ fl oz } (36.0 \text{ mL}), 24-0.051 \text{ fl oz } (1.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.524$

Sergeant's Master Label		
24 August 2022 - Amendment	Version 22.1	EPA No. 2517-126
Information in [] is optional	Page 3 of 15	Supersedes EPA SAL 01/27/2017

{*Packaging Containing 0.101 fl oz (3.0 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 33-66 lbs.*}

1-0.101 fl oz (3.0 mL) [tube] [vial]0.202 fl oz (6.0 mL), 2- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.303 fl oz (9.0 mL), 3- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.404 fl oz (12.0 mL), 4- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.505 fl oz (15.0 mL), 5- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.606 fl oz (18.0 mL), 6- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.707 fl oz (21.0 mL), 7- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.808 fl oz (24.0 mL), 8- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.909 fl oz (27.0 mL), 9- 0.101 fl oz (3.0 mL) [tubes] [vials] 1.01 fl oz (30.0 mL), 10- 0.101 fl oz (3.0 mL) [tubes] [vials] 1.111 fl oz (33.0 mL), 11- 0.101 fl oz (3.0 mL) [tubes] [vials] 2.424 fl oz (72.0 mL), 24- 0.101 fl oz (3.0 mL) [tubes] [vials]

{Packaging Containing 0.203 fl oz (6.0 mL) [tubes] [vials] – ONLY for Dogs Over 66 lbs.}

1- 0.203 fl oz (6.0 mL) [tube] [vial] 0.406 fl oz (12.0 mL), 2- 0.203 fl oz (6.0 mL) [tubes] [vials] 0.609 fl oz (18.0 mL), 3- 0.203 fl oz (6.0 mL) [tubes] [vials] 0.812 fl oz (24.0 mL), 4- 0.203 fl oz (6.0 mL) [tubes] [vials] 1.015 fl oz (30.0 mL), 5- 0.203 fl oz (6.0 mL) [tubes] [vials] 1.218 fl oz (36.0 mL), 6- 0.203 fl oz (6.0 mL) [tubes] [vials] 1.421 fl oz (42.0 mL), 7- 0.203 fl oz (6.0 mL) [tubes] [vials] 1.624 fl oz (48.0 mL), 8- 0.203 fl oz (6.0 mL) [tubes] [vials] 1.827 fl oz (54.0 mL), 9- 0.203 fl oz (6.0 mL) [tubes] [vials] 2.03 fl oz (60.0 mL), 10- 0.203 fl oz (6.0 mL) [tubes] [vials] 2.233 fl oz (66.0 mL), 11- 0.203 fl oz (6.0 mL) [tubes] [vials] 2.436 fl oz (72.0 mL), 12- 0.203 fl oz (6.0 mL) [tubes] [vials]

{END FRONT LABEL}

24 August 2022 - Amendment Information in [] is optional Version 22.1 Page 4 of 15 EPA No. 2517-126 Supersedes EPA SAL 01/27/2017

{BACK / SIDE PANEL / OTHER PANEL(S }

[[This product] [Brand Name] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults and prevents re-infestations on your [dogs] [puppies] for up to 5 weeks. [[This product] [Brand Name] kills and repels ticks for up to 6 weeks, and kills mosquitoes, lice and Sarcoptic Mange Mites on dogs. As with all flea and tick control products, [this product] [Brand Name] should be used as part of a program aimed at reducing flea populations in dog's environment (bedding, carpet, kennel, yard). [Consult your veterinarian, entomologist, or retailer for program recommendations]]

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS [AND PUPPIES] 12 WEEKS [OF AGE] OR OLDER WEIGHING [7-14] [15-32] [33-66] [Over 66] LBS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. FOR EXTERNAL USE ON DOGS ONLY. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Overdosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product. This product is not a substitute for prescribed heartworm preventative.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Application of product on pets must only be done indoors.

USE RESTRICTIONS

Do not use on cats, rabbits or animals other than dogs.

Do not get this product in your dog's eyes or mouth.

Do not allow your dog to ingest this product.

Do not use on puppies under 12 weeks [of age] or dogs less than [7] [15] [33] [66] lbs.

Use entire contents of [tube] [vial] on each dog.

Do not split one [tube] [vial] between dogs.

Do not Apply more than one [tube] [vial] to one dog regardless of the dog's weight.

Do not use multiple [tubes] [vials] on one dog.

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

	Sergeant's Master	Label
24 August 2022 - Amendment	Version 22.1	
Information in [] is optional	Page 5 of 15	Sup

HOW TO OPEN: Remove product [tube] [vial] [s] from the package. [Separate one [tube] [vial] from the others]. Hold the [tube] [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

HOW TO APPLY:

Invert [tube] [vial] over dog and use open end to part dog's hair. Squeeze [tube] [vial] firmly to apply all of the solution to the dog's skin as directed below. Repeat application may be made if necessary, but do not apply more often than once every [4 weeks] [month] [30 days].

1- {Packaging Containing 0.034 fl oz (1.0 mL) [tubes] [vials] - For Weight Break Group 1}

Only for Dogs [and Puppies] [Weighing] 7 [to][-] 14 lbs. [,][and] 12 weeks [of age] or older. Do not apply to dogs [weighing] less than 7 lbs. Apply one [tube] [vial] [(0.034 fl. oz.) (1.0 mL)] of this product as a spot or stripe to the dog's back between the shoulder blades.

2- {Packaging Containing 0.051 fl oz (1.5 mL) [tubes] [vials] - For Weight Break Group 2}

Only For Dogs [and Puppies] [Weighing] 15 [to][-] 32 lbs. [,][and] 12 weeks [of age] or older. Do not apply to dogs [weighing] less than 15 lbs. Apply one [tube] [vial] [(0.051 fl. oz.) (1.5 mL)] of this product as a spot or stripe to the dog's back between the shoulder blades.

3- {For Packaging Containing 0.101 fl oz (3.0 mL) [tubes] [vials] - For Weight Break Group 3}

Only For Dogs [and Puppies] [Weighing] 33 [to] [-] 66 lbs. [,][and] 12 weeks [of age] or older. Do not apply to dogs [weighing] less than 33 lbs. Apply approximately half of the [tube] [vial] [(0.051 fl. oz.) (1.5 mL)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.051 fl. oz.) (1.5 mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.

$\{OR\}$

Only For Dogs [and Puppies] [Weighing] 33 [to] [-] 66 lbs. [,][and] 12 weeks [of age] or older. Do **not apply to dogs [weighing] less than 33 lbs.** Apply the entire [tube] [vial] [(0.101 fl. oz.) (3.0 mL)] as a continuous stripe on [to] the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

4- {For Packaging Containing 0.203 fl oz (6.0 mL) [tubes] [vials] - For Weight Break Group 4}

Only For Dogs [Weighing] over 66 lbs. [and] 12 weeks [of age] or older. Do not apply to dogs [weighing] less than 66 lbs. Apply approximately half of the [tube] [vial] [(0.1015 fl. oz.) (3.0 mL)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.1015 fl. oz.) (3.0 mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.

 $\{OR\}$

24 August 2022 - Amendment Information in [] is optional Version 22.1 Page 6 of 15 EPA No. 2517-126 Supersedes EPA SAL 01/27/2017

Only For Dogs [Weighing] over 66 lbs. [and] 12 weeks [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply the entire [tube] [vial] (0.203 fl. oz.) (6.0 mL) as a continuous stripe on [to] the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

FREQUENCY OF APPLICATION]

[Use [this product] [Brand Name] monthly for complete control of fleas, tick [and] chewing lice [and to kill] [mosquitoe[s]] [infestations][sarcoptic mange mites]. [Apply monthly to control ticks, [mosquitoes] [sarcoptic mange mites] and chewing lice.] [Allow treated area to dry thoroughly.] [Do not reapply for [4 weeks] [1 month] [30 days].]

<u>{Side Effects box to be located in the lower right-hand corner, immediately above the 'cat prohibition' box on the backpanel}</u> **Side Effects:** Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Gastrointestinal signs such as vomiting or diarrhea have also been reported. Dogs may also show "lethargy." If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{A minimum of 1.5 cm x 1.5 cm cat prohibition icon and warning text will be in a box in the lower right-hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS. MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tubes from outer packaging until ready to use. Store in a cool, dry place out of reach of children. Protect from freezing and direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental, or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

24 August 2022 - Amendment Information in [] is optional

Version 22.1 Page 7 of 15 EPA No. 2517-126 Supersedes EPA SAL 01/27/2017

[Sergeant's Pet Care Products, LLC is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

[Visit us at www.sergeants.com]

EPA Reg. No. 2517-126 EPA Est. No. XXXXX In Case of an Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-PETS (7387) Made in USA (date & label code) [lot No. to be added at production]}

[Manufactured [by] [for]:] [Distributed by:] Sergeant's Pet Care Products, LLC P.O. Box 540399 Omaha, NE 68154-0399

{END - BACK / SIDE / OTHER PANEL(S)}

{TUBE / VIAL LABEL}

{Front Label}	{Back Label}
{Brand Name} For Dogs	KEEP OUT OF REACH OF CHILDREN
[7-14] [15-32] [33-66] [Over 66] lbs	CAUTION: Read entire label before each use.
$\& \ge 12 \text{ wks}$	Use scissors to open.
Permethrin 45.0%, S-Methoprene 1.2%	EPA REG. No. 2517-126 {label code}
0.034 fl. oz. {or} 0.051 fl. oz. {or}	
0.101 fl. oz. { or } 0.203 fl. oz. {label code}	

{Lot No. is engraved on the crimp portion of the tube} {label code refers to an internal product tracking code} {EPA Reg. No. may be on either the front or back label.}

{END TUBE / VIAL LABEL}

24 August 2022 - Amendment Information in [] is optional Version 22.1 Page 8 of 15

Sublabel B: Veterinarian Packaging Option

{Veterinarian Packaging is for use only by licensed veterinarians on dogs in their control or under their immediate supervision}

{FRONT PANEL}

FOR USE ONLY BY LICENSED VETERINARIANS ON DOGS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

{One of the statements below will appear prominently in a box on the front panel of market label as required}

{Weight Break Group 1}

For Dogs [[&][and] puppies] ONLY [weighing] 7 [-][to] 14 lbs [,][and] 12 weeks] [of age] or older {OR} For Use ONLY on Dogs [[&][and] puppies] [weighing] 7 [-][to] 14 lbs [,][and] 12 weeks [of age] or older

{Weight Break Group 2}

For Dogs [[&][and] puppies] ONLY [weighing] 15 [-][to] 32 lbs [,][and] 12 weeks [of age] or older {OR}

For Use ONLY on Dogs [[&][and] puppies] [weighing] 15 [-][to] 32 lbs [,][and] 12 weeks [of age] or older

{Weight Break Group 3}

For Dogs [[&][and] puppies] ONLY [weighing] 33 [-][to] 66 lbs [,][and] 12 weeks [of age] or older {OR}

For Use ONLY on Dogs [[&][and] puppies] [weighing] 33 [-][to] 66 lbs [,][and] 12 weeks [of age] or older

{Weight Break Group 4}

For Dogs ONLY [weighing] over 66 lbs [,][and] 12 weeks [of age] or older {OR} For Use ONLY on Dogs [weighing] over 66 lbs [,][and] 12 weeks [of age] or older

[For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels.]
[Not for residential use. Do not repackage]
[Ideal for shelter use when under direct supervision of veterinarian]
[Professional Roll Pack]
[Convenient roll pack for in clinic use]
[Convenient roll pack for animal facility use]
[For use only by licensed veterinarians]

ACTIVE INGREDIENTS:

Permethrin* [CAS# 52645-53-1]	. 45.00%
S-Methoprene [CAS# 65733-16-6]	1.20%
OTHER INGREDIENTS:	<u>53.80%</u>
TOTAL	100.00%

Version 22.1 Page 9 of 15

Sergeant's Master Label

*Cis/trans ratio: Max 55% (\pm) cis and min 45% (\pm) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [Back][Insert][or][Side][Label][Other][Panel][s] for Additional Precautionary Statements.

NET CONTENTS:

[Thirty-five][35] [Fifty][50] [Seventy-five][75] [One hundred][100] [One hundred sixty][160]

{Packaging Containing 0.034 fl oz (1.0 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 7-14 lbs.}

1.19 fl oz (35.0 mL), 35- 0.034 fl oz (1.0 mL) [tubes] [vials] 1.70 fl oz (50.0 mL), 50- 0.034 fl oz (1.0 mL) [tubes] [vials] 2.55 fl oz (75.0 mL), 75- 0.034 fl oz (1.0 mL) [tubes] [vials] 3.40 fl oz (100.0 mL), 100- 0.034 fl oz (1.0 mL) [tubes] [vials] 5.44 fl oz (160.0 mL), 160- 0.034 fl oz (1.0 mL) [tubes] [vials]

{*Packaging Containing 0.051 fl oz (1.5 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 15-32 lbs.*}

1.79 fl oz (52.5 mL), 35- 0.051 fl oz (1.5 mL) [tubes] [vials] 2.55 fl oz (75.0 mL), 50- 0.051 fl oz (1.5 mL) [tubes] [vials] 3.83 fl oz (112.5 mL), 75- 0.051 fl oz (1.5 mL) [tubes] [vials] 5.10 fl oz (150.0 mL), 100- 0.051 fl oz (1.5 mL) [tubes] [vials] 8.16 fl oz (240.0 mL), 160- 0.051 fl oz (1.5 mL) [tubes] [vials]

{Packaging Containing 0.101 fl oz (3.0 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 33-66 lbs.}

3.54 fl oz (105.0 mL), 35- 0.101 fl oz (3.0 mL) [tubes] [vials] 5.05 fl oz (150.0 mL), 50- 0.101 fl oz (3.0 mL) [tubes] [vials] 7.58 fl oz (225.0 mL), 75- 0.101 fl oz (3.0 mL) [tubes] [vials] 10.10 fl oz (300.0 mL), 100- 0.101 fl oz (3.0 mL) [tubes] [vials] 16.16 fl oz (480.0 mL), 160- 0.101 fl oz (3.0 mL) [tubes] [vials]

{*Packaging Containing 0.203 fl oz (6.0 mL) [tubes] [vials] – ONLY for Dogs Over 66 lbs.*}

7.105 fl oz (210.0 mL), 35- 0.203 fl oz (6.0 mL) [tubes] [vials] 10.15 fl oz (300.0 mL), 50- 0.203 fl oz (6.0 mL) [tubes] [vials] 15.225 fl oz (450.0 mL), 75- 0.203 fl oz (6.0 mL) [tubes] [vials] 20.3 fl oz (600.0 mL), 100- 0.203 fl oz (6.0 mL) [tubes] [vials] 32.48 fl oz (960.0 mL), 160- 0.203 fl oz (6.0 mL) [tubes] [vials]

{END FRONT LABEL}

24 August 2022 - Amendment Information in [] is optional 01/27/2017 Version 22.1 Page 10 of 15 EPA No. 2517-126 Supersedes EPA SAL

{BACK / SIDE PANEL / OTHER PANEL(S }

[[This product] [Brand Name] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults and prevents re-infestations on your [dogs] [puppies] for up to 5 weeks. [[This product] [Brand Name] kills and repels ticks for up to 6 weeks, and kills mosquitoes, lice and Sarcoptic Mange Mites on dogs. As with all flea and tick control products, [this product] [Brand Name] should be used as part of a program aimed at reducing flea populations in dog's environment (bedding, carpet, kennel, yard). [Consult your veterinarian, entomologist, or retailer for program recommendations]]

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS [AND PUPPIES] 12 WEEKS [OF AGE] AND OLDER WEIGHING [7-14] [15-32] [33-66] [Over 66] LBS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. FOR EXTERNAL USE ON DOGS ONLY. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Overdosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product. This product is not a substitute for prescribed heartworm preventative.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Application of product on pets must only be done indoors.

USE RESTRICTIONS

Do not use on cats, rabbits or animals other than dogs.

Do not get this product in your dog's eyes or mouth.

Do not allow your dog to ingest this product.

Do not use on puppies under 12 weeks [of age] or dogs less than [7] [15] [33] [66] lbs.

Use entire contents of [tube] [vial] on each dog.

Do not split one [tube] [vial] between dogs.

Do not Apply more than one [tube] [vial] to one dog regardless of the dog's weight.

Do not use multiple [tubes] [vials] on one dog.

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

24 August 2022 - Amendment Information in [] is optional 01/27/2017

Version 22.1 Page 11 of 15 EPA No. 2517-126 Supersedes EPA SAL

HOW TO OPEN: Remove product [tube] [vial] [s] from the package. [Separate one [tube] [vial] from the others]. Hold the [tube] [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

HOW TO APPLY:

Invert [tube] [vial] over dog and use open end to part dog's hair. Squeeze [tube] [vial] firmly to apply all of the solution to the dog's skin as directed below. Repeat application may be made if necessary, but do not apply more often than once every [4 weeks] [month] [30 days].

1- {Packaging Containing 0.034 fl oz (1.0 mL) [tubes] [vials] - For Weight Break Group 1}

Only for Dogs [and Puppies] [Weighing] 7 [to][-] 14 lbs. [,][and] 12 weeks [of age] or older. Do not apply to dogs [weighing] less than 7 lbs. Apply one [tube] [vial] [(0.034 fl. oz.) (1.0 mL)] of this product as a spot or stripe to the dog's back between the shoulder blades.

2- {Packaging Containing 0.051 fl oz (1.5 mL) [tubes] [vials] - For Weight Break Group 2}

Only For Dogs [and Puppies] [Weighing] 15 [to][-] 32 lbs. [,][and] 12 weeks [of age] or older. Do not apply to dogs [weighing] less than 15 lbs. Apply one [tube] [vial] [(0.051 fl. oz.) (1.5 mL)] of this product as a spot or stripe to the dog's back between the shoulder blades.

3- {For Packaging Containing 0.101 fl oz (3.0 mL) [tubes] [vials] - For Weight Break Group 3}

Only For Dogs [and Puppies] [Weighing] 33 [to] [-] 66 lbs. [,][and] 12 weeks [of age] or older. Do not apply to dogs [weighing] less than 33 lbs. Apply approximately half of the [tube] [vial] [(0.051 fl. oz.) (1.5 mL)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.051 fl. oz.) (1.5 mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.

$\{OR\}$

Only For Dogs [and Puppies] [Weighing] 33 [to] [-] 66 lbs. [,][and] 12 weeks [of age] or older. Do not apply to dogs [weighing] less than 33 lbs. Apply the entire [tube] [vial] [(0.101 fl. oz.) (3.0 mL)] as a continuous stripe on [to] the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

4- {For Packaging Containing 0.203 fl oz (6.0 mL) [tubes] [vials] - For Weight Break Group 4}

Only For Dogs [Weighing] over 66 lbs. [and] 12 weeks [of age] or older. Do not apply to dogs [weighing] less than 66 lbs. Apply approximately half of the [tube] [vial] [(0.1015 fl. oz.) (3.0 mL)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.1015 fl. oz.) (3.0 mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.

 $\{OR\}$

24 August 2022 - Amendment Information in [] is optional 01/27/2017 Version 22.1 Page 12 of 15 EPA No. 2517-126 Supersedes EPA SAL

Only For Dogs [Weighing] over 66 lbs. [and] 12 weeks [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply the entire [tube] [vial] (0.203 fl. oz.) (6.0 mL) as a continuous stripe on [to] the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

<u>Side Effects box to be located in the lower right-hand corner, immediately above the 'cat prohibition' box on the back-panel</u> **Side Effects:** Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Gastrointestinal signs such as vomiting or diarrhea have also been reported. Dogs may also show "lethargy." If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right-hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS. MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tubes from outer packaging until ready to use. Store in a cool, dry place out of reach of children. Protect from freezing and direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental, or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Sergeant's Pet Care Products, LLC is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

24 August 2022 - Amendment Information in [] is optional 01/27/2017 Version 22.1 Page 13 of 15 EPA No. 2517-126 Supersedes EPA SAL


[Visit us at www.sergeants.com]

EPA Reg. No. 2517-126 EPA Est. No. XXXXX In Case of an Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-PETS (7387) Made in USA (date & label code) [lot No. to be added at production]}

[Manufactured [by] [for]:] [Distributed by:] Sergeant's Pet Care Products, LLC P.O. Box 540399 Omaha, NE 68154-0399

{END - BACK / SIDE / OTHER PANEL(S)}

OPTIONAL GRAPHICS BELOW MAY APPEAR ANYWHERE ON FINISHED LABEL OR OUTER PACKAGING





Toto	Adult Flea	
, str	Flea eggs	S

	Sergeant's Master	Label
24 August 2022 - Amendmer Information in [] is optional 01/27/2017	t Version 22.1 Page 14 of 15	EPA No. 2517-126 Supersedes EPA SAL
2	Flea Larvae	

っ	Flea Larvae	$\overline{\mathcal{S}}$
	Flea Pupae	
-	Ticks	
-	Brown Dog Tick	
-	Deer Tick	8
- JAK	Mosquitoes	



{OPTIONAL LANGUAGE AND MARKETING STATEMENTS}

Mosquitoes

{1} Kills and repels Mosquitoes [on Dogs]

{2} Kills Mosquitoes that may vector parasites that may cause Heartworm disease

{3} Protects against blood feeding Mosquitoes that may vector parasites that may cause Heartworm disease

Lice/Mites

{4} Also kills Dog Lice and Sarcoptic Mange Mites

Fleas

{5} Kills and repels [adult] fleas for up to 5 weeks [per application][!]

- {6} Kills, repels and prevents re-infestation of fleas on your [dog] [puppy] for up to 5 weeks [!]
- {7} Controls re-infestation on your [dog] [puppy]
- {8} Kills flea eggs & larvae
- {9} Plus kills flea eggs and larvae
- {10} Stops flea eggs from hatching
- {11} Prevents flea eggs from developing into biting adults

Ticks

- {12} Repels & kills ticks on dogs]
- {13} Kills and repels ticks for up to 6 weeks [per application] [!]

{14} Kills and repels deer tick which may transmit the bacterium [Borrelia burgdorferi] that causes Lyme disease, for up to 6 weeks [!]

{15} Kills and repels brown dog ticks (*Rhipicephalus Sanguineus*) for up to 6 weeks [!]

{16} Kills and repels ticks including the brown dog tick and deer tick which may transmit the bacterium [Borrelia burgdorferi] that causes Lyme disease, for up to 6 weeks [!]

24 August 2022 - Amendment Information in [] is optional 01/27/2017

Version 22.1 Page 15 of 15 EPA No. 2517-126 Supersedes EPA SAL

{17} Kills, repels and prevents re-infestation of ticks on your [dog] [puppy], including brown dog ticks and Ixodes *SPP* which may transmit the bacterium [Borrelia burgdorferi] that causes Lyme disease, for up to 6 weeks.

Multiple Infestations

{18} Kills and repels fleas and ticks for up to 5 weeks [per application][!]

{19} Flea and tick control for dogs [and puppies] 12 weeks [of age] or older

{20} Flea, Tick & Mosquito treatment

{21} Repels & kills Flea, Tick and Mosquitoes

{22} Monthly Flea, Tick, [&] Lice [& Sarcoptic Mange Mite] [application] [treatment]

{23} Kills Fleas, Ticks, Mosquitoes, [&] Lice [& Sarcoptic Mange Mites] on dogs

{24} Triple [pest] protection [against] Fleas, Ticks, [and] Mosquitoes

{25} Triple [pest] protection [against] Fleas, Ticks, [and] Lice

{26} [Five] [5] – in – [one] [1] [pest] protection [against] Fleas, Ticks, Mosquitoes, Lice, [and] Sarcoptic Mange Mites

All Others

{27} Citrus scent

{28} Contains Bitrex [[a bittering agent] [to reduce chance on ingestion]]

{29} Breaks flea life cycle

{30} [1] [2] [3] [4] [5] [6] [7] [8] [9] [10] [11] [12] [24] [Month Supply] [Applications]

{31} [Quick Drying] [Non-Greasy] [Waterproof]

{32} {Note to reviewer: X's and 'Value', 'Bonus', 'Club', etc. 'Pack' or

[33% more free]	[Buy more and save!]
[Bonus 33% more free]	[Buy X Get Y Free]
[Save Now!]	[Buy 3 get 1 free]
[Value Size]	[(x)% (More) (Free)!]
[Club Size]	[(x) Dose(s) Free!]
[Bonus Size]	[(x) Month(s) Free!]
[Club Pack]	[(x) Day(s) (Free)!]
[Great Value]	[(x) Day(s) of treatment- Free!]
[Better Value]	[(x) Tube(s) Free!]
[Bonus Pack]	[(x) Applicator(s) Free!]
[(x) + (x) bonus pack!]	[(x) Application(s) Free!]

[4 STEPS FOR COMPLETE FLEA CONTROL

Step 1- Shampoo or dip your dog.

Step 2- Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for flea control.

Step 3- Apply [Brand Name] for flea, tick, mosquito, [and] lice, [and sarcoptic mange mite] control.

Step 4- Maintenance treatments with on-animal sprays and powders.]

{END - OPTIONAL LANGUAGE AND MARKETING STATEMENTS}