



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

NOTICE OF PESTICIDE:

☒ Registration  
☐ Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

2517-129

Date of Issuance:

11/1/24

Term of Issuance:

Conditional, Time-Limited  
Expires: 11/1/2026

Name of Pesticide Product:

Cyphenothrin + Pyriproxyfen  
Squeeze-On for Dogs (20%)

Name and Address of Registrant (include ZIP Code):

Sergeant's Pet Care Products, LLC  
10077 South 134<sup>th</sup> Street  
Omaha, NE 68138-3710

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Cyphenothrin and Pyriproxyfen Interim Decisions, and has concluded that your submission is acceptable.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.


The alternate brand names have been added to the product record:

- Sergeant's [Plus] [Flea and Tick] Squeeze-On for Dogs [and Puppies]
- Sergeant's Gold [Plus] [Flea and Tick] Squeeze-On for Dogs [and Puppies]
- SentryPro XFC [Flea and Tick] Squeeze-On for Dogs [and Puppies]

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:



Jacquelyn Herrick, Product Manager 4  
IVB1, Registration Division (7505P)

Date:

11/1/24

EPA Form 8570-6

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 11/1/2026.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 4/30/2010.
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ

from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSF:

- Basic CSF dated 02/09/2023

If you have any questions, please contact Hester Dingle at 202-566-2596 or at [dingle.hester@epa.gov](mailto:dingle.hester@epa.gov).

Enclosure

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 1 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

{Text in brackets [ ] is optional, one option will appear on the market label - Text in parenthesis ( ) is essential information, will appear on the label - Text in braces { } is information/note to reviewer, will not appear on the market label}

## Cyphenothrin + Pyriproxyfen Squeeze-On for Dogs (20%)

{Market Label - the word 'dog' will be 75% in height of the largest letter in the product brand name.}

{Market Label - a large clear picture of a dog (representative images at end of document) in the respective weight range will be on the front panel of the label}

### Sublabel A: Direct to Consumer Packaging Option

#### {FRONT PANEL}

{A minimum of 1.5 cm x 1.5 cm icon as indicated black cat, black text, red circle and line through cat, on white background to ensure easy spotting, in lower right-hand corner of front label panel.}



{One of the statements below will appear prominently on front panel of market label as required}

**For use ONLY on [Small][Medium][Large] dogs [&] [and] puppies [weighing] [9-20] [21-39] [40-60] lbs. [over] 12 weeks [of age] or older.**

{OR}

**ONLY for [Small][Medium][Large] dogs [&] [and] puppies [weighing] [9-20] [21-39] [40-60] lbs. [over] 12 weeks [of age] or older.**

#### ACTIVE INGREDIENTS:

Cyphenothrin [(CAS# 39515-40-7)] .....20.00%

Pyriproxyfen [CAS# 95737-68-1] .....2.00%

OTHER INGREDIENTS [\*]: .....78.00%

**TOTAL** .....100.00%

[\*(Diethylene glycol monoethyl ether, vitamin E nicotinate)]

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See [Back][Side][Label(s)][ Panel(s)] [or][Insert] for First Aid [and] [Additional] Precautionary Statements

#### NET CONTENTS:

[One][1] [Two][2] [Three][3] [Four][4] [Five][5] [Six][6] [Seven][7] [Eight][8] [Nine][9] [Ten][10]  
[Eleven][11] [Twelve][12] [Twenty four][24]

**ACCEPTED**

**11/1/2024**

Under the Federal Insecticide, Fungicide  
and Rodenticide Act as amended, for the  
pesticide registered under  
EPA Reg. No. 2517-129

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 2 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

## ***{Package containing 0.05 fl oz (1.5 mL) [tube]/[vial]/[s]}***

1 - 0.05 fl oz (1.5 mL) [tube] [vial]  
0.10 fl oz (3.00 mL), 2 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.15 fl oz (4.50 mL), 3 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.20 fl oz (6.00 mL), 4 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.25 fl oz (7.50 mL), 5 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.30 fl oz (9.00 mL), 6 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.35 fl oz (10.50 mL), 7 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.40 fl oz (12.00 mL), 8 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.45 fl oz (13.50 mL), 9 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.50 fl oz (15.00 mL), 10 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.55 fl oz (16.50 mL), 11 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
0.60 fl oz (18.00 mL), 12 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
1.20 fl oz (36.00 mL), 24 - 0.05 fl oz (1.5 mL) [tubes] [vials]

## ***{Package containing 0.10 fl oz (3.0 mL) [tube]/[vial]/[s]}***

1 - 0.10 fl oz (3.0 mL) [tube] [vial]  
0.20 fl oz (6.00 mL), 2 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
0.30 fl oz (9.00 mL), 3 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
0.40 fl oz (12.00 mL), 4 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
0.50 fl oz (15.00 mL), 5 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
0.60 fl oz (18.00 mL), 6 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
0.70 fl oz (21.00 mL), 7 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
0.80 fl oz (24.00 mL), 8 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
0.90 fl oz (27.00 mL), 9 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
1.00 fl oz (30.00 mL), 10 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
1.10 fl oz (33.00 mL), 11 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
1.20 fl oz (36.00 mL), 12 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
2.40 fl oz (72.00 mL), 24 - 0.10 fl oz (3.0 mL) [tubes] [vials]

## ***{Package containing 0.15 fl oz (4.5 mL) [tube]/[vial]/[s]}***

1 - 0.15 fl oz (4.5 mL) [tube] [vial]  
0.30 fl oz (9.00 mL), 2 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
0.45 fl oz (13.50 mL), 3 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
0.60 fl oz (18.00 mL), 4 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
0.75 fl oz (22.50 mL), 5 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
0.90 fl oz (27.00 mL), 6 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
1.05 fl oz (31.50 mL), 7 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
1.20 fl oz (36.00 mL), 8 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
1.35 fl oz (40.50 mL), 9 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
1.50 fl oz (45.00 mL), 10 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
1.65 fl oz (49.50 mL), 11 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
1.80 fl oz (54.00 mL), 12 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
3.60 fl oz (108.00 mL), 24 - 0.15 fl oz (4.5 mL) [tubes] [vials]

**{END - FRONT PANEL}**

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 3 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

**{BACK / SIDE PANEL}**

[Apply Once Every [30 days][4 weeks][Month]]  
[Can be applied [monthly] [every [30 days][4 weeks][Month]]

**READ ENTIRE LABEL BEFORE EACH USE**  
**USE ONLY ON DOGS AND PUPPIES 12 WEEKS [OF AGE] OR OLDER**  
**WEIGHING [9-20], [21-39], [40-60] LBS**

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS:** For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Overdosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant, nursing dogs, or dog with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product. This product is not a substitute for prescribed heartworm preventative.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
IF SWALLOWED	<ul style="list-style-type: none"><li>• Immediately call a poison control center or doctor.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Have person sip a glass of water if able to do so.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Treat patient symptomatically	

## DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Application of product on pets must only be done indoors. Dog must be dry at time of application and remain dry for 24 hours after application. Use entire contents of [tube] [vial] on each dog. Weigh your dog to be sure you are applying the right dose formulated for the weight

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 4 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

## RESTRICTIONS:

Do not allow children to apply product.

Do not use on cats or animals other than dogs.

Do not allow your dog to ingest this product.

Do not use on dogs or puppies under 12 weeks of age or less than [9][21][40] lbs.

Do not apply more than one [tube] [vial] to one dog regardless of dog's weight.

Do not split one tube between dogs.

Do not bathe or allow dog to swim for 24 hours after application.

**How to open:** Remove product [tube](s) [vial](s) from the package. [Separate one [tube][vial] from the others.] [[Holding][Hold] the [tube][vial] with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.] **{OR}** [[Holding][Hold] the [tube][vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.]

**How to apply:** Invert [tube][vial] over dog and use open end to part dog's hair. Squeeze [tube][vial] firmly to apply all of the solution to the dog's skin, as directed below. Repeat application if necessary, but not more than once every [30 days][4 weeks][Month].

### 1- {Package Containing 0.05 fl oz (1.5 mL) [tubes] [vials] }

#### Only For Dogs Weighing 9 [to][-] 20 lbs.

Apply one [tube][vial] [(0.05 fl oz) (1.5 mL)] [as a spot to the dog's back between the shoulder blades] **{or}** [from the back of the neck to a point midway between the neck and tail].

### 2- {Package Containing 0.10 fl oz (3.0 mL) [tubes] [vials]}

#### Only For Dogs Weighing 21 [to][-] 39 lbs.

Apply one [tube][Vial] [(0.10 fl oz) (3.0 mL)] [as a spot or stripe to the dog's back between the shoulder blades] **{or}** [from the back of the neck to a point midway between the neck and tail].

### 3- {Package Containing 0.15 fl oz (4.5 mL) [tubes] [vials]}

#### Only For Dogs Weighing 40 [to][-] 60 lbs.

Apply one [tube][Vial] [(0.15 fl oz) (4.5 mL)] from the back of the neck to a point midway between the neck and tail.

## [Frequency of Application:

When used [monthly] [every [30 days][4 weeks][Month]] **{product name}** breaks the flea life cycle and controls flea and tick infestations.]

{Side Effects box to be located immediately above the cat warning box on the back label panel}

**Side Effects:** Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience [some] temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have been reported. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If any side effects occur or your dog has unusual reaction to the application, consult your veterinarian or call 1-800-781-4783. Consult your veterinarian before repeating application.

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 5 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

**DO NOT USE ON CATS. MAY BE FATAL.** Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove [tube][vial] from the pack until ready to use. Store in a cool [below 77°F [25°C]] dry place out of reach of children. Do not refrigerate. Protect from direct sunlight.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[[Brand name] is an effective and easy to use product. [Brand name] prevents eggs from fleas on treated dogs from developing into biting adults for [30 days][4 weeks][one Month]. [As with all flea and tick control products, [Brand name] should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard).] [Consult your retailer for program recommendations.]]

## [WARRANTY]

Read the entire Directions for Use and Warranty before using this Product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738

Non-Emergency call 1-800-224-PETS (7387)

Questions? Comments? 1-800-224-7387

[Coupon(s) inside or on outside of box]

{When outside of the box, coupon will not cover or distract consumer from required text}

[Manufactured by:][Distributed by:]

Sergeant's Pet Care Products, LLC

P.O. Box 540399

Omaha, NE 68154-0399

EPA Reg. No. 2517-129

EPA Est. No. XXXXX-XX-XX

[lot, date & label code] [UPC CODE]

**{END - BACK / SIDE PANEL}**

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 6 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

**{TUBE / VIAL LABEL}**

## Front Label

## Back Label

**{Brand Name}**

**For Dogs** [9-20][21-39][40-60] lbs  $\geq$  12 wks

Cyphenothrin 20.0% , Pyriproxyfen 2.0%

0.05 fl oz (1.5 mL) **{or}** 0.10 fl oz (3.0 mL) **{or}**

0.15 fl oz (4.5 mL)



KEEP OUT OF REACH OF CHILDREN

CAUTION: Read entire label before each use. Use scissors to open.

EPA Reg. No. 2517-129

{Lot No.} {label code}

{Lot No. is engraved on the crimp portion of the tube} {label code refers to an internal product tracking code}

{EPA Reg. No. may be on either the front or back label}

**{END - TUBE / VIAL LABEL}**

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 7 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

## Sublabel B: Veterinarian Packaging Option

{Veterinarian Packaging is for use only by licensed veterinarians on dogs in their control or under their immediate supervision}

### {FRONT PANEL}

**For use only by licensed veterinarians on dogs in their control or under their immediate supervision**

{One of the statements below will appear prominently on front panel of market label as required}

**For use ONLY on [Small][Medium][Large] dogs [&] [and] puppies [weighing] [9-20] [21-39] [40-60] lbs. [over] 12 weeks [of age] or older.**

{OR}

**ONLY for [Small][Medium][Large] dogs [&] [and] puppies [weighing] [9-20] [21-39] [40-60] lbs. [over] 12 weeks [of age] or older.**

For use in veterinarian clinics, animal shelters, grooming facilities, and boarding kennels.  
Not for residential use. Do not repackage.

[Ideal for shelter use when under direct supervision of veterinarian]  
[Professional Roll Pack]  
[Convenient roll pack for in clinic use]  
[Convenient roll pack for animal facility use]  
[For use only by licensed veterinarians]

### ACTIVE INGREDIENTS:

Cyphenothrin [(CAS# 39515-40-7)] .....20.00%

Pyriproxyfen [CAS# 95737-68-1] .....2.00%

**OTHER INGREDIENTS [\*]:** .....78.00%

**TOTAL** .....100.00%

[\*(Diethylene glycol monoethyl ether, vitamin E nicotinate)]

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See [Back][Side][Label(s)][ Panel(s)] [or][Insert] for First Aid [and] [Additional] Precautionary Statements

### Net Contents:

[Thirty-five][35] [Fifty][50] [Seventy-five][75] [One hundred][100] [One hundred sixty][160]

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 8 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

***{Package containing 0.05 fl oz (1.5 mL) [tube][vial][s]}***

1.75 fl oz (52.50 mL), 35 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
2.50 fl oz (75.00 mL), 50 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
3.75 fl oz (112.50 mL), 75 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
5.0 fl oz (150.0 mL), 100 - 0.05 fl oz (1.5 mL) [tubes] [vials]  
8.0 fl oz (240.00 mL), 160 - 0.05 fl oz (1.5 mL) [tube] [vial]

***{Package containing 0.10 fl oz (3.0 mL) [tube][vial][s]}***

3.50 fl oz (105.00 mL), 35 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
5.00 fl oz (150.00 mL), 50 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
7.50 fl oz (225.00 mL), 75 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
10.00 fl oz (300.00 mL), 100 - 0.10 fl oz (3.0 mL) [tubes] [vials]  
16.00 fl oz (480.00 mL), 160 - 0.10 fl oz (3.0 mL) [tube] [vial]

***{Package containing 0.15 fl oz (4.5 mL) [tube][vial][s]}***

5.25 fl oz (157.50 mL), 35 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
7.50 fl oz (225.00 mL), 50 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
11.25 fl oz (337.50 mL), 75 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
15.0 fl oz (450.0 mL), 100 - 0.15 fl oz (4.5 mL) [tubes] [vials]  
24.0 fl oz (720.00 mL), 160 - 0.15 fl oz (4.5 mL) [tube] [vial]

**{END – FRONT PANEL}**

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 9 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

**{BACK / SIDE PANEL}**

[Apply Once Every [30 days][4 weeks][Month]]  
[Can be applied [monthly] [every [30 days][4 weeks][Month]]

**READ ENTIRE LABEL BEFORE EACH USE**  
**USE ONLY ON DOGS AND PUPPIES 12 WEEKS [OF AGE] OR OLDER**  
**WEIGHING [9-20], [21-39], [40-60] LBS**

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS:** For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat dogs with more than one pesticide product at a time. Overdosing dogs can result in serious illness and even death. Use caution when applying product on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution when applying any topical flea and tick control product. This product is not a substitute for prescribed heartworm preventative.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
IF SWALLOWED	<ul style="list-style-type: none"><li>• Immediately call a poison control center or doctor.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Have person sip a glass of water if able to do so.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Treat patient symptomatically	

## DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Use entire contents of [tube] [vial] on each dog. Weigh dog to be sure you are applying the right dose formulated for the weight of the dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 10 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

## RESTRICTIONS

Do not allow children to apply product.  
Do not use on cats or animals other than dogs.  
Do not allow dog to ingest this product.  
Do not use on dogs or puppies under 12 weeks of age or less than [9][21][40] lbs.  
Do not apply more than one [tube] [vial] to one dog regardless of dog's weight.  
Do not split one tube between dogs.  
Do not bathe or allow dog to swim for 24 hours after application.

**How to open:** Remove product [tube](s) [vial](s) from the package. [Separate one [tube][vial] from the others.] [[Holding][Hold] the [tube][vial] with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.] {OR} [[Holding] [Hold] the [tube][vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.]

**How to apply:** Invert [tube][vial] over dog and use open end to part dog's hair. Squeeze [tube][vial] firmly to apply all of the solution to the dog's skin, as directed below. Repeat application if necessary, but not more than once every [30 days][4 weeks][Month].

### *1- {Package Containing 0.05 fl oz (1.5 mL) [tubes] [vials] }*

#### **Only For Dogs Weighing 9 [to][-] 20 lbs.**

Apply one [tube][vial] [(0.05 fl oz) (1.5 mL)] [as a spot to the dog's back between the shoulder blades] {or} [from the back of the neck to a point midway between the neck and tail].

### *2- {Package Containing 0.10 fl oz (3.0 mL) [tubes] [vials]}*

#### **Only For Dogs Weighing 21 [to][-] 39 lbs.**

Apply one [tube][Vial] [(0.10 fl oz) (3.0 mL)] [as a spot or stripe to the dog's back between the shoulder blades] {or} [from the back of the neck to a point midway between the neck and tail].

### *3- {Package Containing 0.15 fl oz (4.5 mL) [tubes] [vials]}*

#### **Only For Dogs Weighing 40 [to][-] 60 lbs.**

Apply one [tube][Vial] [(0.15 fl oz) (4.5 mL)] from the back of the neck to a point midway between the neck and tail.

#### **[Frequency of Application:**

When used [monthly] [every [30 days][4 weeks][Month]] {product name} breaks the flea life cycle and controls flea and tick infestations.]

{Side Effects box to be located immediately above the cat warning box on the back label panel}

**Side Effects:** Monitor the dog after application. [Some dogs may experience temporary startle effects when any product is applied]. Dog may experience [some] temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have been reported. If signs of sensitivity occur, bathe the dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If the dog has an unusual reaction to the application, consult a veterinarian before repeating application.

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 11 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS. MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove [tube][vial] from the pack until ready to use. Store in a cool [below 77°F [25°C]] dry place out of reach of children. Do not refrigerate. Protect from direct sunlight.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[[Brand name] is an effective and easy to use product. [Brand name] prevents eggs from fleas on treated dogs from developing into biting adults for [30 days][4 weeks][one Month]. [As with all flea and tick control products, [Brand name] should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard).] [Consult your retailer for program recommendations.]]

## [WARRANTY

Read the entire Directions for Use and Warranty before using this Product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738

Non-Emergency call 1-800-224-PETS (7387)

Questions? Comments? 1-800-224-7387

[Coupon(s) inside or on outside of box]

{When outside of the box, coupon will not cover or distract consumer from required text}

[Manufactured by:][Distributed by:]

Sergeant's Pet Care Products, LLC

P.O. Box 540399

Omaha, NE 68154-0399

EPA Reg. No. 2517-129

EPA Est. No. XXXXX-XX-XX

[lot, date & label code] [UPC CODE]

**{END - BACK / SIDE PANEL}**

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 12 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

## {OPTIONAL LANGUAGE AND MARKETING STATEMENTS}

### [ABNs:]

[Sergeant's [Plus] [Flea and Tick] Squeeze-On for Dogs [and Puppies]  
[Sergeant's Gold® [Plus] [Flea and Tick] Squeeze-On for Dogs [and Puppies]  
[SentryPro XFC [Flea and Tick] Squeeze-On for Dogs [and Puppies]  
[Sergeant's Evolve [11][21][40] Flea and Tick Squeeze-On for Dogs]  
[Sentry®Pro XTR [11][21][40] Flea and Tick Squeeze-On for Dogs]  
[Sentry®Pro XFT [11][21][40] Flea and Tick Squeeze-On for Dogs]  
[Sentry®Pro XFTE [11][21][40] Flea and Tick Squeeze-On for Dogs]  
[Sentry®Pro XFC+ [11][21][40] Flea and Tick Squeeze-On for Dogs]

{1} Formulated for Dogs [and] [&], Puppies 12 weeks or older weighing [9-20] [21-39] [40-60] lbs.  
{2} Flea & Tick Control for Dogs [and], Puppies 12 weeks or older weighing [9-20][21-39][40-60] lbs.  
{3} For Dogs [and] [&], Puppies 12 weeks or older [,] [9 - 20 ] [21 - 39] [40 - 60 ] lbs.  
{4} [12][15][18][21][24][32][52] Week Supply Only For Use on Dogs and puppies [weighing] [9 - 20],  
[21- 39], [40 - 60] lbs.] [and] [,] 12 weeks or older.  
{5} Apply once every [30 days] [4 weeks] [1 month] [!]  
{6} [30 days] [4 week] [1 Month] Dose [!]  
{7} [4 Week Treatment!] [1 Month Treatment!] [30 Day Treatment!]  
{8} [1][2][3][4][5][6][7][8][9][10][11][12][24] [Application] [Dose] [Treatment] [applicator] [s]  
{9} [1][2][3][4][5][6][7][8][9][10][11][12][24] Month [Supply] [Dose] [Treatment]  
{10} [4][8][12][16][20][24][28][32][36][40][44][48][96] Week [Supply] [Dose] [Treatment]  
{11} Best if used year round [!]  
{12} Easy to Use Application [!]  
{13} [Free] [brochure] [and] [Calendar] [Stickers] Inside [!]  
{14} Dogs can be bathed 24 hours after squeeze-on is applied.  
{15} Quick Drying [formula] [!]  
{16} Not all dogs are the same. Should their flea and tick [control][product] be?  
{17} {Brand Name} [developed for the weight of your dog] [formulated for the weight of your dog]

*{Note to Reviewer – All “Kill ticks” claims with an asterisk (\*) will be qualified with the appropriate list of ticks. The list will be placed on the same label panel}*

### Multiple species

{18} Kills fleas, flea eggs, flea larvae, ticks\*, [Repels mosquitoes]  
{19} Kills fleas, ticks\* [Kills flea eggs, flea larvae] [Repels mosquitoes]  
{20} Four [4] Way Protection! Kills ticks\*, fleas, flea eggs & flea larvae [!]  
{21} Five [5] Way Protection! Kills Fleas, Flea Egg, flea larvae, and ticks\*, and repels mosquitoes [!]  
{22} Five in one protection! Kills fleas, flea eggs, flea larvae, and ticks\*, and repels mosquitoes  
{23} Breaks the flea life cycle  
{24} Kills fleas, ticks\*, flea eggs, and flea larvae [and repels mosquitoes]  
{25} Kills fleas, flea eggs, flea larvae, ticks\* and repels mosquitoes  
{26} Kills fleas [in 1 hour],[and] ticks\* [in 3 hours], [flea eggs & flea larvae] [ and repels mosquitoes]  
{27} Kills Fleas [in 1 hour] [,][and] Ticks\* [in 3 hours]  
{28} Kills Fleas, Ticks\*, Flea Eggs & Flea larvae [repels Mosquitoes] for [30 days][4 Weeks][1 month]  
{29} Works for [30 days] [4 weeks] [1 Month] on fleas and ticks\* [!]  
{30} Protects for [30 days] [4 weeks] [1 Month] against [adult] flea and tick\* [!]  
{31} [30 days] [4 Week] [One Month] [Adult] Flea and Tick\* [Control] [Protection!] [Treatment!]  
{32} Kills [Adult] Fleas and Ticks\* for [30 days] [4 weeks] [1 Month]  
{33} Kills fleas in 1 hour after application

# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 13 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

- {34} Quickly kills fleas in 1 hour and ticks\* in 3 hours
- {35} Kills flea 1 hour [after application] and ticks\* in 3 hours after application
- {36} Kills Fleas, Ticks\* [Kills Flea Eggs, Flea larvae] [Repels mosquitoes]

\*(*American Dog Tick, Blacklegged Tick and Brown Dog Tick*)

## Flea, Flea eggs and Larvae

- {37} Kills fleas in 1 hour after application
- {38} Kills fleas which may cause flea allergy dermatitis
- {39} Kills fleas which may cause anemia
- {40} Quickly kills fleas in 1 hour
- {41} With Pyriproxyfen to Break Flea Life Cycle
- {42} With Insect Growth Regulator to Break Flea Life Cycle
- {43} With [Pyriproxyfen] Insect Growth Regulator which Breaks the Flea Life Cycle
- {44} Dual Action [!]: Cyphenothrin with Pyriproxyfen {or IGR}, Effectively Breaks the Flea Life Cycle
- {45} Prevents Flea Eggs from Developing into Biting Adults
- {46} Breaks Flea Life Cycle [!] for [30 days][4 week][1 Month]
- {47} Controls reinfestation for [30 days][4 week][1 Month]
- {48} Kills Flea Eggs & Flea Larvae for [30 days][4 week][1 Month] [!]
- {49} Kills fleas in 1 hour [!]
- {50} Kills Fleas for [30 days] 4 weeks [1 Month]
- {51} Kills Adult Fleas for [30 days] 4 weeks [1 Month]

## Ticks

- {52} Kills ticks\* in 3 hours after application
- {53} Quickly kills ticks\* in 3 hours [!]
- {54} Kills Ticks\* [!]
- {55} Kills ticks\* in 3 hours [!]
- {56} Kills ticks\* that may transmit Lyme disease
- {57} Kills Ticks\* for [4 weeks][1 month][30 days] [!]
- {58} Kills deer ticks [that may transmit Lyme disease] [for [4 weeks] [1month][30 days]]
- {59} Kills brown dog ticks [(*Rhipicephalus sanguineus*)] for [4 weeks][1 month][30 days] [!]
- {60} Kills American Dog Ticks [(*Dermacentor variabilis*)] for [4 weeks][1 month][30 days] [!]

\*(*American Dog Tick, Blacklegged Tick and Brown Dog Tick*)

## Mosquitoes

- {61} Repels mosquitoes
- {62} Repels mosquitoes for [30 days] [4 weeks] [1 month] [!]
- {63} Repels mosquitoes that may transmit heartworm
- {64} Repels mosquitos that may transmit [heartworm] [West Nile virus] [from feeding on dogs] [for [one month] [30 days] [4weeks]]
- {65} [Repels] mosquitos that may transmit West Nile virus and heartworm [from feeding on dogs] [for [one month] [30 days] [4weeks]]
- {66} Prevents mosquitos from blood feeding, which may transmit West Nile virus and heartworm to dogs for [30 days][4 weeks][1 Month]

**[END - Optional Marketing Statements]**


# Sergeant's Master Label

15 October 2024 - Amendment  
Per Re-evaluation ID

V24.1  
Page 14 of 14

Reg. No. 2517-129  
Supersedes EPA SAL 11/20/2017

Optional pictures, graphics and pictograms may or may not appear anywhere on the finished label



*{Representative image of dog(s) in the appropriate weight range will appear on the packaging}*

