



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 20, 2015

Mr. Kelly R. Hoskins
Manager of Regulatory Affairs
Sergeant's Pet Care Products, Inc.
10077 South 134th Street
Omaha, NE 68138-1710

Subject: Label Amendment – Adding an optional minimum 5 lb. weight; adding marketing claims; clarifying application directions
Product Name: Sergeant's Fipronil + Methoprene Squeeze-On for Dogs
EPA Registration Number: 2517-134
Application Date: February 18, 2015
Decision Number: 500304

Dear Mr. Hoskins:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 2517-134
Decision No. 500304

with FIFRA section 6. If you have any questions, please contact me by phone at (703) 306-0415, or via email at davis.kable@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to be 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis, Product Manager 3
Invertebrate and Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 1 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

FRONT PANEL

DOG SQUEEZE ON FIPRONIL+METHOPRENE

{Optional text appears in brackets – the final product label may include some or all of the optional text on front, back, side or folded label panels. The CRP required text will not change.}

Sergeant's Fipronil + Methoprene Squeeze-On for Dogs

[ABNs:]

[Sergeant's® FRONTIER GOLD Plus (Spot On) for Dogs]

[Sergeant's® Ectoadvance Plus (Spot On) for Dogs]

[Sergeant's® AdvanSpot Plus (Spot On) for Dogs]

[Sergeant's® PRONYL OTC™ PLUS for Dogs]

[SentryProline Plus (Spot On) for Dogs]

[SENTRY® FIPROGUARD™ PLUS for Dogs]


[SENTRY® AdvanSpot Plus (Spot On) for Dogs]

[Sentry® FRONTIER GOLD Plus (Spot On) for Dogs]

[Sentry® Ectoadvance Plus (Spot On) for Dogs]

[PetArmor® Plus for dogs]

[Sergeant's® PetArmor® Plus for dogs]



[1.5cm x 1.5cm on final or as indicated]

[Apply to puppies over 8 weeks old]

[Apply to puppies 8 weeks or older]



For use ONLY on dogs [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] {OR}

For use ONLY on dogs [[&][and] puppies 4[-] [to] 22 lbs and over 8 weeks of age {OR}

For use ONLY on dogs [[&][and] puppies 5[-] [to] 22 lbs and over 8 weeks of age {OR}

ONLY For Dogs [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] {OR}

ONLY For Dogs & Puppies 8 weeks or older [&][and] 4[-][to] 22 lbs {OR}

ONLY For Dogs & Puppies 8 weeks or older [&][and] 5[-][to] 22 lbs

{box only designates Vet Only language}

{SUBLABEL: FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION}

FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels.
Not for residential use. Do not repackage.

[Ideal for shelter use when under direct supervision of veterinarian]

[Professional Roll Pack]

[Convenient roll pack for in clinic use]

[Convenient roll pack for animal facility use]

[For use only by licensed veterinarians]

Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 2 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

[Mosquitoes]

[Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days]

[Chewing Lice]

[Kills chewing lice]

[Rapid elimination of chewing lice infestation]

[[A once monthly application required][Apply monthly to control] [for] chewing lice]

[Adult Fleas]

[[Kills [adult] Fleas [for up to three months]]

[Kills newly emerged adult Fleas before they lay eggs]

[Kills Adult Fleas, which may be a source of [flea allergy dermatitis] [, flea bite anemia]]

[Kills Fleas Up to [4 weeks] [1 month] [30 days]!]

[If dog is a high risk for flea reinfestation a once month application may be needed]

[Multiple Infestations]

[Kills chewing lice [and controls mites that may cause sarcoptic mange]]

[Flea [&] [and] Tick Control for Dogs [&] [and] Puppies 8 weeks old [&] [and] older]

[Kills fleas, flea eggs, ticks, chewing lice [&] [and] [mosquitoes]]

[Kills fleas, ticks, [mosquitoes], chewing lice, flea eggs, flea larvae [&] [and] [prevents the development of flea pupae]]

[Kills Fleas, Ticks [&] [and] [Mosquitoes]]

[Breaks the Flea Life Cycle [for up to three months]]

[Monthly flea, tick, [mosquito], chewing lice and flea egg protection]

[Monthly flea, tick, [mosquito] and chewing lice protection]

[Kills fleas, ticks, [mosquitoes], flea eggs, and chewing lice]

[[Seven] [7] [Six] [6][Five][5] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, flea eggs, [&][and]flea larvae [&] [and] prevent the development of flea pupae]]

[[Six] [6] [Five] [5][Four][4] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, [&][and]flea eggs [&] [and] flea larvae]

[[4 week] [1 month] [30 day] Flea [and] [&] Tick [Application] [Treatment]!]

[[Four (4) Week] [1 month] [30 day] [Flea, Tick, and Chewing Lice Control]

[[Four [4] Week] [1 month] [Flea, Tick, [Mosquito] and Chewing Lice Control]

[Use [Brand Name][This product] monthly to break the flea life cycle.]

[Use [Brand Name][This product] monthly to control ticks and chewing lice]

[Monthly flea, tick, [mosquito,] flea egg, flea larvae and chewing lice protection.]

[Once A Month Flea, Tick, [Mosquitoes] [and] [Chewing Lice][Application] [Treatment]]

[Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills Fleas, [and] [&] Ticks [and Mosquitoes] for up to [4 weeks] [1 month]!]

[Kills Fleas, Ticks, Flea Eggs [and] [&] Flea Larvae for up to [4 Weeks] [1 month] [30 days]]

[Ticks]

[Kills Ticks including those that may transmit Lyme disease]

[Kills Ticks for Up to [4 weeks] [1 month] [30 days]!]

[Kills [all stages of] deer ticks [including those that may transmit Lyme disease,] [for up to [4 weeks] [1 month] [30 days] [per application]]

[Kills Ticks (Including Deer Ticks) for up to [4 weeks] [1 month] [30 days]]

[Kills [brown dog ticks], [(*Rhipicephalus sanguineus*)] [American dog ticks,] [and] [lone star ticks],[,][and deer ticks] [for up to [4 weeks] [1 month] [30 days]]

[Kills American Dog Ticks [(*Dermacentor variabilis*)] for up to [4 weeks] [1 month] [30 days]!]

Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 3 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

[Flea Eggs and Larvae]

[Controls flea reinfestation for up to [12 weeks] [3 months]]

[Kills adult fleas, flea eggs, flea larvae, and prevents the development of pupae for up to [three months] [12 weeks].]

[Effectively controls all stages of the flea (including adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]

[Effective against all stages of the flea (including adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]

[If dog is a high risk for flea reinfestation a once month application may be needed]

[Prevents from developing, flea eggs [larvae] [pupae] for up to [3 months] [12 weeks]]

[With (S)-methoprene Insect Growth Regulator [IGR] which Breaks the Flea Life Cycle]

[With (S)-methoprene to Break Flea Life Cycle]

[With Insect Growth Regulator [IGR] to Break Flea Life Cycle]

[Dual Action [!]: Fipronil with (S)-methoprene IGR [insect growth regulator] Effectively Breaks the Flea Life Cycle]

[Dual Action [!]: Effectively Breaks the Flea Life Cycle [!]]

[Kills Flea Eggs & Flea Larvae for [up to 3 months] [up to 12 weeks]!]

[Prevents Flea Eggs From Developing Into Biting Adults]

[Prevents all stages of the flea life cycle from developing]

[Controls reinfestation of fleas for up to 3 months]

[Effective against all stages of the flea life cycle]

[Effectively controls all stages of the flea life cycle]

[All Others]

[For Dogs and Puppies 8 weeks of age or older]

[Can be used on puppies 8 weeks of age and older]

[Specially Formulated for Dogs and Puppies 8 weeks of age or older]

[For Dogs [4-22 lbs.], [5-22 lbs], [23-44 lbs.], [45-88 lbs.], [89-132 lbs.]

[Fast Acting] [Long Lasting]

[Convenient spot treatment]

[Easy to Use [Application]]

[Best if used year round!]

[For year-round protection, apply [Brand Name] monthly]

[(ICON Showing [4 week] [1 month] [30 day] Protection)]

[Apply monthly]

[Prevents reinfestation of listed pests for [4 weeks] [1 month]]

[Apply once every [4 weeks] [month] [30 days]!]

[4 Week Dose!] [1 Month Dose!] [30 Day Dose!]

[One Application][Two Applications][Three Applications][Four Applications][Five Applications][Six Applications][12 Applications][24 Applications] and/or [1 Month Supply][2 Month Supply][3 Month Supply][4 Month Supply][5 Month Supply][6 Month Supply][12 Month Supply][24 Month Supply] or [4 Week Supply][8 Week Supply][12 Week Supply][16 Week Supply][20 Week Supply][24 Week Supply][48 Week Supply][52 Week Supply][104 Week Supply]

[Controls mites that may cause sarcoptic mange]

[Waterproof]

[Effective after bathing and exposure to water and sunlight]

[Can be used on breeding, pregnant, and lactating [bitches] [female] [dogs]]

[[Free] Calendar Stickers Inside!]

[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet][inside]]

[Fipronil (9.8%) + (S)-methoprene (8.8%)]

[Contains the same active ingredient(s) used in [FRONTLINE® Plus for Dogs (or any approved ABN)].*]]

Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 4 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

[Compare to [FRONTLINE® Plus for Dogs (or any approved ABN)], contains the same active ingredients.*]
[Compare to [FRONTLINE® Plus for Dogs (or any approved ABN)], contains the same active ingredients
fipronil and (S)-Methoprene.*]

[[Brand Name] [products] [This product] contain(s) fipronil and (S)-Methoprene, the same active ingredients
used in [FRONTLINE® Plus for Dogs (or any approved ABN)].*]

[[Brand Name] [products] [This product] contain(s) fipronil and (S)-Methoprene, compared to the same active
ingredient(s) used in [FRONTLINE® Plus for Dogs (or any approved ABN)].*]

[[*][Brand Name][This product] is not manufactured or distributed by [Merial®] [Company name], the makers
of [FRONTLINE® Plus for Dogs (or any approved ABN)].]

[[Brand Name][This product][Frontline®] is a registered trademark of [Merial®] [Company name].]

[[Brand Name] is a registered trademark of Sergeant's Pet Care Products, Inc.]

[[1][2][3][4][5][6][12][24] Applications]

[Stops and prevents infestation of listed pests for [4 weeks][1 month]]

[Stops existing infestation and prevents establishment of additional infestation of listed pests]

[Lift [here] for more information]

[S][Small][4-22 lbs.][5-22 lbs][M][Medium][23-44 lbs.][L][Large][45-88 lbs.][XL][Extra Large][89-132 lbs.]

[Direct to skin [tube][vial][applicator][pipette]]

[Easy to Use] [tube][vial][applicator][pipette]]

[Clean cut [open] [tube][vial][applicator][pipette]]

[No-mess [open] [tube][vial][applicator][pipette]]

[Clip-tip design [tube][vial][applicator][pipette][!]]

[Satisfaction Guaranteed][If you are not satisfied, we will make it right with a replacement or refund.]

[Save Now!]

[Value Size]

[Club Size]

[Bonus Size]

[Club Pack]

[Great Value]

[Better Value]

[Bonus Pack]

[(x) + (x) bonus pack!]

[Buy more and save!]

[Buy X Get Y Free]

[Buy 3 get 1 free]

[(x)% (More) (Free)!]

[33% more free]

[(x) Dose(s) Free!]

[(x) Day(s) (Free)!]

[(x) Month(s) Free!]

[(x) Day(s) of treatment- Free!]

[(x) Tube(s) Free!]

[(x) Applicator(s) Free!]

[(x) Application(s) Free!]

Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 5 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

ACTIVE INGREDIENTS:

Fipronil.....	9.80%
(S)-methoprene.....	8.80%
OTHER INGREDIENT:	<u>81.40%</u>
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Insert] [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

Net Contents: X fl oz [Y – 0.0xx fl oz (x mL) [applicators][tubes][vials][pipettes]]
[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

OR {box only designates Vet Only language}

Net Contents: X fl oz X count [Y – X fl oz [tube][vial][applicator][pipette][s]] [Thirty-five] 35[Fifty][50][Seventy-five][75][One hundred][100] [One hundred sixty 160]
--

[0.023 fl oz (0.67 mL)] [0.045 fl oz (1.34 mL)] [0.091 fl oz (2.68 mL)] [0.136 fl oz (4.02 mL)]
[applicators][tubes][vials][pipettes]

{END - FRONT PANEL}

Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 6 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

BACK /SIDE PANEL

DOG SQUEEZE ON FIPRONIL+METHOPRENE

[[Brand Name]][This product] contains Fipronil and S-Methoprene (insect growth regulator) (IGR) to effectively kill fleas and ticks [(including those that may transmit Lyme disease).] [The active ingredients in [Brand Name]][This product] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4][four] weeks] on dogs.]

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

OR {box only designates Vet Only language}

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat a dog with more than one pesticide product at a time. Over dosing a dog can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

FIRST AID

If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs.

Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 7 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

Do not allow your dog to ingest this product. Do not use on puppies under 8 weeks of age or less than [4 (or 5)][23][45][89] lbs. Use entire contents of [tube] [vial] [applicator] [pipette] on each dog. [Do not split one [tube] [vial] [applicator] [pipette] between dogs.] Do not use multiple [tube] [vial] [applicator] [pipette]s on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.

[1.5cm x 1.5cm on final or as indicated]



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

{ Outer Packaging }

How to open: Remove product tubes [vial] from the package. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the lines.

How to apply: Invert [tube] [vial] [applicator] [pipette] over dog and use open end to part dog's hair. Squeeze tube [vial] [applicator] [pipette] firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks.

{For cartons containing 0.67 mL (0.023 fl oz) applicator tubes}

Only For Dogs Weighing 4 [-] [to] 22 lbs. Do not apply to dogs weighing less than 4 lbs. {OR} Only For Dogs Weighing 5 [-] [to] 22 lbs. Do not apply to dogs weighing less than 5 lbs. [including small dogs and puppies, 8 weeks or older]:

Apply one [tube] [vial] [applicator] [pipette](0.67 mL)(0.023 fl oz) [directly to skin][from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending at a spot] between the shoulder blades. [This allows for a more direct application to the skin.]

{For cartons containing 1.34 mL (0.045 fl oz) applicator tube}

Only For Dogs Weighing 23 [-] [to] 44 lbs. Do not apply to dogs weighing less than 23 lbs.

Apply one[tube] [vial] [applicator] [pipette] (1.34 mL)(0.045 fl oz) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending at a spot] between the shoulder blades. [This allows for a more direct application to the skin.]

{For cartons containing 2.68 mL (0.091 fl oz) applicator tube}

Only For Dogs Weighing 45 [-] [to] 88 lbs. Do not apply to dogs weighing less than 45 lbs.

Apply one [tube] [vial] [applicator] [pipette] (2.68 mL)(0.091 fl oz) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending at a spot] between the shoulder blades. [This allows for a more direct application to the skin.]

Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 8 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

{For cartons containing 4.02 mL (0.136 fl oz) applicator tube}

Only For Dogs Weighing 89 [-] [to] 132 lbs. Do not apply to dogs weighing less than 89 lbs. Do not use two tubes on dogs greater than 132 lbs. Apply one[tube] [vial] [applicator] [pipette] (4.02 mL)(0.136 fl oz) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending at a spot] between the shoulder blades]. [This allows for a more direct application to the skin.]

FREQUENCY OF APPLICATION

Use [Brand Name] [this product] monthly for complete control of flea, tick, [and] chewing lice, [and mosquito] infestations. [Studies show that] [Brand Name] [this product] kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks[,] [mosquitoes] and chewing lice. [Brand Name] [This product] remains effective even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [30 days] [4 weeks].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F [/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY] Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738
Non-Emergency, call: 1-800-224-PETS (7387)

[Coupon(s) inside or on outside of box]
[Made in USA] [U.S. Patent No. 5,567,429]

[Distributed by:] [Manufactured by:]
Sergeant's Pet Care Products, Inc.
Omaha, NE 68138-3710

[BAR CODE AREA][Lot code]
EPA Reg. No. 2517-134
EPA Est. No. [XXX-XX-XXX]

{END - BACK / SIDE PANEL}

Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 9 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

OUTER PACKAGING OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE

**DOG SQUEEZE ON
FIPRONIL+METHOPRENE**

{How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.}

[[Clip. Part. Squeeze.]]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

[Application Instructions] [Directions for Use]

How to Open

1. Remove product tubes [*vial*] from the package.
2. [Separate one tube from the others.] Hold the tube [*vial*] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply

1. Invert [tube] [vial] [applicator] [pipette] over dog and use open end to part dog's hair.
2. Squeeze [tube] [vial] [applicator] [pipette] firmly to apply all of the solution to the dog's skin [as a spot [on] [to] the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.]

[Look at the Label (Look at the Label icon) [Easy]

6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow directions
- [2] Weigh [your] dog
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment] [application] to avoid chance of ingestion
- [6] Do NOT split tubes between pets][and use the ENTIRE tube contents]

[Brand Name]

[1][2][3][4][5][6][12][24][Month [Application] Tracker][Carecard]

[For year-round protection, apply [**Brand Name**][This Product] monthly.]

[Dog's Name (Empty blank for owner to fill in name)]

[Dog's Weight (Empty blank for owner to fill in name)]

[First][1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth][8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th]

[Dose] [Treatment] [Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)

[Application date][Date of Application]

[calendar stickers with [**Brand Name**] [This Product]

[Place stickers on your calendar as a reminder to reapply [**Brand Name**] [This Product] in 30 days.]

[Place sticker on your calendar or [refrigerator] to remind yourself to apply [Brand name][this product] to your dog]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [**Brand Name**][This Product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]



























Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 10 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015

{Optional graphics below may or may not appear anywhere on finished label}

	Adult Flea	
	Fleas	
	Flea eggs	
	Flea Larvae	
	Flea Pupae	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Chewing Lice	
	Lone Star Tick	
	Mosquitoes	
	Mite	




Sergeant's Master Label

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b
Page 11 of 10

EPA No. 2517-134
EPA SAL 9/11/2013
Notification 1/22/2015



[Flea life cycle diagram] [Flea Life Cycle]

{END - PACKAGE COPY}

TUBE/VIAL LABEL

DOG SQUEEZE ON FIPRONIL+METHOPRENE

{Front Label}

{Icon as indicated}

{Back Label}

{Brand Name} For Dogs [X-Y] lbs \geq 8 wks
fipronil 9.8%, s-methoprene 8.8%
0.023 fl oz (**or**) 0.045 fl oz (**or**) 0.091 fl oz (**or**)
0.136 fl oz {label code}



KEEP OUT OF REACH OF CHILDREN
CAUTION: Read directions and precautions
before using. Use scissors to open.
EPA REG. No. 2517-134 {label code}

{EPA REG No may be on either the front or back label}

{END – TUBE/VIAL LABEL}