

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

July 20, 2015

Mr. Kelly R. Hoskins Manager of Regulatory Affairs Sergeant's Pet Care Products, Inc. 10077 South 134<sup>th</sup> Street Omaha, NE 68138-1710

Subject: Label Amendment – Adding marketing claims; clarifying application directions

Product Name: Sergeant's Fipronil + Methoprene Spot-On for Cats

EPA Registration Number: 2517-135 Application Date: February 18, 2015

Decision Number: 500303

Dear Mr. Hoskins:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 2517-135 Decision No. 500303

with FIFRA section 6. If you have any questions, please contact me by phone at (703) 306-0415, or via email at <a href="mailto:davis.kable@epa.gov">davis.kable@epa.gov</a>.

Sincerely,

Kable Bo Davis, Product Manager 3 Invertebrate and Vertebrate Branch 1 Registration Division (7505P) Office of Pesticide Programs

Enclosure

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 1 of 9 EPA Reg. No. 2517-135 EPA SAL 9/11/2013 Notification 1/22/2015 & 3/13/2014

FRONT PANEL

**CAT SPOT ON** 

FIPRONIL+METHOPRENE

{Optional text appears in brackets – the final product label may include some or all of the optional text on front, back, side or folded label panels. The CRP required text will not change.}

## **Sergeant's Fipronil + Methoprene Spot-On for Cats**

### [ABNs:]

[Sergeant's® Frontier Gold Plus Spot On for Cats]

[Sergeant's® Frontier Gold Plus for Cats]

[Sentry® Frontier Gold Plus Spot On for Cats]

[Sentry® Frontier Gold Plus for Cats]

[Sergeant's® Ectoadvance Plus Spot On for Cats]

[Sergeant's® Ectoadvance Plus for Cats]

[Sentry® Ectoadvance Plus Spot On for Cats]

[Sentry® Ectoadvance Plus for Cats]

[Sentry® Proline Plus Spot On for Cats]

[Sentry® Proline Plus for Cats]

[SENTRY® FIPROGUARD<sup>TM</sup> PLUS for Cats]

[FIPROGUARD<sup>TM</sup> PLUS for Cats]

[Sergeant's® PRONYL OTCTM PLUS for Cats]

[PRONYL OTC<sup>TM</sup> PLUS for Cats]

[Sergeant's® AdvanSpot Plus Spot On for Cats]

[Sergeant's® AdvanSpot Plus for Cats]

[Sentry® AdvanSpot Plus Spot On for Cats]

[Sentry® AdvanSpot Plus for Cats]

[PetArmor® Plus for cats]

[Sergeant's® PetArmor® Plus for cats]

ACCEPTED

07/20/2015

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2517-135

For use ONLY on cats [[&] [and] kittens] over 1.5 lbs and over 8 weeks of age [OR] Only for cats [[&] [and] kittens] over 8 weeks of age and over 1.5 lbs

[Apply to kittens over 8 weeks old]

[Apply to kittens 8 weeks or older]

{box only designates Vet Only language}

**(SUBLABEL:** FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION)

# FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels. Not for residential use. Do not repackage.

[Ideal for shelter use when under direct supervision of veterinarian]

[Professional Roll Pack]

[Convenient roll pack for in clinic use]

[Convenient roll pack for animal facility use]

[For use only by licensed veterinarians]

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 2 of 9 EPA Reg. No. 2517-135 EPA SAL 9/11/2013 Notification 1/22/2015 & 3/13/2014

## [Mosquitoes]

[Kills mosquitoes within 24 hours for up to 14 days] [and within 48 hours for up to 28 days]

### [Chewing Lice]

[Kills chewing lice]

[Rapid elimination of chewing lice infestation]

[Fast Action against chewing lice infestations]

#### [Adult Fleas]

[Kills adult fleas [for up to six weeks]]

[Kills Fleas [Up to [4] [6] weeks]!]

[Kills fleas which may be a source of flea allergy dermatitis] [or flea bite anemia]

#### [Ticks]

[Kills ticks including those that may transmit Lyme disease]

[Kills Ticks for Up to [4 weeks] [1 month] [30 days]!]

[Kills Deer Ticks (that may carry Lyme disease) for up to [4 weeks] [1 month] [30 days]]

[Kills [brown dog ticks], [(*Rhipicephalus sanguineus*)] [American dog ticks,] [and] [lone star ticks][,][and deer ticks] [for up to [4 weeks] [1 month] [30 days]]]

[Kills American Dog Ticks [(Dermacentor variabilis)] for up to [4 weeks] [1 month] [30 days]!]

### [Multiple Infestations]

[Flea [&] [and] Tick Control for Cats [&] [and] Kittens 8 weeks old and older]

[Kills fleas, flea eggs, ticks, chewing lice [&] [and] [mosquitoes]

[Kills fleas, ticks, [mosquitoes,] chewing lice, flea eggs, [and] flea larvae [and prevents the development of flea pupae]]

[Breaks the Flea Life Cycle]

[Monthly flea, tick, [mosquito,] chewing lice, and flea egg protection]

[Monthly flea, tick, [mosquito] and chewing lice protection]

[Kills fleas, ticks, [mosquitoes,] flea eggs, and chewing lice]

[[Seven] [7] [Six] [6] Way [Action] [Effectiveness] [Control] [kills fleas, ticks, [mosquitoes,] chewing lice, flea eggs, flea larvae and prevents the development of flea pupae]]

[[Six] [6] [Five] [5] Way [Action] [Effectiveness] [Control] [kills fleas, ticks, [mosquitoes,] chewing lice, flea eggs & flea larvae]

[[4 week] [1 month] [30 day] Flea [and] [&] Tick [Application] [Treatment]!]

[[Four (4) Week] [1 month] [Flea, Tick, [Mosquito] and Chewing Lice Control]

[Use [Brand name][this product] monthly to break the flea life cycle.]

[[Four (4) Week] [1 month] [30 day] [Flea, Tick and Chewing Lice Control]

[Use [Brand name][This product] monthly to control ticks and chewing lice]

[Monthly flea, tick, [mosquito,] flea egg, flea larvae and chewing lice protection.]

[[4 week] [1 month] [30 day] Flea and Tick Treatment!]

[Once A Month Flea, Tick, [Mosquitoes] [and] [Chewing Lice] [Application] [Treatment]]

[Kills Fleas and Ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills Fleas, Ticks, Flea Eggs & Flea Larvae for up to [4 Weeks] [1 month] [30 days]]

[Brand name][This product provides convenient and effective flea, tick, [and] chewing lice [and] [mosquito] control for cats and kittens over 8 weeks of age]

control for cats and kittens over 6 weeks of agej

[Controls reinfestation of fleas for up to six weeks]

### [Flea Eggs and Larvae]

[Controls flea reinfestation [for up to six weeks]]

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 3 of 9 EPA Reg. No. 2517-135 EPA SAL 9/11/2013

Notification 1/22/2015 & 3/13/2014

[Kills adult fleas, flea eggs, flea larvae, and prevents the development of pupae [for up to six weeks]]

[Kills all stages of the flea (adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]

[If cat is at high risk for flea reinfestation apply once a month]

[Kills flea eggs [larvae] [and prevents the development of pupae] for up to six weeks]

[With (S)-methoprene [Insect Growth Regulator] [IGR] which Breaks the Flea Life Cycle]

[With (S)-methoprene to Break Flea Life Cycle]

[With [Insect Growth Regulator] [IGR] to Break Flea Life Cycle]

[Dual Action [!]: Fipronil with (S)-methoprene [insect growth regulator] [IGR] Effectively Breaks the Flea Life Cycle]

[Dual Action [!]: Effectively Breaks the Flea Life Cycle[!]]

[Kills Flea Eggs & Flea Larvae [for up to six weeks]!]

[Prevents Flea Eggs From Developing Into Biting Adults]

#### [All Others]

[For Cats and Kittens 8 weeks of age or older

[Can be used on kittens 8 weeks of age and older

[Specially Formulated for Cats and Kittens Over 8 Weeks Old]

[Fast Acting] [Long Lasting]

[Easy to Use [Application]]

[Best if used year round!]

[Apply monthly]

[Once a month treatment]

[Apply once every [4 weeks] [month] [30 days]!]

[4 Week Dose!] [1 Month Dose!] [30 Day Dose!]

[One Applications][Two Applications][Three Applications][Four Applications][Five Applications][Six Applications][Twelve Applications][24 Applications] and/or [1 Month Supply][2 Month Supply][3 Month Supply][4 Month Supply][5 Month Supply][6 Month Supply][12 Month Supply][24 Month Supply][12 Week Supply][16 Week Supply][16 Week Supply][17 Week Supply][18 Week Supply][18 Week Supply][19 Week Suppl

Supply][52 Week Supply][104 Week Supply]

[Waterproof]

[Effective even after bathing]

[Effective after bathing and exposure to water and sunlight]

[Can be used on breeding, pregnant and lactating [queens], [female] [cats]]

[[Free] Calendar Stickers Inside!]

[Monthly application reminder inside]

[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet] [clip] [inside]]

[Fipronil (9.8%) + (S)-methoprene (11.8%)]

[Contains the same active ingredient(s) used in [FRONTLINE® Plus for Cats (or any approved ABN)].\*]]

[Compare to [FRONTLINE® Plus for Cats (or any approved ABN)], contains the same active ingredient(s).\*]

[Compare to [FRONTLINE® Plus for Cats (or any approved ABN)], contains the same active ingredients fipronil and (S)-Methoprene.\*]

[[Brand Name] [products] [This product] contain(s) fipronil and (S)-Methoprene, the same active ingredients used in [FRONTLINE® Plus for Cats (or any approved ABN)].\*]

[[Brand Name] [products] [This product] contain(s) fipronil and (S)-Methoprene, compared to the same active ingredient(s) used in [FRONTLINE® Plus for Cats (or any approved ABN)].\*]

[[\*][Brand Name][This product] is not manufactured or distributed by [Merial®] [Company name], the makers of [FRONTLINE® Plus for Cats (or any approved ABN)].]

[[Brand Name][This product][Frontline®] is a registered trademark of [Merial®] [Company name].]

[[1][2][3][4][5][6][12][24] Applications]

[Stops and prevents infestation of listed pests for [4 weeks][1 month]]

[Lift [here] for more information]

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 4 of 9 EPA Reg. No. 2517-135 EPA SAL 9/11/2013

Notification 1/22/2015 & 3/13/2014

[Direct to skin [tube][vial][applicator][pipette]]

[Easy to Use] [tube][vial][applicator][pipette]]

[Clean cut [open] [tube][vial][applicator][pipette]]

[No-mess [open] [tube][vial][applicator][pipette]]

[Clip-tip design [tube][vial][applicator][pipette][!]]

[Satisfaction Guaranteed][If you are not satisfied, we will make it right with a replacement or refund.]

[Save Now!]

[Value Size]

[Club Size]

[Bonus Size]

[Club Pack]

[Great Value]

[Better Value]

[Bonus Pack]

[(x) + (x) bonus pack!]

[Buy more and save!]

[Buy X Get Y Free]

[Buy 3 get 1 free]

[(x)% (More) (Free)!]

[33% more free]

- [(x) Dose(s) Free!]
- [(x) Day(s) (Free)!]
- [(x) Month(s) Free!]
- [(x) Day(s) of treatment- Free!]
- [(x) Tube(s) Free!]
- [(x) Applicator(s) Free!]
- [(x) Application(s) Free!]

#### **ACTIVE INGREDIENTS:**

Fipronil	9.80%
(S)-methoprene	
OTHER INGREDIENT:	
TOTAL	100.00%

# KEEP OUT OF REACH OF CHILDREN CAUTION

See [Insert] [Back][or][Side][Label[s]][Panel[s]] for Additional Precautionary Statements

Net Contents: X fl oz [Y – 0.017 fl oz (0.50 mL) [applicator(s)][tubes][vials][pipettes]]

**OR** {box only designates Vet Only language}

**Net Contents: X fl oz X count [Y – X fl oz** [tube][vial][applicator][pipette][s]] [Thirty-five] 35[Fifty][50][Seventy-five][75][One hundred][100] [One hundred sixty 160]

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

**(END - FRONT PANEL)** 

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 5 of 9 EPA Reg. No. 2517-135 EPA SAL 9/11/2013 Notification 1/22/2015 & 3/13/2014

### BACK PANEL/SIDE PANEL

**CAT SPOT ON** 

FIPRONIL+METHOPRENE

[[Brand name][This product] contains Fipronil and S-Methoprene (insect growth regulator) (IGR) to effectively kill fleas (all stages) and ticks [(including those that may transmit Lyme disease)]. [The active ingredients in [Brand name][this product] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for [1 month][4 weeks] on cats only.]

# READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE

### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. CAUTION.** Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**HAZARDS TO DOMESTIC ANIMALS.** For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, or aged cats. Can be used on breeding, pregnant, or lactating [cats] [female cats] [queens]. Consult a veterinarian before using on cats with known organ dysfunction.

**OR** {box only designates Vet Only language}

**HAZARDS TO DOMESTIC ANIMALS**. For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat a cat with more than one pesticide product at a time. Over dosing a cat can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing cats or cats with known organ dysfunction. If the cat is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

FIRST AID				
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.			
If in eyes:	Flush eyes with plenty of water. Call a doctor if irritation persists.			
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.			
HOT LINE NUMBER				
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.				

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 6 of 9 EPA Reg. No. 2517-135 EPA SAL 9/11/2013 Notification 1/22/2015 & 3/13/2014

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT**. TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on rabbits or animals other than cats. Do not allow your cat to ingest this product. Do not use on kittens under 8 weeks of age. Do not apply to cats weighing less than 1.5 lbs. Do not double-dose cats. Use entire contents of [tube] [vial] [applicator] [pipette] on each cat. [Do not split one [tube] [vial] [applicator] [pipette] between two cats.] Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.

Side Effects: Monitor your cat after application. [Some cats may experience temporary startle effects when any product is applied.] Cats may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If these or other side effects occur consult your veterinarian or call 1-800-781-4738. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your cat for the next 24 hours.

## {Outer Packaging}

**How to open:** Remove product tube[*vial*] from the package. [Separate one tube from the others.] Hold the tube[*vial*] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

**How to apply:** While holding the cat with one hand, use the other hand to apply the solution. Invert the [tube][vial][applicator][pipette] and use the narrow end to part the cat's hair. Apply contents of one [tube][vial][applicator][pipette] of [Brand name][This product] directly to skin as a spot between the shoulder blades. [This allows for a more direct application to the skin]. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat. When finished, wrap the [tube][vial][applicator] [pipette] in paper and put into the trash. Only one applicator per treatment is needed.

### FREQUENCY OF APPLICATION

Use [Brand name][this product] monthly for complete control of flea, tick [and] chewing lice [and mosquito] infestations. [Studies show that] [Brand name][this product] kills adult fleas for up to six weeks. Apply monthly if your cat is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks[,] [mosquitoes] and chewing lice. [Brand name][This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [30 days] [4 weeks]. [[Brand name][This product] can be used on breeding, pregnant and lactating (queens) (female cats).]

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove tube from the pack until ready to use. Store in a cool (below 77°F[/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

 11 Feb 2015 Amendment
 Version 15.1b
 EPA Reg. No. 2517-135

 Information in { } is instructional
 Page 7 of 9
 EPA SAL 9/11/2013

 Notification 1/22/2015 & 3/13/2014

**CONTAINER DISPOSAL:** If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer.

Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 [Coupon(s) inside or on outside of box]
Non-Emergency, call: 1-800-224-PETS (7387) [Made in USA] [U.S. Patent No. 5,567,429]

[Distributed by:] [Manufactured by:] [BAR CODE AREA]
Sergeant's Pet Care Products, Inc. EPA Reg. No. 2517-135
Omaha, NE 68138-3710 EPA Est. No. XXXXXX-XXX

### {END - BACK / SIDE PANEL}

### {START - OPTIONAL PACKAGE COPY OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE}

{How to Apply - May contain graphics illustrating product use, e.g., cat with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.}

## [[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

# [Application Instructions] [Directions for Use] How to Open:

- 1. Remove product tube/vial/ from the package.
- **2.** [Separate one tube from the others.] Hold the tube[*vial*] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

### How to Apply:

- 1. Invert tube over cat and use open end to part cat's hair.
- **2.** Apply contents of one [tube][vial][applicator][pipette] of [Brand name][This product] as a spot between the shoulder blades. Squeeze [tube][vial][applicator][pipette] firmly to apply

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 8 of 9 EPA Reg. No. 2517-135 EPA SAL 9/11/2013 Notification 1/22/2015 & 3/13/2014

all of the solution to the cat's skin.

[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow directions
- [2] Weigh [your] cat
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment] [application] to avoid chance of ingestion
- [6] Do NOT split tubes between pets][and use the ENTIRE tube contents]

## [Brand Name]

[Monthly reminder card]

[3 Month [Treatment] [Application] Tracker][Carecard]

[For year round protection apply [Brand name][This product] monthly.]

[Cat's Name (Empty blank for owner to fill in name)]

[Cat's Weight (Empty blank for owner to fill in name)]

[First][1st][Second][2nd][Third][3rd][Fourth][4<sup>th</sup>][Fifth][5<sup>th</sup>][Sixth][6<sup>th</sup>][Seventh][7<sup>th</sup>][Eighth][8<sup>th</sup>][Nin th][9<sup>th</sup>][Tenth][10<sup>th</sup>][Eleventh][11<sup>th</sup>][Twelfth][12<sup>th</sup>]

[Dose] [Treatment] [Application] (Empty blank for owner to fill in date) (Date: MM/DD/YY)]

[Application date][Date of Application]

[calendar stickers with [Brand name][This product]

[Place stickers on your calendar as a reminder to reapply [Brand name][This product] in 30 days.] [Place sticker on your calendar or [refrigerator] to remind yourself to apply [Brand name][this product] to your cat]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand name][This product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

{Optional graphics below may or may not appear anywhere on finished label}

<i>8</i> 1		
Total	Adult Flea	
Total	Fleas	
75%	Flea eggs	<b>66</b>
つ	Flea Larvae	3
	Flea Pupae	
*	Ticks	<u></u>

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 9 of 9 EPA Reg. No. 2517-135 EPA SAL 9/11/2013

Notification 1/22/2015 & 3/13/2014

*	Brown Dog Tick	
*	Deer Tick	
*	American Dog Tick	
*	Chewing Lice	
*	Lone Star Tick	
7	Mosquitoes	
*	Mite	<b>&amp;</b>





[Flea life cycle diagram] [Flea Life Cycle]











{END - OPTIONAL PACKAGE COPY }

# TUBE/VIAL LABEL CAT SPOT ON FIPRONIL+METHOPRENE

{Front Label} {Back Label}

{Brand Name}KEEP OUT OF REACH OF CHILDRENFor Cats over 1.5 lbs ≥8wksCAUTION: Read directions and precautionsFipronil 9.8%, (S)-methoprene 11.8%before using. Use scissors to open.0.017 fl oz {label code}EPA REG. No. 2517-135 {label code}

{EPA REG No may be on either the front or back label}

{END - TUBE/VIAL LABEL}