

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

July 20, 2015

Mr. Kelly R. Hoskins Manager of Regulatory Affairs Sergeant's Pet Care Products, Inc. 10077 South 134th Street Omaha, NE 68138-1710

Subject: Label Amendment – Adding marketing claims; clarifying application directions

Product Name: Sergeant's Fipronil Spot-On for Cats

EPA Registration Number: 2517-137 Application Date: February 18, 2015

Decision Number: 500300

Dear Mr. Hoskins:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 2517-137 Decision No. 500300

with FIFRA section 6. If you have any questions, please contact me by phone at (703) 306-0415, or via email at davis.kable@epa.gov.

Sincerely,

Kable Bo Davis, Product Manager 3 Invertebrate and Vertebrate Branch 1 Registration Division (7505P)

Office of Pesticide Programs

Enclosure

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 1 of 9 EPA No. 2517-137 EPA SAL 9/11/2013

Notification 1/22/2015 & 3/13/2014

FRONT PANEL CAT SPOT ON FIPRONIL

{Optional text appears in brackets – the final product label may include some or all of the optional text on front, back, side or folded label panels. The CRP required text will not change.}

Sergeant's Fipronil Spot-On for Cats

[ABNs:]

[Sergeant's®Frontier Gold Spot On for Cats]

[Sergeant's® Frontier Gold for Cats]

[Sentry® Frontier Gold Spot On for Cats]

[Sentry® Frontier Gold for Cats]

[Sergeant's® Ectoadvance Spot On for Cats]

[Sergeant's® Ectoadvance for Cats]

[Sentry® Ectoadvance Spot On for Cats]

[Sentry® Ectoadvance for Cats]

[Sergeant's® Gold FrontSpot Spot On for Cats]

[Sergeant's® Gold FrontSpot for Cats]

[Sentry® Gold FrontSpot Spot On for Cats]

[Sentry® Gold FrontSpot for Cats]

[Sentry® Proline Spot On for Cats]

[Sentry® Proline for Cats]

[SENTRY® FIPROGUARDTM for Cats]

[FIPROGUARDTM for Cats]

[Sergeant's® PRONYL OTCTM for Cats]

[PRONYL OTCTM for Cats]

[Sergeant's® AdvanSpot Spot On for Cats]

[Sergeant's® AdvanSpot for Cats]

[Sentry® AdvanSpot Spot On for Cats]

[Sentry® AdvanSpot for Cats]

[FiproSpot Topical for Cats and Kittens]

[FiproSpot for Cats and Kittens]

[FiproSpot Topical for Cats]

[FiproSpot for Cats]

[EctoSpot Topical for Cats and Kittens]

[EctoSpot for Cats and Kittens]

[EctoSpot Topical for Cats]

[EctoSpot for Cats]

[Ectopronil Topical for Cats and Kittens]

[Ectopronil for Cats and Kittens]

[Ectopronil Topical for Cats]

[Ectopronil for Cats]

[EctoAdvance Topical for Cats and Kittens]

[EctoAdvance for Cats and Kittens]

[EctoAdvance Topical for Cats]

[EctoAdvance for Cats]

[F-Pronil Topical for Cats and Kittens]

[F-Pronil for Cats and Kittens]

ACCEPTED

07/20/2015

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 2517-137

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 2 of 9 EPA No. 2517-137 EPA SAL 9/11/2013 Notification 1/22/2015 & 3/13/2014

[F-Pronil Topical for Cats]

[F-Pronil for Cats]

[Meridian Animal Health]

[PetArmor® for cats]

[Sergeant's® PetArmor® for cats]

For use ONLY on cats [[&] [and] kittens] over 1.5 lbs and over 8 weeks of age [OR] Only for cats [[&] [and] kittens] over 8 weeks of age and over 1.5 lbs

[Apply to kittens over 8 weeks old] [Apply to kittens 8 weeks or older]

ripply to kittens o weeks of older

{box only designates Vet Only language}

(SUBLABEL: FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION)

FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels.

Not for residential use. Do not repackage.

[Ideal for shelter use when under direct supervision of veterinarian]

[Professional Roll Pack]

[Convenient roll pack for in clinic use]

[Convenient roll pack for animal facility use]

[For use only by licensed veterinarians]

[Mosquitoes]

[Kills mosquitoes within 24 hours for up to 14 days] [and within 48 hours for up to 28 days]

[Chewing Lice]

[Kills chewing lice]

[Rapid elimination of chewing lice infestation]

[Fast Action against chewing lice infestations]

[Fleas]

[Kills adult fleas [for up to six weeks]]

[Kills Fleas [Up to 4 weeks] [1 month] [30 days]!]

[If cat is a high risk for flea reinfestation apply once a month]

[Kills fleas which may be a source of flea allergy dermatitis] [or flea bite anemia]

[Ticks]

[Kills ticks including those that may transmit Lyme disease]

[Kills Ticks for Up to [4 weeks] [1 month] [30 days]!]

[Kills deer ticks [including those that may transmit Lyme disease,] [for up to [4 weeks] [1 month] [30 days] [per application]]

[Kills Ticks (Including Deer Ticks) for up to [4 weeks] [1 month] [30 days]][Kills [brown dog ticks],

[(Rhipicephalus sanguineus)] [American dog ticks,] [and lone star ticks] [,][and deer ticks] [for up to [4 weeks] [1 month] [30 days]]]

11 Feb 2015 Amendment
Information in { } is instructional

Version 15.1b Page 3 of 9 EPA No. 2517-137 EPA SAL 9/11/2013

Notification 1/22/2015 & 3/13/2014

[Kills American Dog Ticks [(Dermacentor variabilis)] for up to [4 weeks] [1 month] [30 days]!]

[Multiple Infestations]

[Flea [&] [and] Tick Control for Cats [&] [and] Kittens 8 weeks old and older]

[Kills fleas, ticks, [mosquitoes] [&] [and] chewing lice]

[Kills fleas, ticks, chewing lice [&] [and] [mosquitoes]]

[Monthly flea, tick, [mosquito] and chewing lice protection]

[Four] [4] [Three] [3] Way [Action] [Effectiveness] [Control] [kills fleas, [mosquitoes,] ticks, and chewing

lice][[4 week] [1 month] [30 day] Flea [and] [&] Tick [Application] [Treatment]!]

[[Four (4) Week] [1 month] [Flea, Tick, [Mosquito] and Chewing Lice Control]

[Once A Month Flea and Tick Treatment]

[Use [Brand name][this product] monthly to control ticks and chewing lice]

[Monthly flea, tick, [mosquito], and chewing lice protection.]

[Kills Fleas and Ticks for up to [4 weeks] [1 month] [30 days]!]

[[Brand name][This product]provides convenient and effective flea, tick, chewing lice [and] [mosquito] control for cats and kittens over 8 weeks of age.]

[All Others]

[Cats and Kittens 8 weeks of age or older]

[Can be used on kittens 8 weeks of age and older]

[Specially Formulated on Cats and Kittens Over 8 Weeks Old]

[Fast Acting] [Long Lasting]

[Easy to Use [Application]]

[Best if used year round!]

[Apply monthly]

[Once a month treatment]

[For year-round protection, apply [Brand name][this product] monthly]

[(ICON Showing [4 Week] [1 month] [30 day] Protection)]

[Apply once every [4 weeks] [month] [30 days]!]

[4 Week Dose!] [1 Month Dose!] [30 Day Dose!]

[[One][1][Two][2][Three] [3][4][Four][5][Five] [Six][6][Twelve][12][Twenty-Four][24]]Applications] and/or [1

Month Supply][2 Month Supply][3 Month Supply][Four Month Supply][Five Month Supply][6 Month

Supply][12 Month Supply][24 Month Supply] or [4 Week Supply][8 Week Supply][12 Week Supply][16 Week

Supply][20 week Supply][24 Week Supply][48 Week Supply][52 Week Supply][104 Week Supply]

[Waterproof]

[Effective even after bathing]

[Effective after bathing and exposure to water and sunlight]

[Can be used on breeding, pregnant and lactating [queens], [female] [cats]]

[[Free] Calendar Stickers Inside!]

[Monthly application reminder inside]

[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet][clip] [inside]]

[Fipronil (9.7%)]

[Contains the same active ingredient used in [Fipaira for Cats (or any approved ABN)].*]

[Compare to [Fipaira for Cats (or any approved ABN)], contains the same active ingredient.*]

[Compare to [Fipaira for Cats (or any approved ABN)], contains the same active ingredient fipronil.*]

[[Brand Name] [products] [This product] contains(s) fipronil, the same active ingredient used in [Fipaira for Cats (or any approved ABN)].*]

[[Brand Name] [products] [This product] contains(s) fipronil, compared to the same active ingredient used in [Fipaira for Cats (or any approved ABN)].*]

[[*][Brand Name][This product] is not manufactured or distributed by [Merial®] [Company name], the makers of [Fipaira for Cats (or any approved ABN)].]

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 4 of 9 EPA No. 2517-137 EPA SAL 9/11/2013

Notification 1/22/2015 & 3/13/2014

[[Brand Name][This product][Fipaira] is a trademark of [Merial®] [Company name].]

[[1][2][3][4][5][6][12][24] applications]

[Stops and prevents infestation of listed pests for [4 weeks][1 month]]

[Direct to skin [tube][vial][applicator][pipette]]

[Easy to Use] [tube][vial][applicator][pipette]]

[Clean cut [open] [tube][vial][applicator][pipette]]

[No-mess [open] [tube][vial][applicator][pipette]]

[Clip-tip design [tube][vial][applicator][pipette][!]]

[Satisfaction Guaranteed][If you are not satisfied, we will make it right with a replacement or refund.]

[Save Now!]

[Value Size]

[Club Size]

[Bonus Size]

[Club Pack]

[Great Value]

[Better Value]

[Bonus Pack]

[(x) + (x) bonus pack!]

[Buy more and save!]

[Buy X Get Y Free]

[Buy 3 get 1 free]

[(x)% (More) (Free)!]

[33% more free]

[(x) Dose(s) Free!]

- [(x) Day(s) (Free)!]
- [(x) Month(s) Free!]
- [(x) Day(s) of treatment- Free!]
- [(x) Tube(s) Free!]
- [(x) Applicator(s) Free!]
- [(x) Application(s) Free!]

ACTIVE INGREDIENT:

Fipronil	9.70%
OTHER INGREDIENT:	90.30%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Insert] [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

Net Contents: X fl oz [Y - 0.017 fl oz (0.50 ml) [applicator] [tube][vial][pipette][s]]

OR {box only designates Vet Only language}

Net Contents: X fl oz X count [Y – X fl oz [tube][vial][applicator][pipette][s]] [Thirty-five] 35[Fifty][50][Seventy-five][75][One hundred][100] [One hundred sixty 160]

[1][One][2][Two][3] [Three][4][Four][5][Five][6][Six][12][Twelve][24[Twenty-Four]

(END - FRONT PANEL)

11 Feb 2015 Amendment Information in { } is instructional Version 15.1b Page 5 of 9

EPA No. 2517-137 EPA SAL 9/11/2013

Notification 1/22/2015 & 3/13/2014

BACK PANEL/SIDE PANEL

CAT SPOT ON FIPRONIL

[Brand name][this product] contains Fipronil to effectively kill fleas and ticks [(including those that may transmit Lyme disease)]. [The active ingredients in [Brand name][this product] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for [1 month][4 weeks] on cats.]

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE

[Brand name][this product] provides [[four] [three] way] protection that kills fleas, ticks, [mosquitoes] and chewing lice. Kills deer ticks that may transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks. Prevents flea reinfestation for [[4][four] weeks] [[1] [one]month] [30] days].]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, or aged cats. Can be used on breeding, pregnant, or lactating [cats] [female cats] [queens]. Consult a veterinarian before using on cats with known organ dysfunction.

OR {box only designates Vet Only language}

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat a cat with more than one pesticide product at a time. Over dosing a cat can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing cats or cats with known organ dysfunction. If the cat is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

FIRST AID			
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.		
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.		

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 6 of 9 EPA No. 2517-137 EPA SAL 9/11/2013 Notification 1/22/2015 & 3/13/2014

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT**. TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on rabbits or animals other than cats. Do not allow your cat to ingest this product. Do not use on kittens under 8 weeks of age. Do not apply to cats weighing less than 1.5 lbs. Do not double-dose cats. Use entire contents of [tube] [vial] [applicator] [pipette] on each cat. [Do not split one [tube] [vial] [applicator] [pipette] between two cats.] Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.

Side Effects: Monitor your cat after application. [Some cats may experience temporary startle effects when any product is applied.] Cats may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your cat for the next 24 hours.

{Outer Packaging}

How to open: Remove product tube[*vial*] from the package. [Separate one tube from the others.] Hold the tube[*vial*] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: While holding the cat with one hand, use the other hand to apply the solution. Invert the tube[vial][applicator][pipette] and use the narrow end to part the cat's hair. Apply contents of one [tube][vial][applicator][pipette] of [Brand name][this product] directly to skin as a spot between the shoulder blades. [This allows for a more direct application to the skin.] Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat. When finished, wrap the [tube][vial][applicator][pipette] in paper and put into the trash. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Use [Brand name][this product] monthly for complete control of flea, tick [and] chewing lice [and mosquito] infestations. [Studies show that] [Brand name][this product] kills adult fleas for up to six weeks. Apply monthly if your cat is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks[,] [mosquitoes] and chewing lice. [Brand name][this product]remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [30 days] [4 weeks]. [[Brand name][this product]can be used on breeding, pregnant and lactating (queens) (female cats).]

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 7 of 9 EPA No. 2517-137 EPA SAL 9/11/2013 Notification 1/22/2015 & 3/13/2014

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F[/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 [Coupon(s) inside or on outside of box]

Non-Emergency, call: 1-800-224-PETS (7387) [Made in USA]

[Distributed by:] [Manufactured by:] [BAR CODE AREA][Lot code]
Sergeant's Pet Care Products, Inc. EPA Reg. No. 2517-137
Omaha, NE 68138-3710 EPA Est. No. XXX-XXX

{END - BACK / SIDE PANEL}

OUTER PACKAGING OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE

CAT SPOT ON FIPRONIL

{How to Apply - May contain graphics illustrating product use, e.g., cat with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.}

[[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

[Application Instructions] [Directions for Use] How to Open:

- **1.** Remove product tube[vial] from the package.
- 2. [Separate one tube from the others.] Hold the tube tube[vial] with notched end pointing up

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 8 of 9 EPA No. 2517-137 EPA SAL 9/11/2013

Notification 1/22/2015 & 3/13/2014

and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

- 1. Invert tube over cat and use open end to part cat's hair.
- **2.** Apply contents of one [tube][vial][applicator][pipette] of [Brand name][This product] as a spot between the shoulder blades. Squeeze [tube][vial][applicator][pipette] firmly to apply all of the solution to the cat's skin.

[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh [your] cat
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment] [application] to avoid chance of ingestion
- [6] Do NOT split tubes between pets] [and use the ENTIRE tube contents]

[Brand name]

[3] [Month [Treatment] [Application] Tracker][Carecard]

[For year round protection apply [Brand name][this product] monthly.]

[Cat's Name (Empty blank for owner to fill in name)]

[Cat's Weight (Empty blank for owner to fill in name)]

[First][1st]Second][2nd]Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth][8th][Nint h][9th][Tenth][10th][Eleventh][11th][Twelfth][12th]

 $[Dose]\ [Treatment]\ [Application] (Empty\ blank\ for\ owner\ to\ fill\ in\ date) (Date:\ MM/DD/YY)]$

[Application date][Date of Application]

[calendar stickers with [Brand name][this product]

[Place stickers on your calendar as a reminder to reapply [Brand name][this product] in 30 days.]

[Place sticker on your calendar or [refrigerator] to remind yourself to apply [Brand name][this product] to your cat]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Monthly reminder card]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand name][this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

{Optional graphics below may or may not appear anywhere on finished label}

The	Fleas	
*	Ticks	(S)
*	Brown Dog Tick	S

11 Feb 2015 Amendment Information in { } is instructional

Version 15.1b Page 9 of 9 EPA No. 2517-137 EPA SAL 9/11/2013 Notification 1/22/2015 & 3/13/2014

*	Deer Tick	(S)
*	American Dog Tick	S
*	Chewing Lice	
*	Lone Star Tick	S
7	Mosquitoes	
*	Mite	®































{END - OPTIONAL PACKAGE COPY}

TUBE/VIAL LABEL CAT SPOT ON FIPRONIL

{Front Label} {Back Label}

{Brand Name}KEEP OUT OF REACH OF CHILDRENFor Cats over 1.5 lbs ≥8 wksCAUTION: Read directions and precautionsFipronil 9.7%before using. Use scissors to open.0.017 fl oz{label code}

{EPA REG No may be on either the front or back label}

(END – TUBE/VIAL COPY)