7/29/2011

WITED STATEST.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

July 29, 2011

Mr. Kelly R. Hoskins, Manager of Technical Affairs Sergeant's Pet Care Products, Inc. 2625 South 158th Plaza, Suite 100 Omaha, NE 68130-1770

Subject:Label Notification(s); Pesticide Registration Notification (PRN) 98-10Sergeant's® Fipronil + Cyphenothrin Squeeze-On for Dogs, EPA Reg. No. 2517-140Your Submission Dated July 11, 2011

Dear Mr. Hoskins:

The Agency is in receipt of your application for Pesticide Notification under Pesticide Registration Notification (PRN) 98-10, dated July 11, 2011, for the referenced product. The Registration Division has conducted a review of this request for its applicability under PRN 98-10, and finds that the action(s) requested fall within the scope of PRN 98-10.

Please be reminded that 40 CFR §156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-Notification/PRN 98-10) or durably marked on the container itself.

The label submitted with this application has been time-stamped "Notification," and will be placed within the administrative file for this product. If you have any questions, please contact Mr. Carmen Rodia at (703) 306-0327 or via e-mail at <u>Rodia.Carmen@epa.gov</u>.

Sincerely yours,

Richard J. Gebken Product Manager (10) Insecticide Branch Registration Division (7504P)

002517-00140 D452065

	• • • •				2041
Please read instructions of	n reverse before com	oletina form.	Form A	/ opproved, OMB No. 207	70-0060. Approval expires 05-31-
EPA	Unit Environmental	ed States		Registra Amendra Other	OPP Identifier Number
		Application	for Pesticide - Sec	tion I	
1. Company/Product Numbe 2517-140			2. EPA Product M Richard Gebken		3. Proposed Classification
4. Company/Products Sergeant's Pet Care Products Squeeze-on for Dogs		onil + Cyphenoth	rin PM# 10		
5. Name and Address of App Sergeant's Pet Care Pro 2625 South 158 th Plaza	oducts, Inc.	le)		view. In accordance wi or identical in compositi	th FIFRA Section 3(c)(3)(b)(I), my on and labeling to:
Omaha, NE 68130-177			EPA Reg. No.	NOTIFICATIO	N
Chook if thi	s is a new address		Product Name	JUL 2 9 2011	
	s is a new address		Section II		
Amendment - Explain be	se to Agency letter date	ed	Final printed "Me Too" Ap	oplication	gency letter dated XX-XX-XX
Explanation: Use additional p		or section Land	Other - Expla	ain below.	
	ication for the addition		Brand Names and minor	revisions for Sergear	nt's Fipronil + Cyphenothrin
1. Material This Product Will	De Deelvered In:		Section III		
Child-Resistant Packaging Yes* No *Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt. 0.023 fl oz (0.67 ml) 0.045 fl oz (1.34 m) 0.091 fl oz (2.68 ml)	3 vials	Water Soluble Packaging Yes No If "Yes" No Package wgt. Co	. per ntainer	of Container Aetal Plastic lass aper ther (Specify) Plastic Bag
3. Location of Net Contents In	0.136 fl oz (4.02 ml) nformation Container	4. Size(s) Reta 0.023 fl oz (0.67	ml). 0.045 fl oz (1.34 ml), 0.09		1
C Manager in Million I also 1 in		oz (2.68 ml), 0.13		∐On Label	ing accompanying product
6. Manner in Which Label is <i>i</i>	Amixed to Product	Lithograph			<u>ັວວວລິ</u> ວວງ ວ ງີວີ
		Stenciled	Section IV		ر در د در در د
1. Contact Point (Complete it	ems directlv below for i	dentification of in		ecessary to process th	is application.)
Name Kelly R.	· · ·	Title	Manager of Technical	Τe	alephone Nີລ. (Include Area Code) 402-938-7079 ໍ່ ໄດ້ສໍາ
I certify that the statement	nts I have made on this	Certificati form and all atta ding statement n		ccurate and complete.	6. Eate Application Received
2. Signature BY:	In h.	3		echnical Affairs	
1 min h	TIM R	1			

30513

Sergeant's Pet Care Products, Inc.

2625 South 158th Plaza • Omaha, NE 68130-1770 • Telephone 402.938.7000 • Fax 402.938.7091 • www.sergeants.com

July 11, 2011

Richard Gebken, PM10 Office of Pesticide Programs (NOTIF) Document Processing Desk U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

NOTIFICATION

JUL 2 9 2011

Subject: Submission of Alternate Brand Name Notification Per PR Notice 98-10 for Sergeant's Fipronil + Cyphenothrin Squeeze-on for Dogs (EPA Reg. No 2517-140)

Dear Mr. Gebken:

Sergeant's Pet Care Products, Inc. (Sergeants, 2625 South 158th Plaza, Omaha, NE 68130-1770, EPA Company Number 2517) is submitting a notification pursuant to PR Notice 98-10 to add Alternate Brand Names and make other minor notification language revisions to the EPA registered product Sergeant's Fipronil + Cyphenothrin Squeeze-on for Dogs (EPA Reg. No 2517-140). Please find enclosed the following documentation in support of this notification:

(1) Application for Pesticide Amendment (EPA Form 8570-1); and

(2) Product label (2 clean copies and 1 copy with changes highlighted).

Sergeant's is adding three Alternate Brand Names to the above named product. Minor typographical changes and other minor revisions are also noted. These minor label changes are being made via notification because they do not affect the dosage, concentration, frequency or method of application or increase the amount of exposure. All changes have been marked using track changes on the first revised label included in this package. We have not submitted a new confidential statement of formula (CSF) because no changes have been made to the CSF on file with EPA.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to vielded hymake any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of $\frac{14}{20}$ FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

40413



Sergeant's Pet Care Products, Inc.

2625 South 158th Plaza • Omaha, NE 68130-1770 • Telephone 402.938.7000 • Fax 402.938.7091 • www.sergeants.com

If you have any questions or need additional information regarding this amendment, please contact me at 402-938-7079.

4

Sincerely

Kelly Hoskins Manager of Technical Affairs Sergeant's Pet Care Products, Inc.

Enclosures

55 19979) C C C C C C C

3

Ser	geant's [®] Master	·Label
29 June 2011 Notification	Version 10.5W	EPA Reg. No. 2517-140
Information in [] is optional.	Page 1 of 9	EPA SAL 13 January 2011
RONT PANEL	an han seren en de hen en de hen hande de Marie met hen men de hennen en die de seren de hen hen hen. In de hennen de henne	DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN
		el may include some or all of the ? required text will not change.]

[ABNs][(Sergeant's[®]) (Sentry[®]) EctoAdvance[™] (Spot On) for dogs] [ABNs][(Sergeant's[®]) (Sentry[®]) FiproGuard[™] (Spot On) for dogs] [ABNs][(Sergeant's[®]) (Sentry[®]) FiproGuard[™] Max (Spot On) for dogs] [ABNs][(Sergeant's[®]) (Sentry[®]) Pronyl OTC[™] Max (Spot On) for dogs] [ABNs][(Sergeant's[®]) (Sentry[®]) AdvanSpot Plus (Spot On) for dogs]

NOTIFICATION

~ 10

JUL 2 9 2011

[Apply to puppies over 12 weeks old] [Apply to puppies 12 weeks or older]

[Mosquitoes]

[[Kills mosquitoes] [within 24 hours for up to the first 7 days after application, and within 48 hours for up to 28 days] [Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days] [Kills mosquitoes]

[Fleas]

[[Kills adult fleas (starts killing in as little as 1 hour) [for up to 3 months]] [Kills newly emerged adult fleas (starts killing in as little as 1 hour) before they lay eggs] [Kills fleas, which may be a source of flea allergy dermatitis] [or flea bite anemia]] [Kills fleas (starts killing in as little as 1 hour)] [Kills fleas (starts killing in as little as 1 hour) Up to [4 weeks] [1 month] [30 days]!] [If dog is at high risk of flea reinfestation apply once a month]

[Multiple Infestations]

[Kills chewing lice and controls mites that may cause sarcoptic mange] [Flea [&] [and] Tick Control for Dogs [&] [and] Puppies 12 weeks old [&] [and] older] [Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], [and] Chewing lice [&] [and] [Mosquitoes]] [Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], [and kills Mosquitoes], [and kills chewing lice]]

[Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], and kills chewing lice [&] [and] [mosquitoes]]

· _ · · · · · · · · · · · · · · · · · ·		604	れろ
Ser	geant's [®] Master	·Label	
29 June 2011 Notification	Version 10.5W	EPA Reg. No. 2517-140	
Information in [] is optional.	Page 2 of 9	EPA SAL 13 January 2011	

[Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], [mosquitoes,] and chewing lice]]

[Monthly flea, tick, [mosquitoes,] and chewing lice application]

[[4 Week] [1 month] [30 day] [Flea and Tick Application]

[[Four (4) Week] [1 month] [30 day] [Flea, Tick, [Mosquitoes,] and Chewing Lice Application] [Kills Fleas (starts killing in as little as 1 hour) and Ticks (starts killing in as little as 1 hour) for up to [4 weeks] [1 month] [30 days]!]

FRONT PANEL DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN

[Once A Month Flea and Tick Application]

[Use [Full or Partial Brand Name] monthly to control Ticks (starts killing in as little as 1 hour) and chewing lice]

[Monthly flea, tick, [mosquitoes,] and chewing lice protection.]

[Starts killing [fleas] [and] [ticks] in as little as 1 hour] [and continues to kill for a month] !] [Flea & Tick Control for Dogs & Puppies 12 weeks old and older]

[Ticks]

[Kills Ticks (starts killing in as little as 1 hour) including those that may transmit Lyme disease] [Kills ticks (starts killing in as little as 1 hour) for Up to [4 weeks] [1 month] [30 days]!] [Kills] Deer Ticks [that may transmit Lyme disease,] for up to [4 weeks] [1 month] [30 days]] [Kills Ticks (starts killing in as little as 1 hour)] [Kills Deer Ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills [Brown Dog Ticks] [(*Rhipicephalus sanguineus*)], [American Dog Ticks,] [and Lone Star Ticks] (in as little as 1 hour) [and deer ticks] for up to [4 weeks] [1 month] [30 days]]

[Kills [Brown Dog Ticks], [(*Rhipicephalus sanguineus*)] (starts killing in as little as 1 hour) for up to [4 weeks] [1 month] [30 days]]

[Kills American Dog Ticks [(*Dermacentor variabilis*)] for up to [4 weeks] [1 month] [30 days]!] [Prevents and controls reinfestation of listed pests for [30 days][1 month]]

))))))))

[Prevents and controls reinfestation of listed pests for [30 days][1 month]]

[Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever,

ehrlichiosis, babesiosis, and anaplasmosis]

[All Others]

- [For Dogs and Puppies 12 weeks of age or older]
- [Controls mites that may cause sarcoptic mange]
- [For Dogs [up to 22 lbs], [23-44 lbs], [45-88 lbs], [89-132 lbs]
- [Fast Acting] [Long Lasting]

[Remains effective, even after bathing, water immersion, or exposure to sunlight] [Easy to Use [Application]]

- [Rapidly eliminates infestations of chewing lice]
- [Three Applications] and/or [3 Month Supply] or [12 Week Supply] [Best if used year round!]

[(ICON Showing [4 week] [1 month] [30 day] Protection)]

[4 Week Dose!] [1 Month Dose!] [30 Day Dose!]

[Specially Formulated for Dogs and Puppies 12 weeks of age or older] [[Free] Calendar Stickers Inside!]

Sergeant's® Master Label

29 June 2011 Notification Version 10.5W

Information in [] is optional. Page 3 of 9 EPA Reg. No. 2517-140 EPA SAL 13 January 2011

10f 10

[Monthly application reminder card inside] [Apply once every [4 weeks] [month] [30 days]!] [Waterproof] [Can be used on puppies 12 weeks of age and older] [[Convenient spot application][Convenient][to use]]

FRONT PANEL DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN

[Fipronil (9.8%) + Cyphenothrin (5.2%)] [Lift [here] for more information] [For year-round protection, apply [Full or Partial Brand Name] monthly] [[Free with purchase] [Free inside] Monthly Application Reminder [Magnet][inside]] [[3] Applications]

[For use ONLY on dogs [&] [and] Puppies	[For Dogs & Puppies 12 weeks or older and]
[Up to 22 lbs]	[up to 22 lbs.]
[23[-] [to] 44 lbs]	[For Dogs 23[-] [to] 44 lbs.]
[45[-] [to] 88 lbs]	[For Dogs 45[-] [to] 88 lbs.]
[89[-] [to] 132 lbs]	[For Dogs 89[-] [to] 132 lbs.]
[over 12 weeks of age]]	

ACTIVE INGREDIENTS:

Fipronil	
Cyphenothrin	
OTHER INGREDIENTS[*]:	
TOTAL	100.00%

[*Diethylene glycol monoethyl ether, Vitamin E nicotinate]

KEEP OUT OF REACH OF CHILDREN

WARNING

See [Back][or][Side] [Label Panel[s] for Additional Precautionary Statements

Net Contents:

[3] [Three] 0.023 fl oz (0.67 mL) applicators [3] [Three] 0.045 fl oz (1.34 mL) applicators [3] [Three] 0.091 fl oz (2.68 mL) applicators [3] [Three] 0.136 fl oz (4.02 mL) applicators

Pro Costa

รรรร้อ

{END - FRONT PANEL}

· · · · · · · · · · · · · · · · · · ·		208
Ser	geant's [®] Master	· Label
29 June 2011 Notification	Version 10.5W	EPA Reg. No. 2517-140
Information in [] is optional.	Page 4 of 9	EPA SAL 13 January 2011
BACK PANEL		DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN

[[Full or Partial Brand Name] contains Fipronil and Cyphenothrin to effectively kill Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)] [(including those that may transmit Lyme disease)], and kills [mosquitoes] [and] chewing lice.] [The active ingredients in [Full or Partial Brand Name] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks [mosquitoes] and chewing lice for up to 30 days on dogs.]

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE.

[[Full or Partial Brand Name] for dogs provides [four] [three] way protection that kills fleas, ticks, [mosquitoes] and chewing lice. Controls mites that may cause sarcoptic mange. Kills deer ticks that transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks.]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 12 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, pregnant, nursing, debilitated or aged dogs. Call 1-800-781-4738 for 24-hour assistance.

	FIRST AID
If In Eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	• Call a poison control center or doctor for further treatment advice.
If On Skin	Take off contaminated clothing.
Or	• Rinse skin immediately with plenty of water for 15-20 minutes.
Clothing:	Call a poison control center or doctor for treatment advice.
If	• Call a poison control center or doctor immediately for treatment advice.
Swallowed:	• Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by a poison control center or doctor.
	• Do not give anything by mouth to an unconscious person.
	HOT LINE NUMBER
Have the produ	ct container or label with you when calling a poison control center or doctor, or going for
	nore information on this pesticide product (including health concerns, medical emergencies
or pesticide inc	idents), you may call 1-800-781-4738.
, W	NOTE TO PHYSICIAN OR VETERINARIAN
	Treat patient symptomatically

€£ g



Ser	geant's [®] Master	r Label
29 June 2011 Notification	Version 10.5W	EPA Reg. No. 2517-140
Information in [] is optional.	Page 5 of 9	EPA SAL 13 January 2011
BACK PANEL	0	DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIM

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL [AND ENCLOSED DIRECTIONS] BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats. FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 12 weeks of age. [Do not split tubes between dogs.] [Do not use multiple tubes on one dog.] Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Certain medications can interact with pesticides. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. DO NOT USE ON CATS or animals other than dogs. Separate the treated dog from all other dogs and cats for 24 hours after product has been applied. Cats and dogs that actively groom or engage in close physical contact with treated dog may be at risk of serious harmful effects. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur immediately feed your dog and continue to monitor your dog for the next 24 hours. If symptoms persist call 1-800-781-4738 to talk to a veterinarian. Cats exhibiting these same symptoms from ingestion should be taken to the veterinarian immediately. If your dog is exhibiting signs of and/or are being treated for skin dermatitis, talk to your vet before applying any topical flea and tick control product.

Sensitivities may occur after using ANY pesticide product on dogs. Dogs may experience some temporary irritation at the site of product application. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately by calling 1-800-781-4738.

{Outer Packaging}

How to open: Remove product tubes [vial] from the package. Separate one tube from the others. Holding the tube [vial] with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every [30 days] [month].

Optional drawings that may or may not appear anywhere on finished label]





·		1004	
Ser	geant's [®] Master	·Label	
29 June 2011 Notification	Version 10.5W	EPA Reg. No. 2517-140	
Information in [] is optional.	Page 6 of 9	EPA SAL 13 January 2011	
BACK PANEL		DOG SQUEEZE (FIPRONIL+CYPHENOTHR	

100012

)))))

FREQUENCY OF APPLICATION

Use [Full or Partial Brand Name] monthly for complete control of flea, tick [and] chewing lice [and mosquito] [infestations]. [Studies show that] [Full or Partial Brand Name] kills adult fleas (starts killing in as little as 1 hour) for up to three months. Apply monthly if your dog is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks, mosquitoes and chewing lice. [[Full or Partial Brand Name] kills mosquitoes within 24 hours for up to the first 7 days after application, then within 48 hours for up to 28 days.] [Full or Partial Brand Name] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

For Dogs Weighing up to 22 lbs. [including small dogs and puppies, 12 weeks or older]: {For cartons containing 0.67 mL (0.023 fl oz) applicator tubes}

Apply one tube (.67 mL)(0.023 fl oz) [as a spot [on] [to] the dog's back between the shoulder blades][from the back of the neck to a point midway between the neck and tail].

For Dogs Weighing [Between] 23[-] [to] 44 lbs.

{For cartons containing 1.34 mL (0.045 fl oz) applicator tube}

[Apply one tube (1.34 mL)(0.045 fl oz)] [as a spot [on] [to] the dog's back between the shoulder blades.] [from the back of the neck to a point midway between the neck and tail].

DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN

For Dogs Weighing [Between] 45[-] [to] 88 lbs.

For cartons containing 2.68 mL (0.091 fl oz) applicator tube}

Apply one tube (2.68 mL)(0.091 fl oz) [as a spot [on] [to] the dog's back between the shoulder blades] [from the back of the neck to a point midway between the neck and tail].

For Dogs Weighing [Between] 89[-] [to] 132 lbs.


For cartons containing 4.02 mL (0.136 fl oz) applicator tube}

Apply one tube (4.02 mL)(0.136 fl oz) [as a spot [on] [to] the dog's back between the shoulder blades] [from the back of the neck to a point midway between the neck and tail].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in²*a* tool [(below 77°F[/][25°C])] dry place inaccessible to children and pets. Do not refrigerate. Protect' from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. [[The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer.]] Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387) [Coupon(s) inside or on outside of box] [Made in USA] [Patent(s) Pending]

Distributed by: Sergeant's Pet Care Products, Inc. P.O. Box 540399 Omaha, NE 68154-0399

[BAR CODE AREA] EPA Reg. No. 2517-140 EPA Est. No. XXXXX-XX-XXX

{END - BACK / SIDE PANEL}

şi

OPTIONAL OUTER PACKAGING DOG SOUEEZE ON

FIPRONIL+CYPHENOTHRIN

[How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

[Application Instructions] [Directions for Use] How to open

- 1. Remove product tubes *[vial]* from the package.
- 2. Separate one tube from the others. Holding the tube *[vial]* with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply [Optional drawings that may or may not appear on finished label]

- 1. Invert tube over dog and use open end to part dog's hair.
- 2. Squeeze tube firmly to apply all of the solution [on] [to] the dog's skin [as a spot to the
- dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.]







Sergeant's® Master Label

29 June 2011 Notification Information in [] is optional. Version 10.5W Page 8 of 9 EPA Reg. No. 2517-140 EPA SAL 13 January 2011

120F13

OPTIONAL OUTER PACKAGING DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN

[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow directions
- [2] Weigh your pet
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after treatment to avoid chance of ingestion
- [6] Do NOT split tubes between pets]

[Full or Partial Brand Name]

[3] [Month [Application] Tracker]

[For year-round protection, apply [Full or Partial Brand Name] monthly.]

[Pet's Name (Empty blank for owner to fill in name)]

[First] [1st] [Second] [2nd] [Third] [3rd]

[Dose] [Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)]


[calendar stickers with [Full or Partial Brand Name]

[Place stickers on your calendar as a reminder to reapply [Full or Partial Brand Name] [in 30 days.]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Full or Partial Brand Name]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

etse Se es



{END - OPTIONAL INSERT OR PACKAGE COPY}

TUBE/VIAL LABEL DOG SQUEEZE ON FIPRONIL+ CYPHENOTHRIN

Front Label	Back Label
{Brand Name}[cat graphic with line through]	KEEP OUT OF REACH OF CHILDREN
For dogs [up to X lbs][X-Y lbs]	WARNING: Read directions and precautions
Fipronil 9.8% w/w, Cyphenothrin 5.2% w/w	before using. Use scissors to open.
0.023 fl oz (or) 0.045 fl oz (or) 0.091 fl oz (or)	EPA REG. No. 2517-140 {label code}
0.136 fl oz {label code}	