U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	EPA Reg. Number: 2517-140	Date of Issuance: 12/10/15	
NOTICE OF PESTICIDE: <u>X</u> Registration Reregistration (under FIFRA, as amended)	Term of Issuance: Conditional, Time-Limited Expires: 12/10/2017		
	Name of Pesticide Pro Sergeant's Fipro Cyphenothrin S Dogs	onil +	
Name and Address of Registrant (include ZIP Code): Mr. Kelly R. Hoskins Sergeant's Pet Care Products, Inc. 10077 South 134 th Street Omaha, NE 68138-3710			
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.			
On the basis of information furnished by the registrant, the above nan under the Federal Insecticide, Fungicide and Rodenticide Act.	ned pesticide is h	nereby registered	
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.			
This product is conditionally registered in accordance with FIFRA section $3(c)(7)(A)$. You must comply with the following conditions:			
1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.			
Signature of Approving Official:	Date:		
1Br D	12/10/1	5	
Kable Bo Davis, Product Manager 03 Invertebrate & Vertebrate Branch 1, Registration Division (7505P) EPA Form 8570-6			

- 2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 12/10/2017.
- 3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in *an Agency letter dated 9/30/11*.
- 4. You are required to comply with the data requirements described in the DCI Orders identified below:
 - a. Fipronil GDCI-129121-1305
 - b. Cyphenothrin GDCI-129013-877

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Orders listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <u>http://www.epa.gov/oppsrtdl/contacts_prd.htm</u>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions, please contact Tim Ciarlo by phone at 703-347-8082, or via email at <u>Ciarlo.Timothy@epa.gov</u>.

Enclosure

07DEC15 2 YR EXT

Information in [] is optional.

Version 15.1 Page 1 of 11

EPA Reg. No. 2517-140 EPA SAL 11DEC13

FRONT PANEL

DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN

[Option text appears in brackets-the final product label may include some or all of the optional text on front, back or side panels. The CRP required text will not change.] {Information is instructional}

Sergeant's Fipronil + Cyphenothrin Squeeze-On for Dogs

{Market Label-the word Dog will be at least 40-75% in height of the largest letter in the primary brand name.} {Market Label-a large clear picture of a dog in the respective weight range will be on the front panel of the label}

[ABNs]

[Sergeant's[®] FiproGuard[™] Spot On for Dogs] [Sergeant's[®] FiproGuard[™] for Dogs] [Sentry[®] FiproGuardTM Spot On for Dogs] [Sentry[®] FiproGuard[™] for Dogs] [Sergeant's[®] FiproGuardTM Max Spot On for Dogs] [Sergeant's[®] FiproGuardTM Max for Dogs] pesticide registered under [Sentry[®] FiproGuardTM Max Spot On for Dogs] EPA Reg. No. 2517-140 [Sentry[®] FiproGuardTM Max for Dogs] [Sergeant's[®] Pronyl OTCTM Max Spot On for Dogs] [Sergeant's[®] Pronyl OTCTM Max for Dogs] [Sentry[®] Pronyl OTCTM Max Spot On for Dogs] [Sentry[®] Pronyl OTCTM Max for Dogs] [Sergeant's® AdvanSpot Plus Spot On for Dogs] [Sergeant's[®] AdvanSpot Plus for Dogs] [Sentry[®] AdvanSpot Plus Spot On for Dogs] [Sentry[®] AdvanSpot Plus for Dogs] [Sergeant's[®] VetSpot Plus Spot On for Dogs] [Sergeant's[®] VetSpot Plus for Dogs] [Sentry[®] VetSpot Plus Spot On for Dogs] [Sentry[®] VetSpot Plus for Dogs] [[Sergeant's[®]] PetArmor[®] OTCTM Max Spot On for Dogs] [[Sergeant's[®]] PetArmor OTCTM Max for Dogs] [[Sentry[®]] PetArmor OTCTM Max Spot On for Dogs] [[Sentry[®]] PetArmor OTCTM Max for Dogs] [[Sergeant's[®]] Fast Act OTCTM Max Spot On for Dogs] [[Sergeant's[®]] Fast Act OTCTM Max for Dogs] [[Sentry[®]] Fast Act OTCTM Max Spot On for Dogs] [[Sentry[®]] Fast Act OTCTM Max for Dogs]

For use ONLY on dogs [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] {OR} For use ONLY on dogs [[&][and] puppies 4[-] [to] 22 lbs and over 12 weeks of age {OR} ONLY For Dogs [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] {OR} ONLY For Dogs & Puppies 12 weeks or older [&][and] 4[-][to] 22 lbs {Market Label-one of the statements above will be placed prominently on the front panel}

ACCEPTED 12/10/2015

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the

Sergeant's® Master Label

07DEC15 2 YR EXT Information in [] is optional. Version 15.1

EPA Reg. No. 2517-140 EPA SAL 11DEC13

{1.5 cm x 1.5 cm on final or red & black as indicated below. Placement will be in the lower right hand quadrant.}

[Apply to puppies over 12 weeks old] [Apply to puppies 12 weeks or older]

{box only designates Vet Only language}

{SUBLABEL: FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION}

FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR **CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION**

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels. Not for residential use. Do not repackage. [Ideal for shelter use when under direct supervision of veterinarian] [Professional Roll Pack] [Convenient roll pack for in clinic use] [Convenient roll pack for animal facility use] [For use only by licensed veterinarians]

[Mosquitoes]

[[Kills mosquitoes] [within 24 hours for up to the first 7 days after application, and within 48 hours for up to 28 days] [Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days] [Kills mosquitoes]

[Chewing Lice] [Kills chewing lice] [Rapidly eliminates infestations of chewing lice]

[Fleas]

[Kills fleas] [[Kills adult fleas [(starts killing in as little as 1 hour)] [for up to 3 months]] [Kills newly emerged adult fleas [(starts killing in as little as 1 hour)] before they lay eggs] [Kills fleas, which may be a source of flea allergy dermatitis] [or flea bite anemia]] [Kills fleas [(starts killing in as little as 1 hour)] Up to [4 weeks] [1 month] [30 days]!] [If dog is at high risk of flea reinfestation apply once a month] [Starts killing fleas in [just] [5][15] [minutes][1 hour] [after application]] [Starts to kill fleas in [just] [5][15] [minutes][1 hour] [after application]] [Quickly kills fleas]

[Ticks]

[Kills ticks] [Starts killing ticks in [just] [5][15] [minutes][1 hour] [after application] [Starts to kill ticks in [just] [5][15] [minutes][1 hour] [after application] [Ouickly kills ticks] [Kills Ticks [(starts killing in as little as 1 hour)] including those that may transmit Lyme disease]



Page 2 of 11

Sergeant's® Master Label07DEC15 2 YR EXTVersion 15.1EPA Reg. No. 2517-140Information in [] is optional.Page 3 of 11EPA SAL 11DEC13

[Kills ticks [(starts killing in as little as 1 hour)] for Up to [4 weeks] [1 month] [30 days]!] [Kills Deer Ticks [that may transmit Lyme disease,] for up to [4 weeks] [1 month] [30 days]] [Kills Ticks [(starts killing in as little as 1 hour)]]

[Kills Deer Ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills [Brown Dog Ticks] [(*Rhipicephalus sanguineus*)], [American Dog Ticks,] [and Lone Star Ticks] [(starts killing in as little as 1 hour)] [and deer ticks] for up to [4 weeks] [1 month] [30 days]] [Kills [Brown Dog Ticks], [(*Rhipicephalus sanguineus*)] [(starts killing in as little as [5][15] [minuteal [1 hour])] for up to [4 weeks] [1 month] [20 days]]

[minutes] [1 hour])] for up to [4 weeks] [1 month] [30 days]]

[Kills American Dog Ticks [(*Dermacentor variabilis*)] for up to [4 weeks] [1 month] [30 days]!] [Prevents and controls reinfestation of listed pests][for] [30 days][1 month]]

[Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever,

ehrlichiosis, babesiosis, and anaplasmosis]

[Multiple Infestations]

[Kills chewing lice and controls mites that may cause sarcoptic mange] [Starts killing fleas and ticks in [just] [5][15] [minutes][1 hour] [after application]] [Starts to kill fleas and ticks in [just] [5][15] [minutes][1 hour] [after application]] [Quickly kills fleas and ticks] [Controls mites, a leading cause of sarcoptic mange] [Kills chewing lice and aids in control of mites that cause sarcoptic mange] [Kills fleas, ticks, chewing lice [&][and] mosquitoes] [Flea [&] [and] Tick Control for Dogs [&] [and] Puppies 12 weeks old [&] [and] older] [Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], [and] Chewing lice [&] [and] [Mosquitoes]] [Kills Fleas [(starts killing in as little as 1 hour], Ticks [(starts killing in as little as 1 hour)], [and kills Mosquitoes], [and kills chewing lice]] [Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], and kills chewing lice [&] [and] [mosquitoes]] [Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], [mosquitoes,] and chewing lice]] [Monthly flea, tick, [mosquitoes,] and chewing lice application]] [[4 Week] [1 month] [30 day] [Flea and Tick Application] [[Four (4) Week] [1 month] [30 day] [Flea, Tick, [Mosquitoes,] and Chewing Lice Application] [Kills Fleas [(starts killing in as little as 1 hour)] and Ticks [(starts killing in as little as 1 hour)] for up to [4 weeks] [1 month] [30 days]!] [Once A Month Flea and Tick Application] [Use [Full or Partial Brand Name] monthly to control Ticks [(starts killing in as little as 1 hour)] and chewing lice] [Monthly flea, tick, [mosquitoes,] and chewing lice protection.] [Starts killing [fleas] [and] [ticks] in as little as [5][15] [minutes] [1 hour])] [and continues to kill for a month] !] [Starts to kill [fleas] [and] [ticks] in as little as [5][15] [minutes] [1 hour])] [and continues to kill for a month] !]

[Flea & Tick Control for Dogs & Puppies 12 weeks old and older]

Ser	geant's® Maste	er Label
07DEC15 2 YR EXT	Version 15.1	EPA Reg. No. 2517-140
Information in [] is optional.	Page 4 of 11	EPA SAL 11DEC13
[All Others] [[Brand Name][This product] is a [Aids in control of mites that cause [[Convenient spot application][Co [For Dogs and Puppies 12 weeks [Specially Formulated for Dogs an [Can be used on puppies 12 weeks [For Dogs [4 to 22 lbs][23-44 lbs] [Extra Small][Small][Medium][La [[1][2][3][4][5][6][12][24] Applic [Fipronil (9.8%) + Cyphenothrin ([Fast Acting] [Long Lasting] [Easy to Use [Application]] [Best if used year round!] [Waterproof] [Remains effective, even after bat [One Application][Two Applications][T Supply][Two Month Supply][3 M	registered trademark of [Se sarcoptic mange] onvenient][to use]] of age or older] nd Puppies 12 weeks of ag s of age and older] [[45-88 lbs][89-132 lbs] arge][Extra Large][XS][S] eations] (5.2%)] thing, water immersion, or ons][Three Applications][welve Applications][Twe lonth Supply][Four Month onth Supply][Four Month onth Supply][Four Month onth Supply][24 Week Supp rd inside] nth] [30 days]!] [30 Day Dose!] nth] [30 day] Protection)] [Brand Name][this produce] Monthly Application Re ator][pipette]] tor][pipette]]	Sergeant's®] [Company name].] ge or older]][M][L][XL] exposure to sunlight] Four Applications][Five enty-Four Applications] and/or [1 Month Supply][Five Month Supply][6 Month Supply][8 Week Supply][12 Week oly][48 Week Supply][52 Week

ACTIVE INGREDIENTS:

Fipronil	9.80%
Cyphenothrin	5.20%
OTHER INGREDIENTS[*]:	
TOTAL	100.00%
[*Diethylene glycol monoethyl ether Vitamin E nicotinate]	

[*Diethylene glycol monoethyl ether, Vitamin E nicotinate]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Insert][Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

07DEC15 2 YR EXT Information in [] is optional. Version 15.1 Page 5 of 11 EPA Reg. No. 2517-140 EPA SAL 11DEC13

Net Contents: X fl oz [Y – X fl oz applicators]

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

OR {box only designates Vet Only language}

Net Contents: X fl oz X count [Y – X fl oz [tube][vial][applicator][pipette][s]]

[Thirty-five] 35[Fifty][50][Seventy-five][75][One hundred][100] [One hundred sixty 160]

[0.023 fl oz (0.67 mL) [tubes][vials][applicators][pipettes]]

[0.045 fl oz (1.34 mL) [tubes][vials][applicators][pipettes]]

[0.091 fl oz (2.68 mL) [tubes][vials][applicators][pipettes]]

[0.136 fl oz (4.02 mL) [tubes][vials][applicators][pipettes]]

{END - FRONT PANEL}

BACK PANEL/SIDE PANEL

DOG SQUEEZE ON Fipronil+Cyphenothrin

[[Brand Name][This product] contains Fipronil and Cyphenothrin to effectively kill fleas [(starts killing in as little as 1 hour)], ticks [(starts killing in as little as 1 hour)] [(including those that may transmit Lyme disease)], and kills [mosquitoes] [and] chewing lice.]

[[Brand Name][This product] contains Fipronil and Cyphenothrin to effectively kill fleas [(starts killing in [5][15] minutes)], ticks [(starts killing in [5][15] minutes)] [(including those that may transmit Lyme disease)], and kills [mosquitoes] [and] chewing lice.]

[The active ingredients in [Brand Name][this product] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks [mosquitoes] and chewing lice for up to 30 days on dogs.]

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE.

[[Brand Name][This product] for dogs provides [four] [three] way protection that kills fleas, ticks, [mosquitoes] and chewing lice. Aids in control of mites that cause sarcoptic mange. Kills deer ticks that may transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks.]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

07DEC15 2 YR EXT

Version 15.1 Page 6 of 11 EPA Reg. No. 2517-140 EPA SAL 11DEC13

Information in [] is optional. F OR {box only designates Vet Only language}

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat a dog with more than one pesticide product at a time. Over dosing a dog can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

	FIRST AID	
If In Eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
	• Call a poison control center or doctor for further treatment advice.	
If On Skin	Take off contaminated clothing.	
Or	• Rinse skin immediately with plenty of water for 15-20 [minutes].	
Clothing:	• Call a poison control center or doctor for treatment advice.	
If	Call a poison control center or doctor immediately for treatment advice.	
Swallowed:	• Have person sip a glass of water if able to swallow.	
	• Do not induce vomiting unless told to do so by a poison control center or doctor.	
	• Do not give anything by mouth to an unconscious person.	
	HOT LINE NUMBER	
Have the produ	ct container or label with you when calling a poison control center or doctor, or going for	
treatment. For r	nore information on this pesticide product (including health concerns, medical emergencies	
or pesticide inc	idents), you may call 1-800-781-4738.	
	NOTE TO PHYSICIAN OR VETERINARIAN	
	Treat patient symptomatically.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL [AND ENCLOSED DIRECTIONS] BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs. Do not allow your dog to ingest this product. Do not use on puppies under 12 weeks of age or less than [4][23][45][89] lbs. Use entire contents of [tube] [vial] [applicator][pipette] on each dog. [Do not split one [tube][vial][applicator][pipette] between dogs.] Do not use multiple [tube][vial][applicator][pipette]s on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4783. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.

Sergeant's® Master Label07DEC15 2 YR EXTVersion 15.1EPA Reg. No. 2517-140Information in [] is optional.Page 7 of 11EPA SAL 11DEC13

{1.5 cm x 1.5 cm on final or red & black as indicated below. Placement will be in the lower right hand quadrant.}



DO NOT USE ON CATS. MAY BE FATAL if applied to or ingested by a cat. Keep cats away from treated dogs for 24 hours. Cats that actively groom or engage in close physical contact with treated dog may be at risk of serious harmful effects. Cats exhibiting signs of ingestion such as excessive salivation and foaming at the mouth should be taken to the veterinarian immediately.

{Outer Packaging}

How to open: Remove product tube[s][vial] from the package. [Separate one tube from the others.] Hold the tube[vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube][vial][applicator][pipette] over dog and use open end to part dog's hair. Squeeze [tube][vial][applicator][pipette] firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every [30 days] [month].

Only For Dogs Weighing 4 [-] [to] 22 lbs. Do not apply to dogs weighing less than 4 lbs. [including small dogs and puppies, only 12 weeks or older]:

{For cartons containing 0.67 mL (0.023 fl oz) [tube][vial][applicator][pipette]s} Apply one [tube][vial][applicator][pipette] (0.67 mL)(0.023 fl oz) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing [Between] 23[-] [to] **44 lbs. Do not apply to dogs weighing less than 23 lbs. {For cartons containing 1.34 mL (0.045 fl oz) [tube][vial][applicator][pipette]}** [Apply one [tube][vial][applicator][pipette] (1.34 mL)(0.045 fl oz)] [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing [Between] 45[-] [to] **88 lbs. Do not apply to dogs weighing less than 45 lbs. For cartons containing 2.68 mL (0.091 fl oz) [tube][vial][applicator][pipette]}** Apply one [tube][vial][applicator][pipette] (2.68 mL)(0.091 fl oz) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing 89[-][to] 132 lbs. Do not apply to dogs weighing less than 89 lbs. Do not use two [tube][vial][applicator][pipette]s on dog greater than 132 lbs. {For cartons containing 4.02 ml (0.136 fl. oz.) tube} Apply one [tube][vial][applicator][pipette] (4.02 ml)(0.136 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot]

Sergeant's [®] Master Label		
07DEC15 2 YR EXT	Version 15.1	EPA Reg. No. 2517-140
Information in [] is optional.	Page 8 of 11	EPA SAL 11DEC13

between the shoulder blades.][This allows for a more direct application to the skin.]

FREQUENCY OF APPLICATION

Use [Brand Name] [this product] monthly for control of flea, tick [and] chewing lice [and mosquito] [infestations]. [Studies show that] [Brand Name] [this product] kills adult fleas [(starts killing in as little as 1 hour)] [[starts killing][starts to kill] in [5][15] minutes] for up to three months. Apply monthly if your dog is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand Name] [this product] kills mosquitoes within 24 hours for up to the first 7 days after application, then within 48 hours for up to 28 days.] [Brand Name] [This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [30 days][4 weeks].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube][vial][applicator][pipette] from the pack until ready to use. Store in a cool [(below $77^{\circ}F[/][25^{\circ}C]$)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387)

[Distributed by:][Manufactured by:] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710 [Coupon(s) inside or on outside of box] [Made in USA] [Patent(s) Pending]

> [BAR CODE AREA] EPA Reg. No. 2517-140 EPA Est. No. XXXXX-XX-XXX

{END - BACK / SIDE PANEL}

07DEC15 2 YR EXT Information in [] is optional. Version 15.1 Page 9 of 11 EPA Reg. No. 2517-140 EPA SAL 11DEC13

OPTIONAL OUTER PACKAGING

DOG SQUEEZE ON Fipronil+Cyphenothrin

[How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

[[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

[Application Instructions] [Directions for Use] How to open

- **1.** Remove product tube[s] [vial] from the package.
- 2. [Separate one tube from the others.] Hold the [tube][vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply

- 1. Invert [tube][vial][applicator][pipette] over dog and use open end to part dog's hair.
- 2. Squeeze [tube][vial][applicator][pipette] firmly to apply all of the solution [on] [to] the dog's skin [as a spot to the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.]

[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment][application] to avoid chance of ingestion
- [6] Do NOT split [tube][vial][applicator][pipette]s between dogs [and use the ENTIRE [tube][vial][applicator][pipette] contents.]

[Brand Name]

[1][2][3][4][5][6][12][24][Month [Application] Tracker]

[For year-round protection, apply [Brand Name] [this product] monthly.]

[Pet's Name (Empty blank for owner to fill in name)]

[First][1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth][8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th] [Dose] [Application] (Empty blank for owner to fill in date)(Date: MM/DD/YY)]

[calendar stickers with [Brand Name]

[Place stickers on your calendar as a reminder to reapply[Brand Name] [this product] [in 30 days.] [Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand Name] [this product]. Press the button

07DEC15 2 YR EXT Information in [] is optional. Version 15.1 Page 10 of 11 EPA Reg. No. 2517-140 EPA SAL 11DEC13

once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]


OPTIONAL OUTER PACKAGING


DOG SQUEEZE ON Fipronil+Cyphenothrin

[Optional graphics above and below may or may not appear anywhere on finished label]









Toti	Adult Flea	
-	Ticks	
-	Brown Dog Tick	
×.	Deer Tick	
*	American Dog Tick	
ず	Chewing Lice	
*	Lone Star Tick	
IN.	Mosquitoes	
the second second	Mite	8



{END - OPTIONAL INSERT OR PACKAGE COPY}

Housekeeping Promises MENT OR REFUND IF DEFECTIVE

Sergeant's® Master Label

07DEC15 2 YR EXT

Version 15.1

EPA Reg. No. 2517-140

Information in [] is optional.

Page 11 of 11

EPA SAL 11DEC13

TUBE/VIAL LABEL

DOG SQUEEZE ON Fipronil+ Cyphenothrin

Front Label	Back Label
{Brand Name}	KEEP OUT OF REACH OF CHILDREN
For Dogs [X-Y] lbs \geq 12 wks	CAUTION: Read directions and precautions
Fipronil 9.8%, Cyphenothrin 5.2%	before using. Use scissors to open
0.023 fl oz (or) 0.045 fl oz (or) 0.091 fl oz (or) 0.136	EPA REG. No. 2517-140 {label code}
fl oz {label code}	

{EPA REG No may be on either the front or back label}