

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7504P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 EPA Registration No.

Date of Issuance:

2517-141

MAR 2 3 2011

NOTICE OF PESTICIDE:

☑ Registration
☐ Reregistration

(under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

Term_of Issuance:

Conditional Registration

Time-limited: see conditions below

Name of Pesticide Product:

Sergeant's Fipronil + Nylar Squeeze-on for Dogs

Name and Address of Registrant (include ZIP Code):

Sergeant's Pet Care Products, Inc. c/o Exponent, Inc. 2625 South 158th Plaza Omaha, NE 68130

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA §3(c)(7)(a) provided that:

- 1. This registration is time-limited and expires two years from the date this product is first released for shipment.
 - You must provide the Agency with a projected release for shipment date within 30 days of the date of this Notice of Registration. The Agency will calculate the expiration date based on the projected release for shipment date until an actual release for shipment date is provided in writing.
- 2. Consider limiting the formulations of each product to one basic confidential statement of formula. The Agency may require this in the future. It is possible that no additional alternate formulations or minor formulation amendments will be approved for this product in the future.
- 3. As a condition of registration for this product, within one year from the date of this registration, you must submit the results of Storage Stability and Corrosion Characteristics studies, corresponding to OCSPP Guidelines 830.6317 and 830.6320, respectively, including interim reports made at 0, 3, 6, 9, and 12 month intervals.

- 4. Within one year of the date on this Notice of Registration, and prior to formulating this product, you must provide the Agency the following:
 - a. The registration number and establishment number of the manufacturing or technical product(s) from which the active ingredient is derived.
 - b. The name and address of the entity from which the manufacturing product(s) was obtained; and
 - c. A copy of the bill of sale for this manufacturing product(s).
- 5. Within 30 days from the date of this registration, in accordance with FIFRA §3(c)(1)(F) and 3(c)(2)(B), you must submit a copy of all offers to pay compensation and evidence of their delivery, used to support the data required for this product.
- 6. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product for the quarter that begins on April 1, 2011. The quarterly reports are due two months after each quarter ends.

Please flag any Confidential Business Information as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the Registration Division (7504P), to the Product Manager's attention.

The following is a list of information that must be included in the quarterly reports for each incident:

EPA Registration Number Product name (brand name) Lot #

Where purchased: internet, store, veterinarian

Active Ingredient(s)
Weight range for product

Date on which incident occurred. (mm/dd/yyyy)
State in which the incident occurred. (standard 2 letter abbreviation)
Registrant case #

Species: dog, cat, other (specify) Breed: (as reported by pet owner)

Age: months or years Sex: M, F, or neutered Weight: pounds

Primary Route of Exposure: dermal, oral, other animal, inhalation, other Body System: neurological, dermatological, GI, respiratory, ocular, other Major signs noted with separate column for each sign, using standard terminology

Time to Onset: (hours, days)
Treated by veterinarian: yes or no
First time product used: yes or no

Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)

Any known precondition

EPA Severity Code: death, major, moderate, minor Outcome: died, recovered, still treated, unknown

- 7. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.
 - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
 - A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
 - Summary table for dogs and table for cats showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
 - A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
 - A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
 - A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
 - Table showing number of incidents for each dog breed.
 - Table showing number of incidents in dogs for each clinical sign.
 - Table showing number of incidents in dogs for each organ system.
 - Report aggregate incidents, but do not combine moderate and minor incidents.
- 8. You must submit and/or cite all data required for registration of your product under FIFRA §3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for reregistration of your product under FIFRA §4.

All labeling comments below are in reference to the proposed master label, dated March 10, 2011. These comments apply to all submitted draft labeling, including the master label, the color mock-up labels, and the proposed text and graphics for the stickers and magnet:

- 9. Throughout the entire label, per the Acute Toxicity and Companion Animal Safety review, change "up to 22 lbs" to "4 to 22 lbs" to include the lowest weight range.
- 10. On page 1 under the header Fleas, revise the following claims to add the underlined words, or

- delete struck-out words (because the submitted data do not support these claims), as follows:
- "[Research demonstrates that [brand name] kills adult fleas, flea eggs, and flea larvae and prevents pupae for more up to three months.]"
- "[Prevents all flea stages, flea eggs, flea pupae, and flea larvae.]"
- "[Kills flea eggs [larvae] prevents [pupae] for more than [63 days] [9 weeks]]"
- "[Kills Flea for Up to [4 weeks!] [2 months] [3-months]]"
- 11. On pages 1 and 2 under Multiple Infestations, revise the following claims to add the underlined words, or delete struck-out words, as follows:
 - "[Kills fleas, ticks, mosquitoes, chewing lice, flea eggs, and larvae and prevents pupae]"
 - "[Kills Flea Eggs & Flea Larvae for up to more than [63 days], [9 weeks]!]"
 - "[Kills all stages of the flea life cycle]"
 - "[Prevents and controls reinfestations of listed pests for up to [1 month] [4 weeks]]"
- 12. On pages 2 and 3 under All Others, revise the following claims to add the underlined words, or delete struck-out words, as follows:
 - "[Controls flea reinfestation for up to [3 months] [12 weeks]]"
 - "[[Free] Brochure Inside!]"
 - "[[Free] Brochure and Calendar Stickers Inside]"
 - "[Prevents and controls reinfestations of listed pests]"
 - "[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet] [elip] [eard]]"
- 13. On page 3, delete the statement "[Ingredient Statement may be on front or back label]" because the ingredient statement must be placed on the Front Panel.
- 14. On page 3 in the Ingredients Statement, all Inert ingredients must be identified when electing to list the inert ingredients.
- 15. On page 5 in the How to Apply section, correct the reapplication interval from "4 weeks" to "30 days" to be consistent with the interval stated under Frequency of Application.
- 16. On pages 5 and 6 under the Frequency of Application, add the underlined words and delete the struck-out text in the following statement:
 - "[Studies show that] [brand name] kills fleas (in as little as 1 hour) for up to three months]."
 "[Brand name] kills mosquitoes within 24 hours for up to the first 7 days after treatment, then within 48 hours for up to 28 days]."
- 17. On page 6 under the Storage and Disposal statement, replace "Container Handling" with "Container Disposal."
- 18. On page 6 in the Warranty statement, remove the brackets within the paragraph so that if used, the Warranty statement is present in its entirety.
- 19. On page 8 under the End-back/side Panel section, delete the "Optional Insert or Package Copy" statement because the Agency has not reviewed the optional insert as part of the labeling for approval.
- 20. Note that should you wish to add a reference to the company's website on your label, then the

website becomes labeling under FIFRA and is subject to review by the Agency. If the website content is false or misleading, the product would be deemed misbranded and unlawful to sell or distribute under FIFRA §12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements, or claims substantially differing from the EPA-approved registration, the website may be referred to the EPA's Office of Enforcement and Compliance Assurance.

21. Revise the EPA Registration Number to read: "EPA Registration No. 2517-141."

If the Agency determines that future mitigation measures are necessary for all pet spot-on products, you will be informed, and be expected to comply. If mitigation measures are necessary, the Agency may take appropriate regulatory actions. Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A copy of your label stamped "Accepted with Comments" is enclosed for your records. Please contact Rosanna Louie-Juzwiak at (703) 308-0037 with any questions.

Enclosure: Sergeant's Fipronil + Nylar Squeeze-on for Dogs Label, Stamped Accepted with Comments

Signature of Approving Official:

Date:

MAR 2 3 2011

Richard Gebken, Product Manager (10) Registration Division, Insecticide Branch

EPA Form 8570-6

Sergeant's® Master Label

141

10 March 2011

Version 10.1

EPA Reg. No. 2517-RUR

Information in [] is optional.

Page 1 of 9

FRONT PANEL

DOG SQUEEZE ON FIPRONIL+NYLAR

[Option-text-appears-in-brackets-the-final-product-label-may-include-some-or-all-of-the-optional-text on front, back or side panels. The CRP required text will not change.]

Sergeant's Fipronil + Nylar Squeeze-On for Dogs

[ABNs]

[(Sergeant's®) (Sentry®) FRONTIER GOLD (Spot On) for dogs] [(Sergeant's®) (Sentry®) Ectoadvance™ (Spot On) for dogs]

[Apply to puppies over 12 weeks old] [Apply to puppies 12 weeks or older] ACCEPTED with COMMENTS In EPA Letter Dated:

MAR 2 3 2011

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2517-44/

[Mosquitoes]

[•Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days]

[•Kills mosquitoes]

[Fleas]

[*Research demonstrates that [brand name] kills adult fleas, flea eggs, and flea larvae and prevents pupae for up to three months.]

[•[brand name] prevents development of all flea stages for up to [63 days] [9 weeks].]

[•Prevents all flea stages (adult fleas, flea eggs, flea pupae and flea larvae)]

[• If dog is at high risk for flea reinfestation a once a month application may be needed]

[•Kills flea eggs [larvae] [prevents pupae] for more than [63 days][9 weeks]]

[•With Nylar® Insect Growth Regulator which Breaks the Flea Life Cycle]

[•With Nylar® to Break Flea Life Cycle]

[•With Insect Growth Regulator to Break Flea Life Cycle]

[•Dual Action [!]: Fipronil with Nylar® IGR Effectively Breaks the Flea Life Cycle]

[•Dual Action [!]: Effectively Breaks the Flea Life Cycle[!]]

[•Kills Fleas for Up to [4 weeks!] [2 months] [3 months]]

[Multiple Infestations]

[•Flea & Tick Control for Dogs & Puppies 12 Weeks Old and Older]

[•Kills fleas, flea eggs, ticks, chewing lice & mosquitoes]

[•Kills fleas, ticks, mosquitoes, chewing lice, flea eggs, and larvae and prevents pupae]

[•Monthly flea, tick, mosquito, chewing lice, and flea egg protection]

[•Monthly flea, tick, mosquito and chewing lice protection]

[•Kills fleas, ticks, mosquitoes, flea eggs, and chewing lice]

[•[4 Week] [Flea and Tick & Treatment]]

[• [Seven] [7] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, flea eggs, flea larvae [&] [and] prevent the development of flea pupae]]

[• [Six] [6] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,]

10 March 2011

Version 10.1

EPA Reg. No. 2517-RUR

Information in [] is optional.

Page 2 of 9

chewing lice, flea eggs [&] [and] flea larvae]

[•[Four (4) Week] [Flea, Tick, Mosquito and Chewing Lice Control]

[•Kills Flea Eggs & Flea Larvae for up to more than [63 days], [9 weeks]!]

[•Prevents-Flea Eggs-From Developing Into Biting-Adults]-

[•Kills all stages of the flea life cycle]

[•Kills Fleas, Ticks, Flea Eggs & Flea Larvae for up to 4 Weeks]

[•4 week Flea and Tick Treatment!]

[Once A Month Flea and Tick Treatment]

[•Kills Fleas and Ticks for up to 4 weeks!]

[•When used monthly [brand name] completely breaks the flea life cycle and controls tick and chewing lice infestations.]

[•Prevents and controls reinfestations of listed pests for up to [1 month] [4 weeks]]

[Ticks]

[•Kills ticks including those that may transmit Lyme disease]

[•Kills American Dog Ticks [(Dermacentor variabilis)] for up to 4 weeks!]

[•Kills Ticks for Up to [4 weeks]!]

[•Kills [all stages of] Deer Ticks (vector of Lyme Disease) for up to 4 weeks]

[•Kills Ticks (Including Deer Ticks) for up to 4 weeks]

[•Kills [Brown], [American,] [and Lone Star]Dog Ticks for up to 4 weeks]

[•Kills Rhipicephalus sanguineus for up to 4 weeks]

[All Others]

[•For Dogs and Puppies 12 weeks of age or older]

[•For Dogs [up 4 to 22 lbs], [23-44 lbs], [45-88 lbs], [89-132 lbs]

[•Controls flea reinfestation for up to [3 months] [12 weeks]]

[•Fast Acting]

[•Waterproof]

[•Long Lasting]

[•Apply monthly]

[•A once monthly application is required for chewing lice.]

[Apply monthly to control chewing lice.]

[•Rapid elimination of chewing lice infestations]

[•Controls mites that may cause sarcoptic mange]

[•Three Applications] and/or [3 Month Supply] or [12 Week Supply]]

[•Best if used year round!]

[•(ICON Showing 4 Week Protection)]

[•4 Week Dose!]

[•1 Month Dose!]

[•Easy to Use Application]

[•Specially Formulated for Dogs and Puppies over 12 weeks old]

[•[Free] Calendar Stickers Inside!]

[•[Free] Brochure Inside!]

[•[Free] Brochure and Calendar Stickers Inside]

[•Patented Technology]

[•Apply once every [4 weeks] [month]!]

[•Effective after bathing and exposure to water and sunlight]

10 March 2011

Version 10.1

EPA Reg. No. 2517-RUR

Information in [] is optional.

Page 3 of 9

[•Prevents and controls reinfestations of listed pests]

[•[Free with purchase] [Free inside] Monthly Application Reminder [Magnet] [elip]

[card]]

[•3-applications]

[•Fiponil (9.8%) + [pyrproxyfen][Nylar®] (2.0%)]

[•US and Foreign patents pending]

[•Lift [here] for more information]

[•For year round protection, apply (brand name) monthly]

[3 Applications]

[For use ONLY on dogs]

[Up 4 to 22 lbs]

[23-44 lbs]

[45-88 lbs]

[89-132 lbs]

[over 12 weeks of age]

[For Dogs & Puppies (12 weeks or older and)] [and] [up to] 4 to 22 lbs.]

[For Dogs 23-44 lbs.]

[For Dogs 45-88 lbs.]

[For Dogs 89-132 lbs.]

[] - Denotes Optional Statements and/or Images that May be Used on Front, Back or Side Label Panels

[Ingredient Statement may be on front or back label]

ACTIVE INGREDIENTS:

Fipronil	9.8%
Pyriproxyfen	
OTHER INGREDIENTS *:	
TOTAL:	

[*diethylene glycol monoethyl ether]

[Nylar® is a registered trademark of McLaughlin Gormley King Company. U.S. Patent No. 5,942,525]

KEEP OUT OF REACH OF CHILDREN WARNING

See [Back][or][Side] [Label Panel[s] for Additional Precautionary Statements

NET CONTENTS:

Contains (3) [0.023 fl oz] [0.67 ml] applicators

Contains (3) [0.045 fl oz] [1.34 ml] applicators

Contains (3) [0.091 fl oz] [2.68 ml] applicators

Contains (3) [0.136 fl oz] [4.02 ml] applicators

10 March 2011

Version 10.1

EPA Reg. No. 2517-RUR

Information in [] is optional.

Page 4 of 9

ERONT PANEL

DOG SQUEEZE ON FIPRONIL NYLAR

[BACK/SIDE CARTON LABEL - MASTER LABEL]

[brand name] contains fipronil and the insect growth regulator (IGR) Nylar® to effectively kill fleas, ticks [(including those that may transmit Lyme Disease)], and kill[s] flea eggs, flea larvae, mosquitoes and chewing lice. The active ingredients in [brand name] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4] [four] weeks] on dogs.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE. PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 12 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, pregnant, nursing, debilitated or aged dogs. Call 1-800-781-4738 for 24-hour assistance.

	FIRST AID
If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	• Call a poison control center or doctor for further treatment advice.
If On Skin	Take off contaminated clothing.
Or Clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.
. • .	• Call a poison control center or doctor for treatment advice.
If Swallowed	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
	HOT LINE NUMBER
Have the produc	t container or label with you when calling a poison control center or doctor, or going
for treatment. For	or more information on this pesticide product (including health concerns, medical

NOTE TO PHYSICIAN OR VETERINARIAN
Treat patient symptomatically

emergencies or pesticide incidents), you may call 1-800-781-4738.

10 March 2011

Version 10.1

EPA Reg. No. 2517-RUR

Information in [] is optional.

Page 5 of 9

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW-CHILDREN TO-APPLY-PRODUCT.** TO PREVENT HARM-TO YOU-AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats. FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 12 weeks of age. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Best if used year round. Certain medications can interact with pesticides. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. DO NOT USE ON CATS or animals other than dogs. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Cats and dogs that actively groom or engage in close physical contact with treated dog may be at risk of serious harmful effects. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur immediately feed your dog and continue to monitor your dog for the next 24 hours. If symptoms persist call 1-800-781-4738 to talk to a veterinarian. Cats exhibiting these same symptoms from ingestion should be taken to the veterinarian immediately. If your dog is exhibiting signs of and/or are being treated for skin dermatitis, talk to your vet before applying any topical flea and tick control product.

Sensitivities may occur after using ANY pesticide product on dogs. Dogs may experience some temporary irritation at the site of product application. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately by calling 1-800-781-4738.

[{Outer Packaging}]

How to open: Remove product tubes [vial] from the package. Separate one tube from the others. Holding the tube [vial] with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made if necessary, but do not apply more often than once every 30 days-4 weeks.

[Optional drawings that may or may not appear on finished label]







FREQUENCY OF APPLICATION

Use [brand name] monthly for complete control of flea, tick [and] chewing lice [and to kill mosquitoes] [infestations]. [Studies show that] [brand name] kills fleas for up to three months. If your pet is at high risk for flea reinfestation [, or in a highly infested environment], apply

10 March 2011

Version 10.1

EPA Reg. No. 2517-RUR

Information in [] is optional.

Page 6 of 9

monthly. Apply monthly to control ticks, mosquitoes and chewing lice. [Brand name] kills mosquitoes within 24 hours for up to the first 7 days after treatment, then within 48 hours for up to 28 days. [Brand name] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

For Dogs Weighing up to 22 lbs. [including small dogs and puppies, 12 weeks or older] {For cartons containing .67 ml (0.023 fl. oz.) applicator tubes}

Apply one tube (.67 ml)(0.023 fl. oz.) [as a spot to the dog's back between the shoulder blades] [from the back of the neck to a point midway between the neck and tail].

For Dogs Weighing Between 23 - 44 lbs.

{For cartons containing 1.34 ml (0.045 fl. oz.) applicator tube}

[Apply one tube (1.34 ml)(0.045 fl. oz.) as a spot to the dog's back between the shoulder blades.] [from the back of the neck to a point midway between the neck and tail].

For Dogs Weighing Between 45 - 88 lbs.

{For cartons containing 2.68 ml (0.091 fl. oz.) applicator tube}

Apply one tube (2.68 ml)(0.091 fl. oz.) [as a spot on the dog's back between the shoulder] [from the back of the neck to a point midway between the neck and tail].

For Dogs Weighing 89 - 132 lbs.

{For cartons containing 4.02 ml (0.136 fl. oz.) applicator tube}

Apply one tube (4.02 ml)(0.136 fl. oz.) [as a spot on the dog's back between the shoulder] [from the back of the neck to a point midway between the neck and tail].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool [below 77°F (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL HANDLING: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. {{The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer.}} Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

10 March 2011

Version 10.1

EPA Reg. No. 2517-RUR

Information in [] is optional.

Page 7 of 9

In Case of Emergency, call: 1-800-781-4738 [For more information] [Visit us at:] [www.sergeants.com] Non-Emergency call 1-800-224-PETS (7387) [Made in USA]

Distributed by:

Sergeant's Pet Care Products, Inc.

[BAR CODE AREA]

P.O. Box 540399

Omaha, NE 68154-0399

EPA Reg. No. 2517-RUR

EPA Est. No. XXXXXX-XXX-XXX

[How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

[Application Instructions] [Directions for Use] How to open

- 1. Remove product tubes [vial] from the package.
- 2. Separate one tube from the others. Holding the tube [vial] with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply:


- 1. Invert tube over dog and use open end to part dog's hair.
- 2. Squeeze tube firmly to apply all of the solution to the dog's skin [as a spot to the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.]







[Flea life cycle diagram] [Flea Life Cycle][Sample coloring and layout may be different on final label]



[Look at the Label (Look at the Label icon) 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist

- Read the label completely and follow directions
- Weigh your pet
- Do NOT use Dog products on Cats
- Do NOT treat with more than one pesticide product at a time

10 March 2011

Version 10.1

EPA Reg. No. 2517-RUR

Information in [] is optional.

Page 8 of 9

- Separate animals after treatment to avoid chance of ingestion
- Do NOT split tubes between pets]

[Brand Name]

[3] [Month [Treatment] [Application] Tracker]

[For year-round protection, apply [Brand name] monthly.]

[Pet's Name (Empty blank for owner to fill in name)]

[First] [1st] [Second] [2nd] [Third] [3rd]

[Dose] [Treatment] [Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)]

[calendar stickers with brand name]

[Place stickers on your calendar as a reminder to reapply [brand name] [in 30 days.]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [**Brand name**]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

Adult Flea	Adult Flea
st flea eggs	flea eggs
• flea larvae	flea larvae
flea pupae	flea pupae
ticks ticks	ticks
Brown Dog Tick	Brown Dog Tick
Deer Tick	Deer Tick



* American Dog Tick

* chewing lice

Lone Star Tick

>> mosquitoes

American Dog Tick

chewing lice

Lone Star Tick

mosquitoes —

[Optional graphics above may or may not appear on finished label] {END - OPTIONAL INSERT OR PACKAGE COPY}

10 March 2011

Version 10.1

EPA Reg. No. 2517-RUR

Information in [] is optional.

Page 9 of 9

HUBE/AVIAL LABEL

Front Label

Back Label

{Brand Name} For Dogs [up to X lbs.] [X-Y lbs.]

Fipronil 9.8% w/w, Pyriproxyfen 2.0% w/w Dog 0.023 fl oz (or) 0.045 fl oz (or) 0.091 fl oz (or) 0.136 fl oz {label code}

KEEP OUT OF REACH OF CHILDREN

WARNING: Read directions and precautions

before using. Use scissors to open.

EPA REG. No. 2517-RUR

{label code}

For use ONLY on dogs Up to **22** lbs over 12 weeks of age

Brand X fordogs

For use ONLY on dogs

Brand X fordogs



READ ENTIRE LABEL BEFORE EACH USE, USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS O PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS, WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing, Harmful if swallowed: Harmful if absorbed through skin, Protonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handing and before eating drinking, chewing gum, using tobacco, or using the total. Remove and wash contaminated clothing before reuses

HAZARDS TO DOMESTIC ANIMALS For external use only. Do not use on pupples under 12 weeks of age. Individual sensitivities; while rare, may occur after using any pesticide product. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary imitation at the site of product application, if signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist, or become more severe within a few days of the signs persist. application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated pregnant nursing debilitated or aged dogs (Cal.) 1-800-781-4738 for 24-hour assistance.

	FIRST AID					
lf In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.					
If On Skin Or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes, Call a polson control center or doctor for treatment advice.					
If Swallowed	- Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person.					
	HOTLINE NUMBER					

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.

NOTE TO PHYSICIAN OR VETERINARIAN Treat patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT, TO PREVENT HARM, TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS."

DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats. FOR EXTERNAL USE ON DOGS ONLY Do no use on puppies under 12 weeks of age. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death, Best if used year round. Certain medications can interact with pesticides, Consult a veterinarian before using this product on debilitated, aged medicated, pregnant, or nursing dogs. Consult a veterinanan before using on dogs with known organ dysfunction. DO NOT: USE ON CATS animals other than dogs. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Cats and d that actively groom or engage in close physical contact with treated dog may be at risk of serious harmful effects. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur immediately feed your dog and continue to monitor your dog for the next 24 hours. If symptoms persist call 1-800-781-4738 to talk to a veterinarian. Cats exhibiting these same symptoms from ingestion should be taken to the veterinarian immediately. If your dog is exhibiting signs of and/or is being treated for skin dermatris; talk t your vet before applying any topical flea and tick control product.

Sensitivities may occur after using ANY pesticide product on dogs. Dogs may experience some temporary irritation at the site product application. It signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. It signs continue, consult a veterinarian immediately by calling 1-800-781-4738.

How to open: Remove product tubes from the package. Separate one tube from the others. Holding the tube with notched end pointing and away from the face and body, cut off the narrow end at the notches with scissors.

Now to apply. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin as of the solution to the solution to the dog's skin as of the solution to the so

FREQUENCY OF APPLICATION

Use Brand X™ monthly for complete control of flea, tick and chewing lice infestations. Studies show that Brand X™ kills adult fleas for up to three months. If your pet is at high risk for flea reinfestation, apply monthly. Apply monthly to control ticks, mosquitoes, and chewing lice. Brand XTM kills mosquitoes within 24 hours for the first 7 days after treatment, then within 48 hours for up to 28 days. Brand XTM remains effective even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

For, Dogs Weighing Up to 22 lbs.: Apply one tube (0.67 mL)(0.023 fl oz) as a spot to the dog's back between the shoulder blades.

(U.S. and Foreign Patents Pending

In Case of Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-PETS (7387)

If you have questions or comments about this product, please write: SENTRY Consumer Response, P.O. Box 540399, Ornaha, NE 68154-0399.

Distributed by: Sergeant's Pet Care Products, Inc., P.O. Box 540399, Omaha, NE 68154-0399. EPA Reg. No. 2517-RUR

EPA Est. No. 2517-TN-1

POOXXXX ACRR

ONLY on dogs

≤ lbs eeks of age

SENTRY.

Brand X fordogs

KIĽĽS

- 🗫 fleas
- 🔥 flea eggs
- 🖈 ticks
- 🛊 chewing lice
- mosquitoes
- Controls mites that may cause sarcoptic mange
- Waterproof

ACTIVE INGREDIENTS:

Fipronil	9.80
Pyriproxyfen	
OTHER INGREDIENTS*	88.20
TOTAL:	100.00
*Diethylene Chreel Mana	shul Ethan

'Diethylene Glycol Monoethyl Ether, Vitamin E Nicotinate

KEEP OUT OF REACH OF CHILDREN WARNING

See Back Label Panel for Additional Precautionary Statements

Net Contents: Three 0.023 fl oz (0.67 mL) applicators






Front

White tube / Black text on a white label / Colored Strip







PROJECT NAME & PROJECT NUMBER	DATE	DRAFT#	DIMENSIONS	UPC CODE	PART#
Brand X for Dogs up to 22LBs T-Label	14MAR11	3		UPC 0 73091 XXXXX X	POOXXXX
ART INSTRUCTION FOR THE PRINTER BLACK PMS 165	•		Printer/Vendor:		
Labels	s adhere to	White T	ubes	Sa	UPINS Products the



Front

White tube / Black text on a white label / Colored Strip






PROJECT NAME & PROJECT NUMBER Brand X for Dogs 23-44 LBs T-Label	DATE 15MAR11	DRAFT#	DIMENSIONS	UPC CODE	PART#
ART INSTRUCTION FOR THE PRINTER BLACK PMS 363	IJMAKII	<u> </u>	Printer/Vendor: Additional Note	Date sent:	Linny
Label	s adhere to) White T	ubes	SH Per can	UPITIS Products Inc.




Front 8mm White tube / Black text on a white label / Colored Strip Brand X[™] for dogs For dogs 45-88 lbs Fipronii 9.8% w/w, Pyriproxyten 2.0% w/w .091 fl oz P00XXXX 38.1mm 10mm







Front

White tube / Black text on a white label / Colored Strip





PROJECT NAME & PROJECT NUMBER Brand X for Dogs 89-132LBs T-Label	DATE 15MAR11	DRAFT#	DIMENSIONS	UPC CODE UPC 0 73091 XXXXX X	PART# P003174
ART INSTRUCTION FOR THE PRINTER BLACK PMS 2945	ISMARII	<u> </u>	Printer/Vendor: .Additional Note	Date sent:	P0031/4
Label	s adhere to	White T	ubes	SEI Pei Can	JENIIS Préducts linc



Back Tube Label

KEEP OUT OF REACH OF CHILDREN WARNING: Read directions and precautions before using. Use scissors to open. EPA REG. No. 2517-RUR POOXXXX

PROJECT NAME & PROJECT NUMBER	DATE	DRAFT#	DIMENSIONS	UPC CODE	PART#
Brand X Back Tube Label	15MAR11	1			POOXXXX
ART INSTRUCTION FOR THE PRINTER			Printer/Vendor:	Date sent	
BLACK			Additional Notes:		
Labe	els adhere to	White T	ubes	S.	TURIIS Products line



PROJECT NAME & PROJECT NUMBER Pawprint Sticker	DATE 02NOV10	DRAFT#	DIMENSIONS	UPC CODE UPC 0 73091 XXXXX X	PART# POOXXX
ART INSTRUCTION FOR THE PRINTER BLACK PMS 2738	pozitovio	<u>'</u>	Printer/Vendor: Additional Note:	Date sent:	100,000
	·			SET OF	Producta-inc

