

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

2517-141

Date of Issuance:

12/10/17

NOTICE OF PESTICIDE:

X Registration
Reregistration

(under FIFRA, as amended)

Term of Issuance:

EPA Reg. Number:

Conditional, Time-Limited Expires: 12/10/2019

Name of Pesticide Product:

Sergeant's Fipronil + Nylar Squeeze-On for Dogs

Name and Address of Registrant (include ZIP Code):

Prince Bamaze Sergeant's Pet Care Products, Inc. 10077 South 134th St. Omaha, NE 68138-3710

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:	Date:	
Elizabet Talul	12/10/17	
Elizabeth Fertich, Product Manager 04		
Invertebrate & Vertebrate Branch 1,		
Registration Division (7505P)		

- 2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 12/10/2019.
- 3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the registration notice dated 03/23/2011.
- 4. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:
 - a. Fipronil GDCI-129121-1305
 - b. Fripronil GDCI-129121-1512
 - c. Pyriproxifen EDSP-129030-186
 - d. Pyriproxifen EDSP-129030-187
 - e. Pyriproxifen GDCI-129032-1299

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Orders listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation D-129032-186ivision: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 02/28/2011
- Alternate CSF 1 dated 02/28/2011

Page 3 of 3 EPA Reg. No. 2517-141 Decision No. 534184

• Alternate CSF 2 dated 03/24/2011

If you have any questions, please contact Helen Hull-Sanders by phone at 703-347-0243, or via email at hull-sanders.helen@epa.gov.

Enclosure

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 1 of 14 EPA SAL 12/10/2015

FRONT PANEL

DOG SQUEEZE ON FIPRONIL+NYLAR

[Optional text appears in brackets – the final product label may include some or all of the optional text on front, back or side label panels. The CRP required text/format will not change.] {Information is instructional}

Sergeant's Fipronil + Nylar Squeeze-On for Dogs

{Market Label - the word 'Dog' will be 40-75% in height of the largest letter in the primary brand name.} {Market Label-a large clear picture of a Dog in the appropriate weight range will be on the front panel of the label} {See end of document for Alternate Brand Names (ABN) and Marketing Claims}

ACCEPTED

12/10/2017

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2517-141

{A minimum of 1.5 cm x 1.5 cm icon as indicated black cat, black text, red circle and line through cat, on white background to ensure easy spotting, in lower right-hand corner of front label panel.}



{One of the statements below will appear prominently on the front panel of market label.}

For use ONLY on [Small][Medium][Large][Extra Large] dogs [,][&][and] puppies 12 weeks [of age] or older [,][and][weighing] [5-22], [23-44], [45-88], [89-132] lbs. {OR}

ONLY For [Small][Medium][Large][Extra Large] dogs [,][&][and] puppies 12 weeks [of age] or older [,][and][weighing] [5-22], [23-44], [45-88], [89-132] lbs. {**OR**}

Apply to [Small][Medium][Large][Extra Large] dogs [,][&][and] puppies 12 weeks [of age] or older [,][and][weighing] [5-22], [23-44], [45-88], [89-132] lbs.

{Text within box designates Vet Only language. All required text on Master Label applies to all type of packaging. The 'Vet Only language' applies additionally to labeling for products sold to Vets.}

{SUBLABEL: FOR USE ONLY BY LICENSED VETERINARIANS ON DOGS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION}

FOR USE ONLY BY LICENSED VETERINARIANS ON DOGS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels.

Not for residential use. Do not repackage.

[Ideal for shelter use when under direct supervision of veterinarian]

[Professional Roll Pack]

[Convenient roll pack for in clinic use]

[Convenient roll pack for animal facility use]

[For use only by licensed veterinarians]

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 2 of 14 EPA SAL 12/10/2015

ACTIVE INGREDIENTS:

Fipronil	9.80%
Pyriproxyfen	2.00%
OTHER INGREDIENTS [*]	<u>88.20%</u>
TOTAL	100.00%

[*diethylene glycol monoethyl ether, vitamin E nicotinate]

[Nylar® is a registered trademark of McLaughlin Gormley King Company. U.S. Patent No. 5,942,525]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][Side] [Label[s]] [Panel[s]] [or] [Insert] for First Aid [and] [Additional] Precautionary Statements

Net Contents:

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

[1][2][3][4][5][6][12][24][0.023 fl oz (0.67 mL)] [tube(s)][vial(s)]

[1][2][3][4][5][6][12][24][0.045 fl oz (1.34 mL)] [tube(s)][vial(s)]

[1][2][3][4][5][6][12][24][0.091 fl oz (2.68 mL)] [tube(s)][vial(s)]

[1][2][3][4][5][6][12][24][0.136 fl oz (4.02 mL)] [tube(s)][vial(s)]

OR {box only designates Vet Only language}

Net Contents:

[35][50][75][100][160][0.023 fl oz (0.67 mL)] [tube(s)][vial(s)]

[35][50][75][100][160][0.045 fl oz (1.34 mL)] [tube(s)][vial(s)]

[35][50][75][100][160][0.091 fl oz (2.68 mL)] [tube(s)][vial(s)]

[35][50][75][100][160][0.136 fl oz (4.02 mL)] [tube(s)][vial(s)]

{END – FRONT PANEL}

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 3 of 14 EPA SAL 12/10/2015

BACK/SIDE PANEL

DOG SQUEEZE ON FIPRONIL+NYLAR

[Brand name] [This product] contains fipronil and the insect growth regulator (IGR) Pyriproxyfen to effectively kill fleas, ticks [(including those that may transmit Lyme disease)], and kill[s] flea eggs, flea larvae, [mosquitoes] and chewing lice. The active ingredients in [Brand name] [This product] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for up to [30 days] [1 month] [[4] [four] weeks] on dogs.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE. [WEIGHING] [5-22], [23-44], [45-88] [89-132] lbs.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product. This product is not a substitute for prescribed heartworm preventative.

OR {Text within box designates Vet Only language. All required text on Master Label applies to all type of packaging. The 'Vet Only language' applies additionally to labeling for products sold to Vets.}

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. This product is not a substitute for prescribed heartworm preventative. Do not treat a dog with more than one pesticide product at a time. Over dosing a dog can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 EPA SAL 12/10/2015 Information in [] is optional. Page 4 of 14

FIRST AID			
If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.		
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
	Call a poison control center or doctor for further treatment advice.		
If On Skin	Take off contaminated clothing.		
Or Clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.		
	Call a poison control center or doctor for treatment advice.		
If Swallowed	Immediately call a poison control center or doctor.		
	• Do not induce vomiting unless told to do so by a poison control center or doctor.		
	Have person sip a glass of water if able to do so.		
	Do not give anything by mouth to an unconscious person.		
HOT LINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents)], you may also call 1-800-781-4738[.] [for emergency medical treatment information.]

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT ALLOW CHILDREN TO APPLY PRODUCT. To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Dog must be dry at time of application and remain dry for 24 hours after application. Use entire contents of [tube] [vial] on each dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

RESTRICTIONS:

Do not use on cats, rabbits or animals other than dogs.

Do not allow your dog to ingest this product.

Do not use on puppies under 12 weeks of age or less than [5][23][45][89] lbs.

Do not bathe or allow dog to swim for 24 hours after application.

Do not apply more than one tube [vial] to one dog regardless of dog's weight.

Do not reapply for [30 days] [4 weeks] [one month].

{Side Effects box to be in the lower right hand corner of the back panel immediately above the "cat prohibition" box.}

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience [some] temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If any side effects occur or your dog has an unusual reaction to the application, consult your veterinarian or call 1-800-781-4738. Consult your veterinarian before repeating application.

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 5 of 14 EPA SAL 12/10/2015

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. Contact your veterinarian if applied to a cat or ingested by a cat. [common signs of ingestion are excessive salivation and foaming at the mouth.]



[See Insert inside [or] [Folded Panel(s)/Flap] for information on **How to open** and **How to apply**] {Referral Statement used only when 'Directions for Use' on outer packaging does not contain information below}

How to open: Remove product [tube(s)] [vial(s)] from the package. [Separate one [tube] [vial] from the others.] Hold the [tube] [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube] [vial] over dog and use open end to part dog's hair. Squeeze [tube] [vial] firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made if necessary, but do not apply more often than once every [4 weeks] [30 days] [one month].

{For cartons containing 0.67 ml (0.023 fl. oz.) [tube(s)] [vial(s)]}

Only For Dogs Weighing 5[-] [to] 22 lbs. Do not apply to dogs weighing less than 5 lbs. [including small dogs and puppies, 12 weeks or older] Apply one [tube] [vial] (0.67 ml)(0.023 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

{For cartons containing 1.34 ml (0.045 fl. oz.) [tube(s)] [vial(s)]}

Only For Dogs Weighing Between 23[-][to]44 lbs. Do not apply to dogs less than 23 lbs. Apply one [tube] [vial] (1.34 ml) (0.045 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

{For cartons containing 2.68 ml (0.091 fl. oz.) [tube(s)] [vial(s)]}

Only For Dogs Weighing Between 45[-][to]88 lbs. Do not apply to dogs less than 45 lbs. Apply one [tube] [vial] (2.68 ml)(0.091 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

{For cartons containing 4.02 ml (0.136 fl. oz.) [tube(s)] [vial(s)]}

Only For Dogs Weighing 89[-][to]132 lbs. Do not apply to dogs weighing less than 89 lbs. Apply one [tube] [vial] (4.02 ml)(0.136 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 6 of 14 EPA SAL 12/10/2015

blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

FREQUENCY OF APPLICATION

Use [Brand name][this product] monthly for control of flea, tick [and] chewing lice [and to kill [mosquitoes]] [infestations]. If your dog is at high risk for flea reinfestation [, or in a highly infested environment], apply monthly. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand name] [This product] kills mosquitoes within 48 hours for up to 28 days.] [Brand name] [This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [30 days] [4 weeks] [one month].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] from the pack until ready to use. Store in a cool [below 77°F[/] (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

If you have questions or comments about this product, please write: [Sergeant's][SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-PETS (7387)

(BAR CODE ARE

[Distributed by:][Manufactured by:] [Made in USA] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710

[BAR CODE AREA][Lot code] EPA Reg. No. 2517-141 EPA Est. No. XXXXX-XX-XXX

[Coupon(s) inside or on outside of box]

When outside of the box, coupon will not cover or

{END BACK/SIDE PANEL}

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 7 of 14 EPA SAL 12/10/2015

TUBE / VIAL LABEL

DOG SQUEEZE ON FIPRONIL+NYLAR

{Front Label} {Icon as indicated} {Back Label}

{Brand Name} For Dogs

[5-22], [23-44], [45-88], [89-132] lbs ≥ 12 wks

KEEP OUT OF REACH OF CHILDREN CAUTION: Read entire label before use. Use scissors to open.

EPA Reg. No. 2517-141 [Lot code] [label code]

Fipronil 9.8%, Pyriproxyfen 2.0% 0.023 fl oz (**or**) 0.045 fl oz (**or**) 0.091 fl oz (**or**) 0.136 fl oz

{Lot No. is engraved on the crimp portion of the tube} {label code refers to an internal product tracking code} {EPA Reg. No. may be on either the front or back label}

{END - TUBE/VIAL LABEL}

INSERT OR FOLDED PANEL/ FLAP OF FRONT OF PACKAGING

DOG SQUEEZE ON FIPRONIL+NYLAR

[How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a tube [vial] on front, side, or back carton label and/or tube [vial] labeling.]

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS [AND] [PUPPIES] OVER 12 WEEKS OF AGE. [WEIGHING] [5-22], [23-44], [45-88] [89-132] lbs.

[[Clip. Part. Squeeze.]

Easier-than-ever tube [vial] lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

[Application Instructions] [Directions for Use]

Do not apply more than one [tube][vial] per treatment for one dog regardless of dog's weight.

How to open:

- 1. Remove product tube(s) [vial(s)] from the package.
- 2. [Separate one [tube] [vial] from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.]

[How to apply:

- 1. Invert [tube] [vial] over dog and use open end to part dog's hair.
- 2. Squeeze [tube] [vial] firmly to apply all of the solution to the dog's skin [as a spot [on][to] the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.]

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 EPA SAL 12/10/2015 Information in [] is optional. Page 8 of 14

[Look at the Label (Look at the Label icon) [Easy] 6 Step [Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment][application] to avoid chance of ingestion
- [6] Do NOT split [tube] [vial]s between pets [and use the ENTIRE [tube] [vial] contents]

FIRST AID					
If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing				
	Call a poison control center or doctor for further treatment advice.				
If On Skin	Take off contaminated clothing.				
Or Clothing	Clothing • Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment advice.				
If Swallowed	Immediately call a poison control center or doctor.				
	• Do not induce vomiting unless told to do so by a poison control center or doctor.				
	Have person sip a glass of water if able to do so.				
	Do not give anything by mouth to an unconscious person.				
HOT LINE NUMBER					

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents)], you may also call 1-800-781-4738 [for emergency medical treatment information.]

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically

{For cartons containing 0.67 ml (0.023 fl. oz.) [tube] [vial] (s)}

Only For Dogs Weighing 5[-][to] 22 lbs. Do not apply to dogs less than 5 lbs.

Apply one [tube] [vial] (0.67 ml) (0.023 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

{For cartons containing 1.34 ml (0.045 fl. oz.) [tube] [vial] (s)}

Only For Dogs Weighing Between 23[-][to]44 lbs. Do not apply to dogs less than 23 lbs.

Apply one [tube] [vial] (1.34 ml) (0.045 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 9 of 14 EPA SAL 12/10/2015

{For cartons containing 2.68 ml (0.091 fl. oz.) [tube] [vial] (s)}

Only For Dogs Weighing Between 45[-][to]88 lbs. Do not apply to dogs less than 45 lbs. Apply one [tube] [vial] (2.68 ml)(0.091 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct

{For cartons containing 4.02 ml (0.136 fl. oz.) [tube] [vial] (s)}

Only For Dogs Weighing 89[-][to]132 lbs. Do not apply to dogs weighing less than 89 lbs. Do not use two [tubes] [vials] on dogs greater than 132 lbs.

Apply one [tube] [vial] (4.02 ml)(0.136 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

FREQUENCY OF APPLICATION

Use [Brand name][this product] monthly for complete control of flea, tick [and] chewing lice [and to kill [mosquitoes]] [infestations]. [Brand name][this product] kills fleas (starts killing in as little as [5 minutes][15 minutes][1 hour])] for up to two months. If your dog is at high risk for flea reinfestation [, or in a highly infested environment], apply monthly. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand name][This product] kills mosquitoes within 48 hours for up to 28 days.] [Brand name][This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [30 days] [4 weeks] [one month].

[Brand name]

application to the skin.]

[1][2][3][4][5][6][12][24][Month [Treatment] [Application] Tracker] [Carecard]

[For year-round protection, apply [Brand name][this product] monthly.]

[[Dog's] Name (Empty blank for owner to fill in name) [Dog's Weight]

[First] [1st] [Second] [2nd] [Third] [3rd][Fourth][4th][Fifth] [5th][Sixth][6th][Seventh] [7th][Eight] [8th][Ninth][9th][Tenth][10th] [Eleventh][11th][Twelfth][12th][Dose] [Treatment] [Application] (Empty blank for owner to fill in date)(Date: MM/DD/YY)]

[Application Date] [Date of Application]

[calendar stickers with [Brand name]]

[Place stickers on your calendar as a reminder to reapply [Brand name] [this product] in [30 days] [4 week] [one month].

[Monthly Application Reminder Magnet (image of reminder magnet)]


[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand name] [this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]


{END - INSERT OR FOLDED PANEL/FLAP}

30 Nov 2017 Amendment Information in [] is optional.


Version 17.1 Page 10 of 14 EPA Reg. No. 2517-141 EPA SAL 12/10/2015

{Optional graphics below may or may not appear anywhere on finished label}

















































Politi	Adult Flea	
Politi	Fleas	
75%	Flea eggs	€
つ	Flea Larvae	<u>3</u>
	Flea Pupae	
*	Ticks	
*	Brown Dog Tick	S
*	Deer Tick	8

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 11 of 14 EPA SAL 12/10/2015

*	American Dog Tick	®
*	Chewing Lice	
*	Lone Star Tick	
7	Mosquitoes	
*	Mite	(S)

(END OF OPTIONAL GRAPHICS)

[ABNs]

[SENTRY® FIPROGUARD® PLUS for Dogs]

[SENTRY® FIPROGUARD® II for Dogs]

[Sergeant's® PRONYL OTC® PLUS for Dogs]

[Sergeant's® PRONYL OTC® II for Dogs]

[[Sergeant's®] PetArmor OTC® PLUS for Dogs]

[[Sergeant's®] PetArmor OTC® II for Dogs]

[[Sergeant's®] Fast Act OTC® PLUS for Dogs]

[[Sergeant's®] Fast Act OTC® II for Dogs]

[PetArmor OTC® PLUS for Dogs]

[PetArmor OTC® II for Dogs]

[Fast Act OTC® PLUS for Dogs]

[Fast Act OTC® II for Dogs]

 $[PetArmor @\ Plus\ for\ Dogs]$

 $[Sergeant's @\ PetArmor @\ Plus\ for\ Dogs]$

[PetArmor® Plus II for Dogs]

[Sergeant's® PetArmor® Plus II for Dogs]

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 12 of 14 EPA SAL 12/10/2015

[Optional marketing statements below may appear anywhere on the market label]

[Mosquitoes]

[Kills mosquitoes] [and within 48 hours for up to 28 days]

[Chewing Lice]

[Kills chewing lice]

[Elimination of chewing lice infestations]

[A once monthly application is required] [Apply monthly to control] [for] chewing lice]

[Fleas]

[[Brand name] [This product] prevents development of all flea stages for up to [63 days] [9 weeks].]

[Prevents all flea stages (adult fleas, flea eggs, and flea larvae)]

[If dog is at high risk for flea reinfestation a once a month application may be needed]

[Kills flea eggs [and][larvae] [and][prevents pupae development] for up to [63 days][9 weeks]]

[With Pyriproxyfen Insect Growth Regulator Which Breaks the Flea Life Cycle]

[With Pyriproxyfen to Break Flea Life Cycle]

[With Insect Growth Regulator to Break Flea Life Cycle]

[Dual Action [!]: Fipronil with Pyriproxyfen IGR Effectively Breaks the Flea Life Cycle]

[Dual Action [!]: Kills flea eggs [and] prevents pupae development. Effectively Breaks the Flea Life Cycle[!]]

[Kills Fleas for up to [4 weeks!] [1 month!] [30 days]]

[Ticks]

[Kills ticks including those that may transmit Lyme disease]

[Kills American Dog Ticks [(Dermacentor variabilis)] for up to [4 weeks!] [1 month] [30 days]]

[Kills Ticks for up to [4 weeks!] [1 month] [30 days]]

[Kills [all stages of] Deer Ticks (which may [transmit][vector] Lyme disease) for up to [4 weeks] [1 month] [30 days] [per application]]

[Kills Ticks (Including Deer Ticks) for up to [4 weeks] [1 month] [30 days]]]

[Kills [brown dog ticks,] [(Rhipicephalus sanguineus),] [American dog ticks,] [and] [lone star ticks,] [and deer ticks] [for up to [4 weeks] [1 month] [30 days]]]

[Kills Rhipicephalus sanguineus for up to [4 weeks] [1 month] [30 days]]

[Multiple Infestations]

[Flea & Tick Control for Dogs & Puppies 12 Weeks Old and Older]

[Kills fleas, flea eggs, ticks, chewing lice & [mosquitoes]]

[Kills fleas, ticks, [mosquitoes], chewing lice, flea eggs, larvae, and prevents pupae development]

[Monthly protection [from] [against] flea, tick, [mosquito,] chewing lice, and flea egg]

[Monthly protection [from] [against] flea, tick, [mosquito] and chewing lice]

[Kills fleas, ticks, [mosquitoes], flea eggs, and chewing lice]

[[4 Week] [1 month] [30 days] [Flea and Tick & Treatment]]

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 13 of 14 EPA SAL 12/10/2015

[[Seven] [7] [Six][6][Five][5]Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, flea eggs, flea larvae [&] [and] prevent the development of flea pupae]]

[[Six] [6] [Five][5][Four][4]Way [Action] [Effectiveness] [Control] to kill fleas, ticks,

[mosquitoes,] chewing lice, flea eggs [&] [and] flea larvae]

[[Four (4) Week] [1 month] [30 days] [Flea, Tick, [Mosquito] and Chewing Lice Control]

[Kills Flea Eggs & Flea Larvae for up to [63 days], [9 weeks]!]

[Prevents Flea Eggs From Developing Into Biting Adults]

[Kills Fleas, Ticks, Flea Eggs & Flea Larvae for up to [4 Weeks] [1 month] [30 days]]

[[4 week] [1 month] [30 days] Flea and Tick Treatment!]

[Once A Month Flea and Tick Treatment]

[Kills Fleas and Ticks for up to [4 weeks!] [1 month!] [30 days!]]

[When used monthly [Brand name] [This product] completely breaks the flea life cycle and controls tick and chewing lice infestations.]

[Prevents and controls reinfestations of listed pests for up to [1 month] [30 days] [4 weeks]]

[Kills Fleas, [and][&] Ticks for up to [4 weeks][1 month][30 days]!]

[Kills Fleas, [and][&] Ticks [and Mosquitoes] for up to [4 weeks] [30 days] [1 month]!]

[All Others]

[Extra Small][Small][Medium][Large][Extra Large][XS][S][M][L][XL]

[Waterproof]

[Long Lasting]

[Apply monthly]

[Controls mites that may cause sarcoptic mange]

[One Applications][Two Applications][Five Applications][Five

Applications][Six Applications][12 Applications][24 Applications] and/or [1 Month Supply][2

Month Supply][3 Month Supply][4 Month Supply][5 Month Supply][6 Month Supply][12

Month Supply][24 Month Supply] or [4 Week Supply][8 Week Supply][12 Week Supply][16 Week Supply][20 Week Supply][24 Week Supply][48 Week Supply][52 Week Supply][104

Week Supply]

[Best if used year round!]

[(ICON Showing 4 Week Protection)]

[4 Week Dose!] [1 Month Dose!]

[Easy to Use Application]

[Formulated for Dogs and Puppies [[Small Dogs] 5-22 lbs.] [[Medium Dogs] 23-44 lbs.] [[Large

Dogs] 45-88 lbs.] [[Extra Large Dogs] 89-132 lbs.] 12 weeks [of age] or older]

[[Free] Calendar Stickers Inside!]

[Patented Technology]

[Apply once every [4 weeks] [30 days] [month]!]

[Effective after bathing and exposure to water and sunlight]

[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet]]

[[1][2][3][4][5][6][12][24] Applications]

[Fipronil (9.8%) + [Pyriproxyfen] [Nylar] (2.0%)]

[US and Foreign patents pending]

[Lift [here] for more information]

30 Nov 2017 Amendment Version 17.1 EPA Reg. No. 2517-141 Information in [] is optional. Page 14 of 14 EPA SAL 12/10/2015

[For year round protection, apply (full or partial brand name) monthly]

[[Brand Name] is a registered trademark of [Company Name]]

[Direct to skin [tube][vial]]
[Easy to Use [tube][vial]]
[Clean cut [open] [tube][vial]]

[No-mess [open] [tube][vial]] [Clip-tip design [tube][vial][!]]

{note to reviewer: X&Y is based on the number of tubes/vials or %. When additional [tube][vial] is provided, the extra tube or vial will not cover or distract consumer from required text.}

[Save Now!][Buy X Get Y Free][Value Size][Buy 3 get 1 free][Club Size][(x)% (More) (Free)!][Bonus Size][(x) Dose(s) Free!][Club Pack][(x) Day(s) (Free)!][Great Value][(x) Month(s) Free!]

[Buy more and save!]