2517-142

12/11/2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Kelly R. Hoskins Director of Regulatory Affairs Sergeant's Pet Care Products, Inc. 2625 South 158th Plaza Omaha, NE 68130-1770

Subject: Sergeant's submissions implementing label changes to pet spot-on products EPA Decision Nos. 478145, 478898, 478049, 478152

- Sergeant's Fipronil +Cyphenothrin Squeeze-On for Dogs EPA Reg. No 2517-140
- Sergeant's Fipronil + Nylar Squeeze-On for Dogs EPA Reg. No. 2517-141
- Sergeant's Fipronil +Cyphenothrin + Methoprene Squeeze-on for Dogs EPA Reg. No. 2517-142
- Sergeant's Fipronil +Cyphenothrin + Nylar Spot-On for Dogs EPA Reg. No. 2517-143

Dear Mr. Hoskins,

The labeling referred to above submitted in connection with the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is **acceptable**. With this letter, the label requirements listed in the EPA letter "Implementation of Label Changes to Pet Spot-On Products" dated September 30, 2011, are fulfilled. Please submit final printed labels to the Agency within 30 days of the date of this letter. If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants and may take regulatory action.

EPA also received your February 13, 2013, February 15, 2013, and February 22, 2013 requests to extend the conditional time-limited registrations for two years. The time-limited registrations for these products are hereby extended two years from the date of this letter. If a registration extension request is not received prior to that date, the registrations of these products will expire. If a review of the previously submitted enhanced incident data indicates that there is a concern with this product, EPA may choose to take further regulatory action at that time.

Per the additional requirements of September 30, 2011 letter, you must continue to submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product, along with an analysis of the incidents reported. The quarterly reports are due two months after the quarter ends. Please flag any Confidential Business Information as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the attention of Kaitlin Keller, Pesticide Reevaluation Division, Mail Code 7508P.

DEC 1 1 2013

1/14

The following is a list of information that must be included in the quarterly reports for each incident:

EPA Registration Number Product name (brand name) Lot # Where purchased: internet, store, veterinarian Active Ingredient(s) Weight range for product

Date on which incident occurred. (mm/dd/yyyy) State in which the incident occurred. (standard 2 letter abbreviation) Registrant case #

Species: dog, cat, other (specify) Breed: (as reported by pet owner) Age: months or years Sex: M, F, or neutered Weight: pounds

Primary Route of Exposure: dermal, oral, other animal, inhalation, other Body System: neurological, dermatological, GI, respiratory, ocular, other Major signs noted with separate column for each sign, using standard terminology Time to Onset: (hours, days) Treated by veterinarian: yes or no First time product used: yes or no Misuse: use on incorrect species, overdose, too frequent dosing, other (describe) Any known precondition EPA Severity Code: death, major, moderate, minor Outcome: died, recovered, still treated, unknown

Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:

- All incidents should be reported including all minor dermal and ocular irritation reports.
- Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
- A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.

- 3/14
- Summary table for dogs and table for cats showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
- A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
- Table showing number of incidents for each dog breed.
- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

Stamped copies of the labels are enclosed for your records. If you have any questions regarding this label, please contact Kaitlin Keller at (703) 308-8172 via email at keller.kaitlin@epa.gov.

Sincerely,

L lubl

Richard Gebken Product Manager 10 Insecticide Branch Registration Division (7504P)


Enclosure: Labels stamped "Accepted"

TTT Sergeant's® Master Label 02 Dec 2013 Amendment Version 13.2 EPA Reg. No. 2517-142 Information in [] is optional. Page 1 of 11 EPA SAL 4/30/2013 DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN+METHOPRENE [Optional text appears in brackets-the final product label may include some or all of the optional text on front, back or side panels. The CRP required text will not change.]

Sergeant's Fipronil + Cyphenothrin + Methoprene Squeeze-On for Dogs

[ABNs]

[Sergeant's[®] FRONTIER GOLD Spot On for Dogs] [Sergeant's[®] FRONTIER GOLD for Dogs] [PetArmor® Max II for Dogs] [Sergeant's® PetArmor® Max II for Dogs] [PetArmor® Pro Advanced II for Dogs] [Sergeant's® PetArmor® Pro Advanced II for Dogs] [PetArmor® Pro Advanced Ticks II for Dogs] [Sergeant's® PetArmor® Pro Advanced Ticks II for Dogs]





[1.5cm x 1.5cm on final or as indicated]

For use ONLY on dogs [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] {OR} For use ONLY on dogs [[&][and] puppies 4[-] [to] 22 lbs and over 12 weeks of age{OR} ONLY For Dogs [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] {OR} ONLY For Dogs & Puppies 12 weeks or older [&][and] 4[-][to] 22 lbs

[Apply only to puppies over 12 weeks old] [Apply only to puppies 12 weeks or older]

[Mosquitoes]

[Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days] [Kills mosquitoes]

Sergeant's[®] Master Label

02 Dec 2013 Amendment Information in [] is optional.

Version 13.2 Page 2 of 11 EPA Reg. No. 2517-142 EPA SAL 4/30/2013

[Chewing Lice]

[Kills chewing lice]

[Rapid elimination of chewing lice infestations]

[A once monthly application is required][Apply monthly to control][for] chewing lice]

[Fleas]

[Kills fleas]

[[Kills adult fleas [(starts killing in as little as 1 hour)]]

[Kills newly emerged adult fleas [(starts killing in as little as [5][15][minutes][1 hour])] before they lay eggs]

[Prevents all flea stages (adult fleas [(starts killing in as little as 1 hour)], flea eggs, and flea larvae)].

[If dog is a high risk for flea re-infestation a once month application may be needed]

[With (S)-methoprene Insect Growth Regulator which Breaks the Flea Life Cycle]

[With (S)-methoprene to Break Flea Life Cycle]

[With Insect Growth Regulator to Break Flea Life Cycle]

[Triple Action [!]]: Fipronil and Cyphenothrin with (S)-methoprene IGR Effectively Breaks the lea Life Cycle]]

[Triple Action [!]: Effectively Breaks the Flea Life Cycle[!]]

[Kills fleas [(starts killing in as little as1 hour)] [up to 4 weeks][1 month][30 days]!]

[Kills Flea Eggs & Flea Larvae [for 2 months]]

[Prevents Flea Eggs From Developing Into Biting Adults]

[Starts killing fleas in [just] [5][15] [minutes][1 hour] [after application]]

[Starts to kill fleas in [just] [5][15] [minutes][1 hour] [after application]]

[Quickly kills fleas]

[Kills fleas, which may be a source of flea allergy dermatitis] [or flea bit anemia]]

[Multiple Infestations]

[Starts killing fleas and ticks in [just] [5][15] [minutes][1 hour] [after application]] [Starts to kill fleas and ticks in [just] [5][15] [minutes][1 hour] [after application]] [Kills fleas and ticks [after application]]

[Ouickly kills fleas and ticks]

[Kills chewing lice and controls mites that may cause sarcoptic mange]

[Controls mites, a leading cause of sarcoptic mange]

[Flea & Tick Control Only for Dogs & Puppies 12 weeks old and older]

[Kills fleas [(starts killing in as little as [5][15] [minutes][1 hour])], flea eggs, ticks [(starts killing in as little as [5][15] [minutes][1 hour])], [&]chewing lice [& mosquitoes]][and prevents development of flea pupae]

[Kills Fleas, [and]Ticks [and mosquitoes]]

[Kills fleas [(starts killing in as little as [5][15] [minutes][1 hour])], ticks [(starts killing in as little as [5][15] [minutes][1 hour])], [mosquitoes], chewing lice, flea eggs, and larvae]

[Monthly flea, tick, [mosquito], chewing lice, and flea egg protection]

[Monthly flea, tick, [mosquito] and chewing lice protection]

[Kills fleas [(starts killing in as little as [5][15] [minutes][1 hour])], ticks [(starts killing in as little as [5][15] [minutes][1 hour])], [mosquitoes], flea eggs, and lice]

[[Seven][7][Six][6][Five][5]Way [Action] [Effectiveness] [Control] to kill fleas, ticks,

5/14

Sergeant's[®] Master Label

02 Dec 2013 Amendment Information in [] is optional. Version 13.2 Page 3 of 11 EPA Reg. No. 2517-142 EPA SAL 4/30/2013

[mosquitoes,] chewing lice, flea eggs, [&][and] flea larvae [&] [and][prevent the development of flea pupae]]

[[Six] [6] [Five][5][Four][4]Way [Action] [Effectiveness] [Control] to kill fleas, ticks,

[mosquitoes,] chewing lice, [&][and]flea eggs [&] [and] flea larvae]

[[4 Week] [Flea and Tick & Treatment]]

[[Four (4) Week] [Flea, Tick, [Mosquito] and Chewing Lice Control]]

[When used monthly [Brand name][this product] completely breaks the flea life cycle and controls tick and chewing lice infestations.]

[4 week Flea and Tick Treatment!]

[Once A Month Flea and Tick Treatment]

[Kills Fleas (starts killing in as little as [5][15] [minutes][1 hour]) and Ticks (starts killing in as little as [5][15] [minutes][1 hour]) [and mosquitoes] for up to 4 weeks!]

[Prevents and controls reinfestations of listed pests for up to [1 month] [4 weeks]]

[Ticks]

[Kills ticks]

[Starts killing ticks in [just] [5][15] [minutes][1 hour] [after application]

[Starts to kill ticks in [just] [5][15] [minutes][1 hour] [after application]

[Quickly kills ticks]

[Kills ticks including those that may transmit Lyme disease]

[Kills Ticks [(starts killing in as little as 1 hour)] [for up to 4 weeks][1 month][30 days]!]

[Kills [all stages of] deer ticks (which may vector Lyme disease) for up to [4 weeks][1

month][30 days][1 month][per application]]

[Kills Ticks (starts killing in as little as 1 hour)]

[Kills Ticks including Deer Ticks for up to 4 weeks]

[Kills Brown Dog Ticks [(starts killing in as little as [5][15] [minutes] [1 hour])]]

[Kills [brown dog ticks] [(*Rhipicephalus sanguineus*)], [American dog ticks,] [and] [lone star

ticks], [and deer ticks] [for up to [4 weeks] [1 month] [30 days]]]

[Kills *Rhipicephalus sanguineus* for up to 4 weeks]

[Kills American Dog Ticks [(Dermacentor variabilis)] for up to 4 weeks!]

[Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis and anaplasmosis]

[All Others]

[Only for Dogs and Puppies 12 weeks of age or older]

[Specially Formulated Only for Dogs and Puppies Over 12 Weeks]

[Only for Dogs [4-22 lbs], [23-44 lbs], [45-88 lbs], [89-132 lbs]]

[Extra Small][XS][Small][S][Medium][M][Large][L][Extra Large][XL]

[Fast Acting] [Long Lasting]

[Waterproof]

[Effective after bathing and exposure to water and sunlight]

[Apply monthly] [Apply once every 4 weeks!]

[1 Month Dose!] [4 Week Dose!]

[Controls mites that may cause sarcoptic mange]

[One Application][Two Applications][Three Applications][Four Applications][Five

Applications][Six Applications][12 Applications][24 Applications] and/or [1 Month Supply][2

	,	
Ser	geant's [®] Master	r Label
02 Dec 2013 Amendment	Version 13.2	EPA Reg. No. 2517-142
Information in [] is optional.	Page 4 of 11	EPA SAL 4/30/2013
Month Supply][3 Month Supply][Four Month Supply][Five	Month Supply][6 Month Supply][12
Month Supply][24 Month Suppl	y] or [4 Week Supply][8 W	/eek Supply][12 Week Supply][16
Week Supply][20 Week Supply]	[24 Week Supply][48 Wee	k Supply][52 Week Supply][104
Week Supply]		
[Best if used year round!]		
[For year round protection, appl		e) monthly]
[(ICON Showing 4 Week Protect	tion)]	
[Easy to Use Application]	、 、	
[[Free] Calendar Stickers Inside		
[[Free with purchase] [Free insid		
[[1][2][3][4][5][6][12][24] appli		
[Fiponil (9.8%) + cyphenothrin		5%o)]
[US and Foreign patents pending		
[Lift [here] for more information	-	Producto Inc.]
[[Brand Name] is a registered trade [Direct to skin [tube][vial][appli	-	rioducis, me.j
[Easy to Use] [tube][vial][applic		
[Clean cut [open] [tube][vial][applic		
[No-mess [open] [tube][vial][ap		
[Clip-tip design [tube][vial][app		
fact of acorder franch [unlight		

ิล โม

ACTIVE INGREDIENTS:

Fipronil	9 <i>.</i> 80%	
Cyphenothrin	5.20%	
(S)-methoprene	8.80%	
(S)-methoprene OTHER INGREDIENTS[*]	<u>76.20%</u>	
TOTAL	100.00%	
[*diethylene glycol monoethyl ether, vitamin E nicotinate]		

KEEP OUT OF REACH OF CHILDREN WARNING

See [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

NET CONTENTS: X fl oz [Y – X fl oz applicators]

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

[0.023 fl oz (0.67 mL) [tube] [vial] [applicator] [pipette]]

.

[0.045 fl oz (1.34 mL) [tube] [vial] [applicator] [pipette]]

[0.091 fl oz (2.68 mL) [tube] [vial] [applicator] [pipette]]

[0.136 fl oz (4.02 mL) [tube] [vial] [applicator] [pipette]]

BACK/SIDE PANEL

DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN+METHOPRENE

[[Brand name][This product] contains fipronil, cyphenothrin, and the insect growth regulator (IGR) (S)-methoprene to effectively kill fleas [(starts killing in as little as 1 hour)], ticks [(starts killing in as little as 1 hour)], and kills [mosquitoes] [and] chewing lice.]

Sergeant's [®]	Master	Label
-------------------------	--------	-------

02 Dec 2013 Amendment	Version 13.2	EPA Reg. No. 2517-142
Information in [] is optional.	Page 5 of 11	EPA SAL 4/30/2013

[[Brand name][This product] contains fipronil, cyphenothrin and the insect growth regulator (IGR) (S)-methoprene to effectively kill fleas [(starts killing in [5][15] minutes)], ticks [(starts killing in [5][15] minutes)], and kills [mosquitoes] [and] chewing lice.]

The active ingredients in [Brand name][this product]feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4] [four] weeks] on dogs.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

FIRST AID	
If In Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing
	eye.
	• Call a poison control center or doctor for further treatment advice.
If On Skin	Take off contaminated clothing.
Or Clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.
	• Call a poison control center or doctor for treatment advice.
If Swallowed	Immediately call a poison control center or doctor.
	• Do not induce vomiting unless told to do so by a poison control center or doctor.
	• Have person sip a glass of water if able to do so.
	• Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product	container or label with you when calling a poison control center or doctor, or going
	r more information on this pesticide product (including health concerns, medical esticide incidents), you may call 1-800-781-4738.

Sergeant's[®] Master Label

02 Dec 2013 Amendment Information in [] is optional. Version 13.2 Page 6 of 11 EPA Reg. No. 2517-142 EPA SAL 4/30/2013

NOTE TO PHYSICIAN OR VETERINARIAN Treat patient symptomatically

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs. Do not allow your dog to ingest this product. Do not use on puppies under 12 weeks of age or less than [4][23][45][89] lbs. Use entire contents of [tube] [vial] [applicator] [pipette] on each dog. [Do not split one [tube] [vial] [applicator] [pipette] between dogs.] Do not use multiple [tube] [vial] [applicator] [pipette]s on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.


[1.5 cm x 1.5 cm on final or as indicated below]

DO NOT USE ON CATS. May be toxic and POTENTIALLY FATAL if applied to or ingested by a cat. Keep cats away from treated dogs for 24 hours. Cats that actively groom or engage in close physical contact with treated dog may be at risk of serious harmful effects. Cats exhibiting signs of ingestion such as excessive salivation and foaming at the mouth should be taken to the veterinarian immediately.

[{Outer Packaging}]

How to open: Remove product tube[s] [vial] from the package. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube] [vial] [applicator] [pipette] over dog and use open end to part dog's hair. Squeeze [tube] [vial] [applicator] [pipette] firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made if necessary, but do not apply more often than once every 30 days.



Only For Dogs Weighing 4[-][to] 22 lbs. Do not apply to dogs less than 4 lbs. [including small dogs and puppies, only 12 weeks or older]

(For cartons containing 0.67 ml (0.023 fl. oz.) [tube] [vial] [applicator] [pipette]s} Apply one [tube] [vial] [applicator] [pipette] (0.67 ml)(0.023 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing Between 23[-][to]44 lbs. Do not apply to dogs less than 23 lbs. {For cartons containing 1.34 ml (0.045 fl. oz.) [tube] [vial] [applicator] [pipette]}

Apply one [tube] [vial] [applicator] [pipette] (1.34 ml) (0.045 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing Between 45[-][to]88 lbs. Do not apply to dogs less than 45 lbs. {For cartons containing 2.68 ml (0.091 fl. oz.) [tube] [vial] [applicator] [pipette]} Apply one [tube] [vial] [applicator] [pipette] (2.68 ml)(0.091 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing 89[-][to]132 lbs. Do not use two [tube] [vial] [applicator] [pipette]s on dogs greater than 132 lbs.

{For cartons containing 4.02 ml (0.136 fl. oz.) [tube] [vial] [applicator] [pipette]} Apply one [tube] [vial] [applicator] [pipette] (4.02 ml)(0.136 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

FREQUENCY OF APPLICATION

Use [Brand name][this product] monthly for complete control of flea, tick [and] chewing lice [and to kill [mosquitoes]] [infestations]. [Studies show that] [Brand name][this product] kills fleas [([starts killing][starts to kill] in as little as [5][15][minutes][1 hour])] for up to three months. If your dog is at high risk for flea reinfestation [, or in a highly infested environment], apply monthly. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand name][This product] kills [mosquitoes] within 24 hours for up to the first 7 days after treatment, then within 48 hours for up to 28 days.] [Brand name][This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly.

02 Dec 2013 Amendment Information in [] is optional. Version 13.2 Page 8 of 11 EPA Reg. No. 2517-142 EPA SAL 4/30/2013

Do not reapply for 30 days [4 weeks].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] [applicator] [pipette] from the pack until ready to use. Store in a cool [below 77°F[/] (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

BACK/SIDE PANEL FIPRONIL+CYPHENOTHRIN+METHOPRENE

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's][SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-PETS (7387)

[Made in USA]

[Distributed by:][Manufactured by:] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710 EPA Reg. No. 2517-142 EPA Est. No. XXXXX-XX-XXX

[BAR CODE AREA]

[How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.] [{Outer Packaging}]

[[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

02 Dec 2013 Amendment V Information in [] is optional. Pa

Version 13.2 Page 9 of 11 EPA Reg. No. 2517-142 EPA SAL 4/30/2013 12/14

[Application Instructions] [Directions for Use]

[How to open:

- 1. Remove product tube [vial] from the package.
- 2. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.]

How to apply:

- 1. Invert [tube] [vial] [applicator] [pipette] over dog and use open end to part dog's hair.
- 2. Squeeze [tube] [vial] [applicator] [pipette] firmly to apply all of the solution to the dog's skin [as a spot [on][to] the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.]

[Look at the Label (Look at the Label icon) [Easy] 6 Step [Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment][application] to avoid chance of ingestion
- [6] Do NOT split [tube] [vial] [applicator] [pipette]s between pets[and use the ENTIRE [tube] [vial] [applicator] [pipette] contents]

[Brand name]

[1][2][3][4][5][6][12][24][Month [Treatment] [Application] Tracker]

[For year-round protection, apply [Brand name][this product] monthly.]

[Dog's Name (Empty blank for owner to fill in name)]


[First] [1st] [Second] [2nd] [Third] [3rd][Fourth][4th][Fifth] [5th][Sixth][6th][Seventh] [7th][Eight] [8th][Ninth][9th][Tenth][10th] [Eleventh][11th][Twelfth][12th][Dose] [Treatment] [Application] (Empty blank for owner to fill in date)(Date: MM/DD/YY)]

[calendar stickers with [Brand name]]

[Place stickers on your calendar as a reminder to reapply [Brand name][this product] [in 30 days.]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand name][this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]





{END BACK/SIDE PANEL}

TUBE / VIAL LABEL DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN+METHOPRENE

{Front Label}

S	S	-
	Y	

[Brand Name] For Dogs [x-y] lbs \geq 12 wks Fipronil 9.8%, Cyphenothrin 5.2%, (S)methoprene 8.8% 0.023 fl oz (or) 0.045 fl oz (or) 0.091 fl oz (or) 0.136 fl oz _____ {label code}

{END TUBE / VIAL LABEL}

{Back Label}

KEEP OUT OF REACH OF CHILDREN WARNING: Read directions and precautions before using. Use scissors to open. EPA REG. No. 2517-142 {label code}