

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Kelly R. Hoskins Director of Regulatory Affairs Sergeant's Pet Care Products, Inc. 2625 South 158th Plaza Omaha, NE 68130-1770

DEC 1 1 2013

Subject:

Sergeant's submissions implementing label changes to pet spot-on products EPA Decision Nos. 478145, 478898, 478049, 478152

- Sergeant's Fipronil +Cyphenothrin Squeeze-On for Dogs EPA Reg. No 2517-140
- Sergeant's Fipronil + Nylar Squeeze-On for Dogs EPA Reg. No. 2517-141
- Sergeant's Fipronil +Cyphenothrin + Methoprene Squeeze-on for Dogs EPA Reg. No. 2517-142
- Sergeant's Fipronil +Cyphenothrin + Nylar Spot-On for Dogs EPA Reg. No. 2517-143

Dear Mr. Hoskins,

The labeling referred to above submitted in connection with the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is **acceptable**. With this letter, the label requirements listed in the EPA letter "Implementation of Label Changes to Pet Spot-On Products" dated September 30, 2011, are fulfilled. Please submit final printed labels to the Agency within 30 days of the date of this letter. If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants and may take regulatory action.

EPA also received your February 13, 2013, February 15, 2013, and February 22, 2013 requests to extend the conditional time-limited registrations for two years. The time-limited registrations for these products are hereby extended two years from the date of this letter. If a registration extension request is not received prior to that date, the registrations of these products will expire. If a review of the previously submitted enhanced incident data indicates that there is a concern with this product, EPA may choose to take further regulatory action at that time.

Per the additional requirements of September 30, 2011 letter, you must continue to submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product, along with an analysis of the incidents reported. The quarterly reports are due two months after the quarter ends. Please flag any Confidential Business Information as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the attention of Kaitlin Keller, Pesticide Reevaluation Division, Mail Code 7508P.

The following is a list of information that must be included in the quarterly reports for each incident:

EPA Registration Number
Product name (brand name)
Lot #
Where purchased: internet, store, veterinarian
Active Ingredient(s)
Weight range for product

Date on which incident occurred. (mm/dd/yyyy)
State in which the incident occurred. (standard 2 letter abbreviation)
Registrant case #

Species: dog, cat, other (specify) Breed: (as reported by pet owner)

Age: months or years Sex: M, F, or neutered

Weight: pounds

Primary Route of Exposure: dermal, oral, other animal, inhalation, other Body System: neurological, dermatological, GI, respiratory, ocular, other Major signs noted with separate column for each sign, using standard terminological.

Major signs noted with separate column for each sign, using standard terminology

Time to Onset: (hours, days)
Treated by veterinarian: yes or no
First time product used: yes or no

Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)

Any known precondition

EPA Severity Code: death, major, moderate, minor Outcome: died, recovered, still treated, unknown

Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:

- All incidents should be reported including all minor dermal and ocular irritation reports.
- Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
- A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.

- Summary table for dogs and table for cats showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
- A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
- Table showing number of incidents for each dog breed.
- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

Stamped copies of the labels are enclosed for your records. If you have any questions regarding this label, please contact Kaitlin Keller at (703) 308-8172 via email at keller.kaitlin@epa.gov.

Sincerely

Richard Gebken Product Manager 10

Insecticide Branch

Registration Division (7504P)

If luke

Enclosure: Labels stamped "Accepted"

02 Dec 2013 Mitigation

Version 13.2

Information in [] is optional.

Page 1 of 10

EPA Reg. No. 2517-143

EPA SAL 2/21/2012

Supersedes EPA Pending 2/22/2013

FRONT PANEL

DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN+NYLAR

[Option text appears in brackets-the final product label may include some or all of the optional text on front, back or side panels. The CRP required text will not change.]

Sergeant's Fipronil + Cyphenothrin + Nylar Squeeze-On for Dogs

[ABNs]

[Sergeant's® EctoadvanceTM Spot On for Dogs]

[Sergeant's® EcotadvanceTM for Dogs]

[Sentry® FRONTIER GOLD Spot On for Dogs]

[Sentry® FRONTIER GOLD for Dogs]

[Sentry® EctoadvanceTM Spot On for Dogs]

[Sentry® EctoadvanceTM for Dogs]

[PetArmor® Max for Dogs]

[Sergeant's PetArmor Max for Dogs]

[PetArmor® Pro Advanced for Dogs]

[Sergeant's® PetArmor® Pro Advanced for Dogs]

[PetArmor® Pro Advanced Ticks for Dogs]

[Sergeant's® PetArmor® Pro Advanced Ticks for Dogs]

ACCEPTED

DEC 1 1 2013

Under the Federal Insecticide. Fungicide, and Rodenticide Act, as amended, for the pesticide registered under FPE Rog. No. 2017

For use ONLY on dogs [23 [-][to] 44 lbs] [45 [-][to] 88 lbs] [89 [-][to] 132 lbs] {OR} For use ONLY on dogs [[&][and] puppies 4[-] [to] 22 lbs and over 12 weeks of age {OR} ONLY For Dogs [23 [-][to] 44 lbs] [45 [-][to] 88 lbs] [89 [-][to] 132 lbs] {OR} ONLY For Dogs & Puppies 12 weeks or older [&][and] 4[-][to] 22 lbs

[1.5 cm x 1.5 cm or as indicated below]

[Apply to puppies over 12 weeks old] [Apply to puppies 12 weeks or older]

[Mosquitoes]

[Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days]



02 Dec 2013 Mitigation

Version 13.2

EPA Reg. No. 2517-143

Information in [] is optional.

Page 2 of 10

EPA SAL 2/21/2012

Supersedes EPA Pending 2/22/2013

[Kills mosquitoes]

[Chewing Lice]

[Kills chewing lice]

[A once monthly application is recommended for chewing lice.]

[Rapid elimination of chewing lice infestations]

[Fleas]

[Research demonstrates that [full or partial brand name] kills adult fleas (starts killing in as little as 1 hour), flea eggs, and flea larvae and prevents pupae development for up to [63 days] [9 weeks].]

[[Brand name][This product] prevents development of all flea stages for up to [63 days][9 weeks].]

[Kills flea eggs, [larvae] [and] [prevents pupae development] for up to [63 days][9 weeks]]

[With Pyriproxyfen Insect Growth Regulator which Breaks the Flea Life Cycle]

[With Pyriproxyfen to Break Flea Life Cycle]

[With Insect Growth Regulator to Break Flea Life Cycle]

[Dual Action [!]:Fipronil with Pyriproxyfen IGR Effectively Breaks the Flea Life Cycle]

[Triple Action [!]: Effectively Breaks the Flea Life Cycle[!]]

[Kills Fleas (starts killing in as little as 1 hour) up to [4 weeks]!] [2 months]]

[Kills Flea Eggs & Flea Larvae [for more than 2 months]]

[Prevents Flea Eggs From Developing Into Biting Adults]

[Prevents development of all stages of the flea life cycle]

[Multiple Infestations]

[Flea & Tick Control for Dogs & Puppies 12 weeks old and older]

[Kills fleas (starts killing in as little as 1 hour), flea eggs, ticks (starts in as little as 1 hour), chewing lice & [mosquitoes]]

[Kills Fleas, Ticks and [mosquitoes]]

[Kills fleas (starts killing in as little as 1 hour), ticks (starts killing in as little as 1 hour),

[mosquitoes], chewing lice, flea eggs, and larvae and prevents pupae development]

[Monthly flea, tick, mosquito, chewing lice, and flea egg protection]

[Monthly flea, tick, mosquito, and chewing lice protection]

[Kills fleas (starts killing in as little as 1 hour), ticks (starts killing in as little as 1 hour),

[mosquitoes], flea eggs, and chewing lice]

[[Seven] [7] [Six][6][Five][5] Way [Action] [Effectiveness] [Control] to kill fleas, ticks,

[mosquitoes,] chewing lice, flea eggs,[&][and] flea larvae [&] [and] prevent the development of flea pupae]

[[Six] [6] [Five][5][Four][4]Way [Action] [Effectiveness] [Control] to kill fleas, ticks,

[mosquitoes,] chewing lice, [&][and] flea eggs [&] [and] flea larvae]

[[4 Week] [Flea and Tick & Treatment]]

[[Four (4) Week] [Flea, Tick, Mosquito and Chewing Lice Control]]

[When used monthly [Brand name][this product] completely breaks the flea life cycle and controls tick and chewing lice infestations.]

[4 week Flea and Tick Treatment!]

[Once A Month Flea and Tick Treatment]

[Kills Fleas (starts killing in as little as 1 hour) and Ticks (starts killing in as little as 1 hour) for

02 Dec 2013 Mitigation

Version 13.2

EPA Reg. No. 2517-143

Information in [] is optional.

Page 3 of 10

EPA SAL 2/21/2012 Supersedes EPA Pending 2/22/2013

up to 4 weeks!]

[Kills Fleas (starts killing in as little as 1 hour), Ticks (starts killing in as little as 1 hour), Flea Eggs & Flea Larvae for up to [63 days] [9 weeks]]

[Prevents and controls reinfestations of listed pests for up to [1 month][4 weeks]]

[Ticks]

[Kills Ticks (starts killing in as little as 1 hour)]

[Kills Ticks including those that may transmit Lyme disease]

[Kills Ticks (starts killing in as little as 1 hour) for up to 4 weeks!]

[Kills [all stages of] Deer Ticks (vector of Lyme disease) for up to [4 weeks][1 month][30 days][per application]]

[[Kills [brown dog ticks,] [(Rhipicephalus sanguineus),] [American dog ticks,] [and] [lone star ticks,] [and deer ticks] [for up to [4 weeks] [1 month] [30 days]]]

[Kills Rhipicephalus sanguineus for up to 4 weeks]

[Kills American Dog Ticks [(Dermacentor variabilis)] for up to 4 weeks!]

[All Others]

[For Dogs and Puppies 12 weeks of age or older]

[For Dogs [4- 22 lbs], [23-44 lbs], [45-88 lbs], [89-132 lbs]

[Extra Small][XS][Small][S][Medium][M][Large][L][Extra Large][XL]

[Fast Acting]

[Waterproof]

[Long Lasting]

[If dog is at high risk for flea reinfestation a once month application may be needed]

[Apply Monthly]

[Controls mites that may cause sarcoptic mange]

[One Application][Two Applications][Three Applications][Four Applications][Five

Applications][Six Applications][12 Applications][24Applications] and/or [1 Month Supply][2

Month Supply][3 Month Supply][4 Month Supply][5 Month Supply][6 Month Supply][12

Month Supply][24 Month Supply] or [4 Week Supply][8 Week Supply][12 Week Supply][16 Week Suppl

Week Supply][20 Week Supply][24 Week Supply][48 Week Supply][52 Week Supply][104 Week Supply]

[Best if used year round!]

[4 Week Dose!]

[1 Month Dose!]

[Easy to Use Application]

[Specially Formulated Dogs and Puppies Over 12 Weeks]

[[Free] Calendar Stickers Inside!]

[Patented Technology]

[Apply once every [4 weeks]!]

[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet]]

[Effective after bathing and exposure to water and sunlight]

[Fiponil (9.8%) + cyphenothrin (5.2%) + [pyrproxyfen] (2.0%)]

[US and Foreign patents pending]

[Lift [here] for more information]

[For year round protection, apply [Brand name][this product] monthly]

[[Brand name][this product] is a trademark of [Company Name]

02 Dec 2013 Mitigation

Version 13.2

EPA Reg. No. 2517-143

Information in [] is optional.

Page 4 of 10

EPA SAL 2/21/2012

Supersedes EPA Pending 2/22/2013

[[1][2][3][4][5][6][12][24] Applications]

[[Brand Name][This product] is a registered trademark of [Company name].]

[Direct to skin [tube][vial][applicator][pipette]]

[Easy to Use] [tube][vial][applicator][pipette]]

[Clean cut [open] [tube][vial][applicator][pipette]]

[No-mess [open] [tube][vial][applicator][pipette]]

[Clip-tip design [tube][vial][applicator][pipette][!]]

ACTIVE INGREDIENTS:

Fipronil	9.80%
Cyphenothin	
Pyriproxyfen	
OTHER INGREDIENTS[*]:	
TOTAL	$1\overline{00.00\%}$

[*diethylene glycol monoethyl ether, vitamin E nicotinate]

[Nylar® is a registered trademark of McLaughlin Gormley King Company.] [U.S. Patent No. 5,942,525]

KEEP OUT OF REACH OF CHILDREN WARNING

See [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

NET CONTENTS: X fl oz [Y - X fl oz applicators]

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty Four]

[0.023 fl oz][0.67 ml] [tube] [vial] [applicator] [pipette](s)

[0.045 fl oz][1.34 ml] [tube] [vial] [applicator] [pipette](s)

[0.091 fl oz][2.68 ml] [tube] [vial] [applicator] [pipette](s)

[0.136 fl oz][4.02 ml] [tube] [vial] [applicator] [pipette](s)

BACK/SIDE PANEL OR INSERT

DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN+NYLAR

[BACK/SIDE CARTON LABEL - MASTER LABEL]

[Brand name] [This product] contains fipronil, cyphenothrin and the insect growth regulator (IGR) pyriproxyfen to effectively kill fleas [(starts killing in as little as 1 hour)], ticks [(starts killing in as little as 1 hour)], and kills flea eggs, flea larvae, [mosquitoes] and chewing lice. The active ingredients in [full or partial brand name] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4] [four] weeks] on dogs.

READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE.

PRECAUTIONARY STATEMENTS

02 Dec 2013 Mitigation

Version 13.2

EPA Reg. No. 2517-143

Information in [] is optional.

Page 5 of 10

EPA SAL 2/21/2012 Supersedes EPA Pending 2/22/2013

HAZARDS TO HUMANS. WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

FIRST AID				
If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.			
	• Remove contact lenses, if present, after the first 5 minutes, then continue rins			
	eye.			
	Call a poison control center or doctor for further treatment advice.			
If On Skin Or	Take off contaminated clothing.			
Clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.			
	Call a poison control center or doctor for treatment advice.			
If Swallowed	Immediately call a poison control center or doctor.			
	• Do not induce vomiting unless told to do so by a poison control center or doctor.			
	Have person sip a glass of water if able to do so.			
	Do not give anything by mouth to an unconscious person.			
HOT LINE NUMBER				

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs. Do not allow your dog to ingest this product. Do not use on puppies under 12 weeks of age or less than [4][23][45][89] lbs. Use entire contents of [tube] [vial] [applicator] [pipette] on each dog. [Do not split one [tube] [vial] [applicator] [pipette] between dogs.] Do not use multiple [tube] [vial] [applicator][pipette]s on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

02 Dec 2013 Mitigation

Version 13.2

EPA Reg. No. 2517-143

EPA SAL 2/21/2012

Information in [] is optional.

Page 6 of 10

Supersedes EPA Pending 2/22/2013

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.

[1.5 cm x 1.5 cm or as indicated below]

DO NOT USE ON CATS. May be toxic and POTENTIALLY FATAL if applied to or ingested by a cat. Keep cats away from treated dogs for 24 hours. Cats that actively groom or engage in close physical contact with treated dog may be at risk of serious harmful effects. Cats exhibiting signs of ingestion such as excessive salivation and foaming at the mouth should be taken to the veterinarian immediately.

[{Outer Packaging}]

How to open: Remove product tube[s] [vial] from the package. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube] [vial] [applicator] [pipette] over dog and use open end to part dog's hair. Squeeze [tube] [vial] [applicator] [pipette] firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made if necessary, but do not apply more often than once every [4 weeks][30 days].

Only For Dogs Weighing 4 [-][to] 22 lbs. Do not apply to dogs weighing less than 4 lbs. [including small dogs and puppies, 12 weeks or older] {For cartons containing 0.67 ml (0.023 fl. oz.) tube} Apply one [tube] [vial] [applicator] [pipette] (0.67 ml)(0.023 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing Between 23[-][to]44 lbs. Do not apply to dogs weighing less than 23 lbs. {For cartons containing 1.34 ml (0.045 fl. oz.) tubes} Apply one [tube] [vial] [applicator] [pipette] (1.34 ml) (0.045 fl. oz.)] [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing Between 45[-][to]88 lbs. Do not apply to dogs weighing less than 45 lbs. {For cartons containing 2.68 ml (0.091 fl. oz.) tubes} Apply one [tube] [vial] [applicator] [pipette] (2.68 ml)(0.091 fl. oz.) [directly to skin] [from the back of the neck to a

02 Dec 2013 Mitigation

Version 13.2

EPA Reg. No. 2517-143 EPA SAL 2/21/2012

Information in [] is optional.

Page 7 of 10

Supersedes EPA Pending 2/22/2013

point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing 89[-][to] 132 lbs. Do not apply to dogs weighing less than 89 lbs. Do not use two [tube][vial][applicator][pipette]s on dog greater than 132 lbs. {For cartons containing 4.02 ml (0.136 fl. oz.) tube} Apply one [tube][vial][applicator][pipette] (4.02 ml)(0.136 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail] [as a spot [on][to] the dog's back between the shoulder blades][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

FREQUENCY OF APPLICATION

Use [Brand name][this product] monthly for complete control of flea, tick [and] chewing lice [and to kill mosquitoes] [infestations]. [Brand name][This product] kills fleas (starts killing in as little as 1 hour) for up to two months. If your dog is at high risk for flea reinfestation [, or in a highly infested environment], apply monthly. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand name][this product] kills mosquitoes within 24 hours for up to the first 7 days after treatment, then within 48 hours for up to 28 days.] [Brand name][this product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [4 weeks][30 days].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] [applicator] [pipette] from the pack until ready to use. Store in a cool [below 77°F[/] (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's][SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

02 Dec 2013 Mitigation Information in [] is optional.

Version 13.2 Page 8 of 10 EPA Reg. No. 2517-143 EPA SAL 2/21/2012

Supersedes EPA Pending 2/22/2013

In Case of Emergency, call: 1-800-781-4738

Non-Emergency call 1-800-224-PETS (7387) [Made in USA]

[Distributed by:][Manufactured by:] Sergeant's Pet Care Products, Inc. Omaha, NE 63138-3710 EPA Reg. No. 2517-143 EPA Est. No. XXXXX-XXX

[BAR CODE AREA]

{END - BACK / SIDE PANEL}

[{Outer Packaging or Insert}]

[How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

[[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

[Application Instructions] [Directions for Use] How to open

- 1. Remove product tube[s] [vial] from the package.
- 2. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply:

- 1. Invert [tube] [vial] [applicator] [pipette] over dog and use open end to part dog's hair.
- 2. Squeeze [tube] [vial] [applicator] [pipette] firmly to apply all of the solution to the dog's skin [as a spot [on][to] the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.]

[Look at the Label (Look at the Label icon) 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment][application] to avoid chance of ingestion
- [6] Do NOT split [tube] [vial] [applicator] [pipette]s between pets[and use the ENTIRE [tube] [vial] [applicator] [pipette] contents]]

[Brand name] [This product]

[1][2][3][4][5][6][12][24][Month [Treatment] [Application] Tracker] [For year-round protection, apply [Brand name][this product] monthly.]

02 Dec 2013 Mitigation

Version 13.2

EPA Reg. No. 2517-143

Information in [] is optional.

Page 9 of 10

EPA SAL 2/21/2012

Supersedes EPA Pending 2/22/2013

[Pet's Name (Empty blank for owner to fill in name)]

[First][1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth][8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th]

[Dose] [Treatment] [Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)] [calendar stickers with [Brand name]]


[Place stickers on your calendar as a reminder to reapply [Brand name][this product]] [in 30 days.]


[Monthly Application Reminder Magnet (image of reminder magnet)]


[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand name][this product]]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

[Optional graphics above and below may or may not appear anywhere on finished label]









The	Adult Flea	®
The	Fleas	
y Gr	Flea eggs	E
つ	Flea Larvae	3
	Flea Pupae	
*	Ticks	(S)
*	Brown Dog Tick	

Sergeant's[®] Master Label

02 Dec 2013 Mitigation Information in [] is optional. Version 13.2 Page 10 of 10 EPA Reg. No. 2517-143 EPA SAL 2/21/2012

Supersedes EPA Pending 2/22/2013

*	Deer Tick	
*	American Dog Tick	
*	Chewing Lice	
*	Lone Star Tick	
7	Mosquitoes	8
*	Mite	®






























{END - OPTIONAL INSERT OR PACKAGE COPY}

TUBE / VIAL LABEL

DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN+NYLAR

{Front Label}

{Back Label}

{Brand Name}

For Dogs [X-Y] lbs \geq 12 wks Fipronil 9.8%, Cyphenothrin 5.2%, Pyriproxyfen 2.0% 0.023 fl oz (or) 0.045 fl oz (or) 0.091 fl oz (or)

0.136 fl oz {label code}

KEEP OUT OF REACH OF CHILDREN WARNING: Read directions and precautions

before using. Use scissors to open.

{label code} EPA REG. No. 2517-143

{END TUBE / VIAL LABEL}