

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7504P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 EPA Registration No.

Date of Issuance:

2517-144

JUN 13 2011

NOTICE OF PESTICIDE:

☑ Registration ☐ Reregistration

(under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

Term of Issuance:

Conditional Registration
Time-limited: see conditions below

Name of Pesticide Product:

Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriproxyfen)

Name and Address of Registrant (include ZIP Code):

Sergeant's Pet Care Products, Inc. c/o Ms. Deborah A. Chadbourne, LLC 2625 South 158th Plaza Omaha, NE 68130

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA §3(c)(7)(a) provided that:

- 1. This registration is time-limited and expires two years from the date this registration is granted.
- 2. You must submit and/or cite all data required for registration of your product under FIFRA §3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for reregistration of your product under FIFRA §4.
- 3. In the event that the Agency finds that the submitted waiver request is unacceptable for this product, you must provide to the Agency within 30 days of receiving notice, the proposed schedule in which a new Companion Animal Safety study will be conducted and submitted for this product.
- 4. As a condition of registration for this product, within one year from the date of this registration, you must submit the results of Storage Stability and Corrosion Characteristics studies, corresponding to OCSPP Guidelines 830.6317 and 830.6320, respectively, including interim

reports made at 0, 3, 6, 9, and 12 month intervals.

All labeling comments below are in reference to the proposed master label, dated October 25, 2010.

5. Per the Agency's product efficacy review dated June 8, 2011, make the revisions to the following labeling claims:

Delete the following claims in quotes:

- A. Page 1 under list of claims: "[Year long protection]"
- B. Page 1 under list of claims: "[Deodorizes]"
- C. Page 1 under list of claims: "[Deodorizing]"
- D. Page 2 under list of claims: "[new-improved]" this claim is only permitted for 6 months after the date of this registration.
- E. Page 2 under list of claims: ["last an additional month!"]
- F. Page 3 under Product Information: "To truly eliminate a flea infestation the [Product Name] kills those pre-adult forms, to prevent reinfestation."

Revise the following claims:

- A. Throughout the label, all references to "cats" or "kittens," including in alternate brand names, must include the statement "over 12 weeks of age" since there is no safety data for cats younger than this age.
- B. Throughout the label, all references to "ticks" must say "ticks on dogs" since the efficacy data for tick data for cats was not supported.
- C. Throughout the label, all statements referring to duration of efficacy on adult fleas or ticks on dogs must include "for up to 6 months" (no brackets allowed).
- D. "Kills fleas and ticks for six [6] months and controls flea reinfestation for up to 13 months]" to read "Kills fleas and ticks on dogs for up to six [6] months and controls flea reinfestation for up to 6 months]."
- E. Throughout the label, all references to efficacy duration must accompany the claim (no brackets). The only duration supported by data is "for up to 6 months" all other durations "[7][8][9][10][11][12][13] months" must be *deleted*:
 - "Long Lasting protection for up to [6][7][8][9][10][11][12][13] months!"
 - "Up to [6][7][8][9][10][11][12][13] month protection"
 - "[Continuous] [6][7][8][9][10][11][12][13] month protection]"
 - "Controls flea reinfestation for up to 6 13 months"
 - "Controls flea reinfestation for up to [6][7][8][9][10][11][12][13] months"
 - "This collar kills fleas and tick and provides up to [13] [12] [11] [10] [9] [8] [7] [6] months of protection from reinfestation for your [dog] [and] [cat]."
 - "This collar protects your pet against reinfestation for <u>up to</u> [6][7][8][9][10][11][12][13] months."
- F. "[Fast Acting]" to read "Starts killing fleas and ticks fast within 6 hours."
- G. "[Quick Kill]" to read "Starts killing fleas and ticks quickly within 6 hours."
- H. Delete "fragrance" to now read "[Fresh][Powdery][Clean] Scent [fragrance]."
- I. "Do not use on pets under 12 weeks of age" to read "**RESTRICTION**: Do not use on pets under 12 weeks of age" to make the statement more prominent.
- 6. On page 2, delete the optional statement "{Ingredient Statement may be on front or back label}"

because the Ingredients Statement must be placed on the front panel of the label, and no rationale was provided for the Agency's consideration to allow an alternate location.

- 7. On page 2 in the Ingredients Statement, delete the brackets around "Total 100.0%" because this is required.
- 8. On page 3, per the Acute Toxicity Review, revise the Hazards to Humans and Domestic Animals statement to read as follows:
 - "Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing."
- 9. On page 3 under Product Information, revise the statement by deleting the struck-out text as follows, because part of the statement is unclear, or appears to be misleading, based on the expected exposure from the pet collar:
 - "Collar is a [double-layer] sustained-release system [containing four active agents] combining the insecticidal actions of vapors and powders, working in [two] [three] [four] ways to provide fast acting fauick kill [acts fast in 6 hours] [stats to kill in 6 hours] and head-to-tail protection."
- 10. On page 4, revise the First Aid Statement to read as follows:

"If swallowed... If in eyes..."

- 11. On page 5 in the Warranty Statement, delete the statement "All such risks shall be assumed by the user or buyer," and, delete all internal brackets to include the Warranty Statement in its entirety, if used.
- 12. Revise the EPA Registration Number to read: "EPA Registration No. 2517-144."

One copy of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these terms. A copy of your label stamped "Accepted with Comments" is enclosed for your records. Please contact Autumn Metzger at (703) 305-5314 with any questions.

Enclosure: Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriproxyfen) Label, Stamped Accepted with Comments

Signature of Approving Official:

Date:

13 June 2011

Rosanna Louie-Juzwiak, Acting Product Manager (07)

Registration Division, Insecticide-Rodenticide Branch

EPA Form 8570-6

Sergeant's Master Labe.

25OCT2010

CONFIDENTIAL BUSINESS INFORMATION

Information in [] is optional.

Page 1 of 5

EPA Reg. No. 2517-XX **EPA SAL**

FRONT PANEL

DOG COLLAR

Propoxur, Phenothrin, MGK 264, Pyriproxyfen

Optional text appears in brackets - the final label may include some or all of the optional text on front, back or side label panels]

Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriproxyfen)

{ABN}[Sergeant's Double Duty Flea & Tick Collar for Cats] {ABN}[Sergeant's Double Duty Flea & Tick Collar for Dogs] {ABN}[Sergeant's Double Duty Flea & Tick Collar for Small Dogs and Puppies (over 12 weeks of age)] {ABN}[Sergeant's Gold Flea & Tick Collar for Cats] {ABN}[Sergeant's Gold Flea & Tick Collar for Dogs] {ABN}[Sergeant's Gold Flea & Tick Collar for Small Dogs and Puppies (over 12 weeks of age)] {ABN}[Sergeant's Gold Advance Flea & Tick Collar for Cats] {ABN}[Sergeant's Gold Advance Flea & Tick Collar for Dogs] {ABN}[Sergeant's Gold Advance Flea & Tick Collar for Small Dogs and Puppies (over 12 weeks of /{ABN}[Sergeant's Evolve Flea & Tick Collar for Dogs] ABN\Sergeant's Evolve Flea & Tick Collar for Small Dogs and Puppies (over 12 weeks of age) |{ABN}[Sentry PurrScriptions Plus Flea & Tick Collar for Cats] /{ABN}[SentryPro Flea and Tick Collar for Dogs] {ABN}[SentryPro Flea and Tick Collar for Small Dogs and Puppies (over 12 weeks of age)]

{ABN}[SentryPro XFT Flea and Tick Collar for Dogs]

{ABN}[SentryPro XFT Flea and Tick Collar for Small Dogs and Puppies (over 12 weeks of age)]

{ABN}[Meridian EctoAdvance Flea and Tick Collar]

[For [Dogs], [Large Dogs], [Medium Dogs] [Small Dogs & [Puppies (over 12 weeks of age)] [small breeds]], [Cats] [Tov Breeds]]

[Kills The Ticks That May Carry Rocky Mountain Spotted Fever]

[Kills [Fleas], [Ticks], [Flea Eggs] [and Flea Larvae] [for 6 months]

[Kills fleas, ticks, (and) flea eggs (and (flea) larvae) (for (6) months)]

[Kills fleas and ticks for six [6] months and flea eggs and larvae for 13 months.]

[Kills fleas and ticks for six [6] months and controls flea reinfestation for up to 13 months.]

[Kills flea eggs (and flea larvae) for [13] [12] [11] [10] [9] [8] [7] [6] months]

[Breaks the Flea Life Cycle]

[Year long protection]

[Sterilizes fleas for 13 months]

[Long Lasting Protection for up to 6 months]

[Long Lasting Protection [6] [7] [8] [9] [10] [11] [12] [13] months!]

[[6] [7] [8] [9] [10] [11] [12] [13] month Protection!]

[[Continuous] [13] [12] [11] [10] [9] [8] [7] [6] month protection]

[Controls flea reinfestation for up to 13 months]

[Controls reinfestation for [13] [12] [11] [10] [9] [8] [7] [6] months]

[Fast Acting]

[Quick Kill]

[Deodorizes]

[Deodorizing]

[[Fresh] [Powdery] [Clean] Scent] fragrance]]

[Break away collar for Cats]

ACCEPTED with COMMENTS In EPA Letter Dated:

Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No.

50f8

Sergeant's Master Labe.

25OCT2010

CONFIDENTIAL BUSINESS INFORMATION

Information in [] is optional.

Page 2 of 5

EPA Reg. No. 2517-XX

EPA SAL

FRONT PANEL, cont.

DOG COLLAR Propoxur, Phenothrin, MGK 264, Pyriproxyfen

[Fits Neck to [12.5"] [14"] [20"] [26"][specific inch size]]

[Reflective collar] [Glow in the Dark Collar] [Fashion Collar]

[Specific printed design described here (i.e. animal print, paw print, etc.)] [print] [design][collar]]

[The following claims on initial labeling only, or 6 months after initial sale or new market] ["new-improved"] ["last an additional month!"]

{Ingredient Statement may be on front or back label}

ACTIVE INGREDIENTS:

Propoxur [o-Isopropoxyphenyl methylcarbamate] [CAS #114-26-1]	9.00%
[d-(cis,trans)] phenothrin* [CAS #26002-80-2]	3.00%
n-Octyl bicycloheptene dicarboximide [CAS #113-48-4]	3.00%
Pyriproxyfen [Pyridine, 2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)] [CAS #95737-68-1]	0.50%
OTHER INGREDIENTS:	<u>84.50%</u>
[TOTAL	100.00%]

^{*} cis/trans isomer ratio: Max. 25% (+/-) cis Min. 75% (+/-) trans

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR CAUTION

See [Back][or][Side] Label [Panel(s)] for Additional Precautionary Statements
[See Additional Precautions on Back]
Net Weight: XX

60f8

Sergeant's Master Labe.

25OCT2010 CONFIDENTIAL BUSINESS INFORMATION

Page 3 of 5

EPA Reg. No. 2517-XX EPA SAL

Information in [] is optional.

BACK PANEL

DOG COLLAR

Propoxur, Phenothrin, MGK 264, Pyriproxyfen

{Product Name}

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON [DOGS] [MEDIUM DOGS] [SMALL DOGS] [SMALL BREEDS] [TOY BREEDS]

[PUPPIES (over 12 weeks of age)] [CATS] [KITTENS]

[PRODUCT INFORMATION]

[[[Product Name] [[This collar] kills fleas, ticks and flea eggs for up to 6 months.] [Product Name] This collar kills fleas and ticks and provides [13] [12] [11] [10] [9] [8] [7] [6] months of protection from reinfestation for your [dog] [and] [cat]. Collar is a [double layer] sustained-release system [containing four active agents] combining the insecticidal actions of vapors and powders, working in [two] [three] [four] ways to provide fast acting [quick kill] and head-to-tail protection. Thus, collar has the effect of simultaneous usage of a spray and powder [in the control of fleas and ticks,] [including ticks that may carry Rocky Mountain Spotted Fever]. Use [Product Name] year round for most effective control. [The adult fleas and ticks you see on your pet make up only part of an infestation; over 90% of a flea infestation can lie in the preadult forms of the flea (egg, larvae, pupae). To truly eliminate a flea infestation the [Product Name] kills those pre-adult forms, to prevent reinfestation.] [This collar protects your pet against reinfestation for [6] [7] [8] [9] [10] [11] [12] [13] months.] [To protect against adult fleas and ticks, collar should be replaced every 6 months or sooner if needed.]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HAZARDS TO HUMANS: Do not open until ready to use. Dust will form on collar during storage. Do not get dust in mouth or eyes. Harmful if swallowed. If in eyes will cause eye irritation. In case of contact, flush eyes with water. If irritation persists, get medical attention.

HAZARDS TO DOMESTIC ANIMALS: Collar is for external use only, not to be taken internally. Some animals may become irritated by any collar. If this occurs, remove collar. If condition persists, consult a veterinarian. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Do not use on pets under 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur remove collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Notice: This product contains a chemical [(Propoxur) OR (o-Isopropoxyphenyl methylcarbamate)] known to the State of California to cause cancer.

sergeant's Master Labe.

25OCT2010

CONFIDENTIAL BUSINESS INFORMATION

Information in [] is optional.

immediately replaced.

Page 4 of 5

EPA Reg. No. 2517-XX

EPA SAL

BACK PANEL, cont.

DOG COLLAR Propoxur, Phenothrin, MGK 264, P<u>yrip</u>roxyfen


	FIRST AID
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.
	 Have person sip of glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by the poison control center or doctor.
	 Do not give anything by mouth to an unconscious person.
IF INHALED:	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
	• Call a poison control center or doctor for further treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	• Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
-	HOT LINE NUMBER
Have the product con	stainer or label with you when calling a poison control center or doctor, or
going for treatment. information.	
	NOTE TO PHYSICIAN/VETERINARIAN:
Dust released by this	collar is a cholinesterease inhibitor. Atropine is antidotal. Do not use this
product on animals s	simultaneously or within 30 days or after treatment with or exposure to

DIRECTIONS FOR USE

cholinesterease inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Place collar around pet's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the pet and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over pet's head. Leave 2 or 3 extra inches for collar adjustment, cut off remaining excess and dispose of in the trash. Wash hands after installing collar on pet. Replace collar every 6 months, or sooner if needed.



STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store unopened collar in a cool, dry place. Protect from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Dispose of expired collar in trash.

Sergeant's Master Labe.

25OCT2010

CONFIDENTIAL BUSINESS INFORMATION

Information in [] is optional.

Page 5 of 5

EPA Reg. No. 2517-XX

EPA SAL

BACK PANEL, cont.

DOG COLLAR

Propoxur, Phenothrin, MGK 264, Pyriproxyfen

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. [[The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buver.] [Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738

Non-Emergency call 1-800-224-PETS (7387)

[Product Coupons]

[Made in USA]

{lot, date & label code}

Distributed by: Sergeant's Pet Care Products, Inc. P.O. Box 540399 Omaha, NE 68154-0399

[BAR CODE AREA] EPA Reg. No. 2517-XX EPA Est. No. XXXXX -XX -XXX

{END - BACK / SIDE PANEL}