06/26/2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

NOTIFICATION

OFFICE OF CHEMICAL, SAFETY AND POLLUTION PREVENTION

JUN 2 6 2013

Sergeant's Pet Care Products, Inc. c/o Deborah Chadbourne 529 Bierys Bridge Road Bethlehem, PA 18017

Subject:

Notification of four new alternate brand names and minor label changes EPA Registration No. 2517-144 Primary Brand Name: Sergeant's 933 Plus Flea & Tick Collar (with d-phenotrhin and pyriproxyfen) Submission Date: May 20, 2013

Dear Ms. Chadbourne:

The Agency is in receipt of your Application for Pesticide Notification under PRN 98-10

for:

Alternate Brand Names:

Sergeant's Gold Flea Collar for Cats (over 12 weeks of age) Sergeant's Gold Flea Collar for Cats* Sentry PurrScriptions Plus Flea Collar for Cats (over 12 weeks of age) Sentry PurrScriptions Plus Flea Collar for Cats*

The Registration Division (RD) has reviewed this request and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

Gene Benbow Wildlife Biologist Insecticide-Rodenticide Branch Registration Division (7505P)

	2,
Please read instructions on reverse before commenting form.	Form Approved. Guid No. 2070-0060
United States Environmental Protection Ag Washington, DC 20460	Jency Registration OPP Identifier Number Amendment Other
Application for	Pesticide - Section I
1. Company/Product Number 2517-144	2. EPA Product Manager 3. Proposed Classification John Hebert
4. Company/Product (Name) Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriprox	PM# 07
5. Name and Address of Applicant <i>(Include ZIP Code)</i> Sergeant's Pet Care Products, Inc. 10077 South 134th Street Omaha, NE 68138-3710 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name
Se	ection - II
152.46. No other changes have been made to the labeling or the confidential sta	is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR tement of formula of this product. 1 understand that it is a violation of 18 USC Sec 1001 otification is not consistent with the terms of PR Notice 98-10, and 40 CFR 152.46, this
Se	ction - III
1. Material This Product Will Be Packaged in:	
Yes* No No Certification must be submitted Ves No No	kage wgt container Other (Specify)
3. Location of Net Contents Information 4. Size(s) Retail Cont Lebel Container	tainer 5. Location of Label Directions On Label On Labeling accompanying product
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled	Other
	ction - IV
1. Contact Point Complete items directly below for identification of inc	dividual to be contacted, if necessary, to process this application.)
	Agent for Sergeant's Pet Care Products, nc. Tel sphc ne No. (Include Area Code) 610-419-6345
Certification) certify that the statements have made on this form and all atta) acknowledge that any knowingly failse or misleading statement i both under applicable law.	achments therato are true, accurate and complete, may be punishable by fine or imprisonment or (Stamped)
2. Signature 3. Title	Agent for Sergeant's Pet Care Products, Inc.
4. Typed Name 5. Date Deborah A. Chadbourne	20MAY2013

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

Deborah A. Chadbourne, L.L.C.

Attorney-at-Law

May 20, 2013

CONTAINS THE CONFIDENTIAL AND PROPRIETARY BUSINESS INFORMATION OF SERGEANT'S PET CARE PRODUCTS, INC.

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 Crystal Drive Arlington, VA 22202-4501

- Attn: John Hebert Product Manager Team 7
- Re: Sergeant's Pet Care Products, Inc. Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriproxyfen) Product Registration Number 2517-144 Notification of Label Revisions per PR Notice 98-10

Dear Mr. Hebert:

On behalf of Sergeant's Pet Care Products, Inc. ("Sergeant's") please consider this Notification of revisions to the Sergeant's Pet Care Products, Inc. Master Label for Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriproxyfen), EPA registration number 2517-144. In support of this Notification please find attached the following:

- 1. Application for Pesticide Registration, EPA Form 8570-1
- 2. Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriproxyfen), NOTIFICATION REDLINE, 20MAY2013
- Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriproxyfen), NOTIFICATION CLEAN, 20MAY2013
- Sergeant's Appointment of Registration Agent for Deborah A. Chadbourne dated March 18, 2008

As provided by PR Notice 98-10, Sergeant's is requesting Agency approval of the following changes to the currently approved Master Label:

Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriproxyfen), 2517-144 ABN Notification Page 2 of 2

Addition of four new Alternate Brand Names:

Sergeant's Gold Flea Collar for Cats (over 12 weeks of age)

Sergeant's Gold Flea Collar for Cats*

Sentry PurrScriptions Plus Flea Collar for Cats (over 12 weeks of age)

Sentry PurrScriptions Plus Flea Collar for Cats*

Addition of new registrant descriptor to add the optional "Manufactured for" in addition to "Distributed by".

Thank you for your assistance. Please contact me at 610-419-6345, if there are any questions concerning this submission.

Sincerely,

hach A. Chalde

Deborah A. Chadbourne Attorney and Agent for Sergeant's Pet Care Products, Inc.

cc: Kelly Hoskins, Director of Regulatory Affairs, Sergeant's Pet Care Products, Inc.

Sergeant's Master Label

Notification REDLINE 20MAY2013 Information in [] is optional. New text is highlighted and <u>underlined</u>. Omitted text is highlighted and strikethrough Version 12.2 EPA Reg. No. 2517-144 Information in { } is explanatory, not to be included in label text.

Page 1 of 7

EPA SAL 11APR2013

933 PLUS FLEA

& TICK COLLAR

FRONT PANEL

Sergeant's 933 Plus Flea & Tick Collar (with d-phenothrin and pyriproxyfen)

{ABN}[Sergeant's Double Duty Flea & Tick Collar for Cats over twelve [12] weeks of age]

{ABN}[Sergeant's Double Duty Flea & Tick Collar for Cats*]

{ABN}[Sergeant's Double Duty Flea & Tick Collar for Dogs]

{ABN}[Sergeant's Double Duty Flea & Tick Collar for Small Dogs and Puppies (over 12 weeks of age)]

{ABN}[Sergeant's Double Duty Flea & Tick Collar for Small Dogs and Puppies*]

{ABN}[Sergeant's Gold Flea & Tick Collar for Cats over twelve [12] weeks of age]

{ABN}[Sergeant's Gold Flea & Tick Collar for Cats*]

{ABN} [Sergeant's Gold Flea Collar for Cats (over 12 weeks of age)]

{ABN} [Sergeant's Gold Flea Collar for Cats*]

{ABN}[Sergeant's Gold Flea & Tick Collar for Dogs]

[ABN] [Sergeant's Gold Flea & Tick Collar for Small Dogs and Puppies (over 12 weeks of age)]

{ABN}[Sergeant's Gold Flea & Tick Collar for Small Dogs and Puppies*]

{ABN}[Sergeant's Gold Advance Flea & Tick Collar for Cats over twelve [12] weeks of age]

{ABN}[Sergeant's Gold Advance Flea & Tick Collar for Cats*]

{ABN}[Sergeant's Gold Advance Flea & Tick Collar for Dogs]

[ABN] [Sergeant's Gold Advance Flea & Tick Collar for Small Dogs and Puppies (over 12 weeks of age)]

{ABN}[Sergeant's Gold Advance Flea & Tick Collar for Small Dogs and Puppies*]

{ABN}[Sergeant's Evolve Flea & Tick Collar for Dogs]

{ABN}[Sergeant's Evolve Flea & Tick Collar for Small Dogs and Puppies (over 12 weeks of age)]

{ABN}[Sergeant's Evolve Flea & Tick Collar for Small Dogs and Puppies*]

{ABN}[Sentry PurrScriptions Plus Flea & Tick Collar for Cats over twelve [12] weeks of age]

{ABN}[Sentry PurrScriptions Plus Flea & Tick Collar for Cats*]

{ABN} [Sentry PurrScriptions Plus Flea Collar for Cats (over 12 weeks of age)]

[ABN] [Sentry PurrScriptions Plus Flea Collar for Cats*]

{ABN}[SentryPro Flea and Tick Collar for Dogs]

{ABN}[SentryPro Flea and Tick Collar for Small Dogs and Puppies (over 12 weeks of age)]

{ABN}[SentryPro Flea and Tick Collar for Small Dogs and Puppies*]

{ABN}[SentryPro XFT Flea and Tick Collar for Dogs]

{ABN}[SentryPro XFT Flea and Tick Collar for Small Dogs and Puppies (over 12 weeks of age)]

{ABN}[SentryPro XFT Flea and Tick Collar for Small Dogs and Puppies*]

[ABN] [Meridian EctoAdvance Flea and Tick Collar]

{Label for DOG OR CAT Collars}

[1] [Reflective collar] [Glow in the Dark Collar] [Fashion Collar]

[2] [Lock and Stay Design]

[3] [Click and Stay Design]

[4] [Click to Fit Design]

[5] [Fits Just Right [Design]]

[6] [Comfort Fit [Design]]

[7] [Designed for Comfort]


[8] [Rugged]

[9] [Time Release formula]

[10] [Modern Click to Fit Design]

NOTIFICATION

JUN 2 6 2013



- [1] [For [Dogs], [Large Dogs], [Medium Dogs] [Small Dogs & [Puppies (over 12 weeks of age)] [small breeds]], [Toy Breeds]]
- [2] [Kills The Ticks That May Carry [Rocky Mountain Spotted Fever] [and] [Lyme Disease] for up to [six] [6] months]
- [3] [Kills [Fleas], [Ticks], [Flea Eggs] [and Flea Larvae] for up to [six] [6] months
- [4] [Kills fleas, ticks, [and] flea eggs [and [flea] larvae] for up to [six] [6] months]
- [5] [Kills fleas and ticks for up to [six] [6] months and flea eggs and larvae for up to [six] [6], months.]
- [6] [Kills fleas and ticks for up to [six] [6] months and controls [flea] reinfestation for up to [six] [6] months.]

3.

- [7] [Long Lasting Protection for up to 6 [six] months]
- [8] [Long Lasting Protection for up to [3] [three] [4] [four] [5] [five] [6] [six] months [!]]
- [9] [Long Lasting Protection for up to [90] [120] [150] [180] days [1]]
- [10] [Up to [3] [three] [4] [four] [5] [five] [6] [six] month Protection!]
- [11] [[Continuous] protection for up to [six] [6] months]
- [12] [Controls [flea] [flea and tick] [tick] reinfestation for up to [six] [6] months]
- [13] [Starts killing fleas and ticks fast within 6 hours.]
- [14] [Starts killing fleas and ticks quickly within 6 hours.]

Sergeant's Master Label

Version 12.2

Notification REDLINE 20MAY2013 Information in [] is optional. New text is highlighted and underlined. Omitted text is highlighted and strikethrough

EPA Reg. No. 2517-144 Information in { } is explanatory; not to be included in label text.

Page 3 of 7

EPA SAL 11APR2013

- [16] [Notched to fit securely on any size dog]
- [17] [Fits securely on any size dog]
- [18] [Grreat Fit]
- [19] [GRR...eat FIT]
- [20] [Grr.eat [Fit]]

{Label for CAT Collars}

- [1] [For Cats over [twelve] [12] weeks of age]
- [2] [Kills fleas [and] [flea eggs] [and] [flea larvae] for up to [3] [4] [5] [6] months]
- [3] [Kills fleas for up to [six] [6] months and flea eggs and larvae for up to [six] [6] months.]
- [4] [Kills fleas for up to [six] [6] months and controls flea reinfestation for up to [six] [6] months.]
- [5] [Kills flea eggs [and flea larvae] for up to [6] [six] months]
- [6] [Long Lasting Protection against fleas for up to [3] [three] [4] [four] [5] [five] [6] [six] months [!]]
- [7] [Long Lasting Protection against fleas for up to [90] [120] [150] [180] days [1]]
- [8] [Up to [3] [three] [4] [four] [5] [five] [6] [six] month Protection against fleas!]
- [9] [[Continuous] protection for up to [six] [6] months against fleas]
- [10] [Controls fleas for up to [six] [6] months]
- [11] [Controls flea reinfestation for up to [six] [6] months]
- [12] [Starts killing fleas fast within [6] [six] hours.]
- [13] [Starts killing fleas quickly within [6] [six] hours.]
- [14] [Fast acting against fleas within [6] [six] hours.]
- [15] [Works in as little as [6] [six] hours against fleas]
- [16] [Works in as little as [forty-eight] [48] hours against Dermacentor variabilis ticks]
- [17] [Works in as little as[forty-eight] [48] hours against American dog ticks]
- [18] [Works in as little as [forty-eight] [48] hours against Wood ticks]
- [19] [Break away collar [for Cats]]
- [20] [Fits Neck to [12.5"] [14"] [XX"] {specific inch size}]
- [21] [Long Lasting Tick Protection for up to [3] [three] months
- [22] [Long Lasting Tick Protection for up to [90] [ninety] days]]
- [23] [Long Lasting Flea and Tick Protection for up to [3] [three] months]
- [24] [Long Lasting Flea and Tick Protection for up to [90] [ninety] days]
- [25] [Kills Ticks for up to [3] [three] months]
- [26] [Kills Fleas and Ticks for up to [3] [three] months]
- [27] [Kills [[Dermacentor variabilis], [Ambloyomma americanum], [Rhipicephalus sanguines] [and] [*Ixodes sacpularis*]] ticks for up to [3] [three] months]
- [28] [Kills [[American dog ticks], [lone star ticks], [brown dog ticks], [and] [deer]] ticks for up to [3] [three] months]
- [29] [Kills the ticks that may carry Rocky Mountain Spotted Fever for up to [3] [three] months]
- [30] [Kills the ticks that may carry Rocky Mountain Spotted Fever for up to [90] [ninety] days]
- [31] [Kills the ticks that may carry Lyme Disease for up to [3] [three] months]
- [32] [Kills the ticks that may carry Lyme Disease for up to [90] [ninety] days]
- [53] [Kills the ticks that may carry Rocky Mountain Spotted Fever and Lyme Disease for up to [3] [three] months]
- [34] [Kills the ticks that may carry Rocky Mountain Spotted Fever and Lyme Disease for up to [90] [ninety] days]
- [5] [Purrfect Fit]

[Specific printed design described here (i.e. animal print, paw print, etc.)] [print] [design][collar]]

Sergean	t's Master Lab	el		
Notification REDLINE 20MAY2013	Version 12.2	EPA Reg. No.		
	Information in { } is explanatory; not to be included in label text.			
New text is highlighted and <u>underlined</u> .		_		
Omitted text is highlighted and strikethrough	Page 4 of 7	EPA SAL 11APR2	013	
[36] [Purrfect Fit]				
[37] [Fits Cats of All Sizes]				
{for use with ABNs as indicated by as	sterisk}		•	
[*over twelve [12] weeks of age]	······			
ACTIVE INGREDIENTS:				
Propoxur [o-Isopropoxyphenyl methylcarb	amate] [CAS #114-26-1]		9.00%	
[d-(cis,trans)] phenothrin* [CAS #2600			3.00%	
N-Octyl bicycloheptene dicarboximide [CA			3.00%	
Pyriproxyfen [Pyridine, 2-(1-methyl-2-(4-)		CAS #95737-68-11	0.50%	
OTHER INGREDIENTS:			84.50%	
TOTAL			100.00%	
* cis/trans isomer ratio: Max. 25% (+/-) cis	Min 75% $(+/_)$ trans		100.0070	

CAUTION

See [Back] [or] [Side] Label [Panel(s)] for Additional Precautionary Statements [See Additional Precautions on Back] Net Weight: XX

BACK/SIDE PANEL 933 PLUS FLEA & TICK COLLAR

{Product Name} READ ENTIRE LABEL BEFORE EACH USE.

{label for DOG Collars}
USE ONLY ON [DOGS] [MEDIUM DOGS] [SMALL DOGS] [SMALL BREEDS] [TOY BREEDS]
[PUPPIES (over 12 weeks of age)]

{label for CAT Collars} USE ONLY ON [CATS OVER TWELVE [12] WEEKS OF AGE] [KITTENS OVER TWELVE [12] WEEKS OF AGE]

[PRODUCT INFORMATION]

{label for DOG Collars}

[[Product Name] [This collar] kills fleas, ticks and flea eggs for up to 6 months.] [[Product Name] [This collar] kills fleas and ticks and provides up to [six] [6] months of protection from reinfestation [for your dog].] [Collar is a sustained-release system [containing four active agents] [working [quickly] to provide head-to-tail protection in [six] [6] hours [against fleas and ticks] [which starts to kill fleas and ticks in [six] [6] hours.] [[Thus,] collar has the effect of simultaneous usage of a spray and powder [in the control of fleas and ticks,] [including ticks that may carry [Rocky Mountain Spotted Fever] [and] [Lyme Disease].] [Use [Product Name] year round for most effective control.] [The adult fleas and ticks you see on your pet make up only part of an infestation; over 90% of a flea infestation can lie in the pre-adult forms of the flea (egg, larvae, pupae).] [This collar protects your pet against reinfestation for up to [6] [six] months.] [To protect against adult fleas and ticks, collar should be replaced every 6 months or sooner if needed.]

Sergeant's Master LabelNotification REDLINE 20MAY2013Version 12.2EPA Reg. No. 2517-144Information in [] is optional.Information in { } is explanatory; not to be included in label text.New text is highlighted and underlined.Page 5 of 7EPA SAL 11APR2013

{label for CAT Collars}

[[Product Name] [This collar] kills fleas and flea eggs for up to 6 months [and ticks for up to 3 months] [[and] provides long lasting protection against fleas for up to 6 months] [and provides up to 6 months protection from flea reinfestation] [for your cat].] [[Product Name] [This collar] kills fleas and ticks and provides up to [three] [3] months of protection from reinfestation [for your cat].] [Collar is a sustained-release system [containing four active agents] [working [quickly] to provide head-to-tail protection in [six] [6] hours against fleas] [which starts to kill fleas in [six] [6] hours].] [[Thus,] collar has the effect of simultaneous usage of a spray and powder [in the control of fleas and ticks,] [including ticks that may carry [Rocky Mountain Spotted Fever] [and] [Lyme Disease].] [Use [Product Name] year round for most effective control.] [The adult fleas and ticks you see on your pet make up only part of an infestation; over 90% of a flea infestation can lie in the pre-adult forms of the flea (egg, larvae, pupae).] [This collar protects your pet against reinfestation for up to [3] [three] months.] [To protect against adult fleas and ticks, collar should be replaced every 6 months or sooner if needed.]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HAZARDS TO HUMANS: Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing.

HAZARDS TO DOMESTIC ANIMALS: Collar is for external use only, not to be taken internally. Some animals may become irritated by any collar. If this occurs, remove collar. If condition persists, consult a veterinarian. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Do not use on pets under 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur remove collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

[Notice: This product contains a chemical [(Propoxur) OR (o-Isopropoxyphenyl methylcarbamate)] known to the State of California to cause cancer.]

	FIRST AID			
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advic Have person sip a glass of water if able to swallow. 			
	• Do not induce vomiting unless told to do so by the poison control center or doctor.			
	• Do not give anything by mouth to an unconscious person.			
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 the minutes.			
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	• Call a poison control center or doctor for treatment advice.			
	HOT LINE NUMBER			
Have the product cor	tainer or label with you when calling a poison control center or doctor, or			
going for treatment.	You may contact 1-800-781-4738 for emergency medical treatment			
information.				
· · · · · · · · · · · · · · · · · · ·	NOTE TO PHYSICIAN/VETERINARIAN:			
Dust released by this	collar is a cholinesterase inhibitor. Atropine is antidotal. Do not use this			
	simultaneously or within 30 days or after treatment with or exposure to			
	ing drugs, pesticides or chemicals. However, flea and tick collars may be			


			/
Sergea	ant's Master La	ibel	
Notification REDLINE 20MAY2013	Version 12.2	EPA Reg. No. 2517-144	
Information in [] is optional.	Information in { } is explanatory; not to be included in label text.		
New text is highlighted and underlined.			
Omitted text is highlighted and strikethrough	Page 6 of 7	EPA SAL 11APR2013	
D	IRECTIONS FOR USE		· ·

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

{NOTE: ONE of the following alternate directions for use will be included on the label as appropriate for the production process.}


{OPTIONAL ALTERNATE DIRECTIONS FOR USE FOR EXTRUDED COLLARS}

Do not open until ready to use. Dust will form on collar during storage. Do not get dust in mouth or eyes. Place collar around pet's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the pet and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over pet's head. Leave 2 or 3 extra inches for collar adjustment, cut off remaining excess and dispose of in the trash. Wash hands after installing collar on pet. Replace collar every 6 months, or sooner if needed.



{OPTIONAL ALTERNATE DIRECTIONS FOR USE FOR INJECTION MOLDED COLLARS}

[[1.] Do not open until ready to use. Dust will form on collar during storage. Do not get dust in mouth or eyes. Take the collar out of the packaging and stretch to full length. [The tabs that held the collar in place [should][will] fall off when stretching; pull on any remaining tabs to remove them.]]



[[2.] Bend the buckle in half between the holes in the buckle, so that you can easily pass the end of the collar through both holes.]



[[3.] Place the collar around your pet's neck. Feed the collar through both holes [[ridges][notches] facing out]. Fit to the neck of the dog [cat]. The collar must be worn loosely to allow for growth of the pet and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over pet's head [, and two fingers can be placed between the collar and pet's neck]. Leave [2 or 3] [1 or 2] extra inches for collar adjustment, cut off remaining excess collar and dispose of in the trash.]

Sergeant's Master Label Version 12.2

Page 7 of 7

Notification REDLINE 20MAY2013 Information in [] is optional. New text is highlighted and underlined. Omitted text is highlighted and strikethrough

Information in { } is explanatory; not to be included in label text. EPA SAL 11APR2013

6 G

{NOTE: optional dog image for dog collar, cat image for cat collar.}

EPA Reg. No. 2517-144

[[4.] Wash hands after installing collar on pet. Replace collar every 6 months, or sooner if needed.]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store unopened collar in a cool, dry place inaccessible to children and pets. Protect from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Dispose of expired collar in trash.

[WARRANTY]

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. [The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer.] Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Sergeant's Pet Care Products, Inc. is committed to providing high quality products.] [If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omana, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-PETS (7387)

[Distributed by:] [Manufactured for:] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710

[Product Coupons] [Made in USA]

{lot, date & label code

[BAR CODE AREA] EPA Reg. No. 2517-144 EPA Est. No. XXXXX -XX -XXX

END BACK/SIDE PANEL

933 PLUS FLEA & TICK COLLAR