U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 NOTICE OF PESTICIDE: _X Registration Reregistration	EPA Reg. Number: 2517-146 Term of Issuance: Conditional, Ti Expires: 1/13/1		
(under FIFRA, as amended)	Name of Pesticide Pro Sergeant's Fipr	oduct:	
Name and Address of Registrant (include ZIP Code): Prince M. Bamaze Sergeant's Pet Care Products, Inc. 10077 South 134 th Street Omaha, NE 68138-3710			
Note: Changes in labeling differing in substance from that accepted in connection with this registration in Registration Division prior to use of the label in commerce. In any correspondence on this product alwa			
On the basis of information furnished by the registrant, the above nam under the Federal Insecticide, Fungicide and Rodenticide Act.	ned pesticide is h	ereby registered	
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.			
This product is conditionally registered in accordance with FIFRA section $3(c)(7)(A)$. You must comply with the following conditions:			
1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.			
Signature of Approving Official:	Date:		
XB+	1/13/16	5	
Kable Bo Davis, Product Manager 3 Invertebrate and Vertebrate Branch 1, Registration Division (7505P)			

- 2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 1/13/18.
- 3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in an Agency letter dated 8/18/11.
- 4. You are required to comply with the data requirements described in the DCI Order identified below:
 - a. Fipronil GDCI-129121-1305 and 129121-152

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <u>http://www.epa.gov/oppsrtd1/contacts_prd.htm</u>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions, you may contact Julie Breeden at 703-347-0511 or via email at <u>Breeden.Julie@epa.gov</u>.

Enclosure

7 DEC15 2 YE EXT Information in [] is optional.

Sergeant's[®] Master Label Version 15.1a Page 1 of 10

EPA Reg. No. 2517-146 EPA SAL 1/13/2014

FRONT PANEL

CAT SPOT ON FIPRONIL + PYRIPROXYFEN

[Optional text appears in brackets – the final product label may include some or all of the optional text on front, back or side label panels. The CRP required text will not change.] {Information is instructional}

Sergeant's Fipronil + Pyriproxyfen Spot On for Cats

{Market Label-the word Cat will be at least 40-75% in height of the largest letter in the primary brand name.} {Market Label-a large clear picture of a cat in the respective weight range will be on the front panel of the label}

[ABNs:] [Sergeant's[®] PRONYL OTC[®] PLUS for Cats] [SENTRY[®] FIPROGUARD[®] PLUS for Cats] [[Sergeant's[®]] Pet Armor OTC[®] PLUS for Cats] [[Sergeant's[®]] Fast Act OTC[®] PLUS for Cats]

For use ONLY on cats [[&] [and] kittens] over 3.5 lbs and over 12 weeks of age [OR] Only for cats [[&] [and] kittens] over 12 weeks of age and over 3.5 lbs {Market Label-one of the statements above will be placed prominently on the front panel}

[Apply to kittens over 12 weeks old] [Apply to kittens 12 weeks or older]

{box only designates Vet Only language}

(SUBLABEL: FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION}

FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels. Not for residential use. Do not repackage.

[Ideal for shelter use when under direct supervision of veterinarian] [Professional Roll Pack] [Convenient roll pack for in clinic use] [Convenient roll pack for animal facility use] [For use only by licensed veterinarians]

[Mosquitoes] [Kills mosquitoes]

[Chewing Lice] [Kills chewing lice] [Fast Action against chewing lice infestations]

[Adult Fleas]

[[Brand name][This product] kills adult fleas for up to six weeks] [Kills Fleas [Up to [4] [6] weeks]!]

[Kills Fleas that may cause flea allergy dermatitis, flea bite anemia, and tapeworm infestation]

ACCEPTED 01/13/2016

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2517-146

Sergeant's [®] Master Label			
7 DEC15 2 YE EXT	Version 15.1a	EPA Reg. No. 2517-146	
Information in [] is optional.	Page 2 of 10	EPA SAL 1/13/2014	
[Stops and prevents reinfestation] [Controls flea reinfestation [for up to [[Brand name][This product] kills ad [If cat is a high risk for flea reinfesta [Dual Action [!]:Fipronil and Pyripro [Prevents and controls reinfestations]	lult fleas for up to six week tion a once a month applica oxyfen Effectively Break th	ation may be needed]	
[Flea Eggs and Larvae] [Stops and prevents infestations] [Controls flea reinfestation for up to [[Brand name][This product] kills ad for up to six weeks] [[Brand name][This product] prevent [Prevents all flea stages (adult fleas, [If cat is a high risk for flea reinfesta [Kills flea eggs [and] [larvae] [and p [[Seven] [Six] [Five] [7] [6] [5] Way flea eggs, [and] flea larvae [and prev [With Pyriproxyfen Insect Growth R [With Pyriproxyfen to Break Flea Li [With Insect Growth Regulator to Br [Dual Action [!]:Fipronil with Pyripr [Dual Action [!]: Effectively Breaks [Kills all stages of the flea life cycle]	lult fleas, flea eggs, [and] fl ts development of all flea s flea eggs, flea pupae and fl tion a once monthly applica revents pupae] for up to [3 Protection [Kills fleas, tic ents flea pupae]] egulator which Breaks the fe Cycle] reak Flea Life Cycle] roxyfen IGR Effectively Br the Flea Life Cycle[!]]	tages for up to 6 weeks] ea larvae)] ation may be needed] months] [12 weeks]] eks, [mosquitoes,] chewing lice, Flea Life Cycle]	
[Kills Flea Eggs & Flea Larvae [for [Prevents Flea Eggs From Developir [Prevents and controls reinfestations]	up to 3 months]!] ng Into Biting Adults]		

[Ticks]

[Kills Ticks including those that may transmit Lyme disease]
[Kills Ticks [for Up to 4 weeks]!]
[Kills Deer Ticks (which may transmit Lyme disease) for up to [4 weeks] [1 month] [30 days]]
[Kills Ticks (Including Deer Ticks) for up to 4 weeks]
[Kills American Dog Ticks for up to 4 weeks]
[Kills [Brown], [American] [and Lone Star] dog ticks for up to 4 weeks]
[Kills American Dog Ticks [(*Dermacentor variabilis*)] for up to 4 weeks!]

[Multiple Infestations]

[[Brand name][This product] provides convenient and effective flea, tick, [and] chewing lice [and mosquito] control for cats and kittens [12 weeks or older]] [Controls reinfestation for up to 4 weeks] [Flea & Tick Control for Cats & Kittens 12 weeks old or older] [Kills fleas, ticks, [&] chewing lice [& mosquitoes]] [[Four][4][Three] [3] Way Pest Protection] [Kills fleas, ticks, [mosquitoes,] and chewing lice] [Monthly flea, tick, [mosquito] and chewing lice protection] [[4] Week] [Flea and Tick Treatment]]

Sergea	nt's [®] Master L	abel
7 DEC15 2 YE EXT	Version 15.1a	EPA Reg. No. 2517-146
Information in [] is optional.	Page 3 of 10	EPA SAL 1/13/2014
[[Four (4) Week] [Flea, Tick, [Mosqu [When used monthly [Brand name][th controls tick and chewing lice infestat [Once A Month Flea and Tick Treatm [Kills Fleas and Ticks for up to 4 wee	nis product] completely br tions.] nent]	
[All Others] [Stops and prevents infestations] [For Cats and Kittens 12 weeks of age [Fast Acting] [Cats can be bathed 24 hours after tre [Waterproof] [Long Lasting] [One Application][Two Applications] Applications][Six Applications][Twe Supply][Two Month Supply][3 Month Month Supply][12 Month Supply][24 Week Supply][16 week Supply][20 W Supply][104 Week Supply] [Best if used year round!] [(ICON Showing 4 Week Protection)]	atment]][Three Applications][Fou lve Applications][24 Appl h Supply][Four Month Su Month Supply] or [4 Wee Veek Supply][24 Week Su	lications] and/or [1 Month pply][Five Month Supply][6 ek Supply][8 Week Supply][12
[4 Week Dose!] [1 Month Dose!] [Easy to Use Application] [Specially Formulated for Cats and K [[Free] Calendar Stickers Inside!] [[Free] Brochure Inside!] [[Free] Brochure and Calendar Sticke [Apply once every [4 weeks] [month]	ittens [12 weeks or older]] rs Inside]]
[Convenient to use] [[Free with purchase] [Free inside] M [1][2][3][4][5][6][12][24][Month [Tra [For year round protection apply [Bra [Fipronil (9.8%)] [[Brand Name][This product] is a reg	eatment] [Application] Trand name][this product] m istered trademark of [Con	acker] onthly.]
[Direct to skin [tube][vial][applicator] [Easy to Use] [tube][vial][applicator] [Clean cut [open] [tube][vial][applicat [No-mess [open] [tube][vial][applicat [Clip-tip design [tube][vial][applicato [Satisfaction Guaranteed][If you are r refund.] [Dual-Action Formula]	[pipette]] tor][pipette]] tor][pipette]] pr][pipette][!]]	e it right with a replacement or
[Fast Acting] [Long Lasting] [Protect [Save Now!] [Value Size] [Club Size]	ion]	

Sergeant's [®] Master Label				
7 DEC15 2 YE EXT	Version 15.1a	EPA Reg. No. 2517-146		
Information in [] is optional.	Page 4 of 10	EPA SAL 1/13/2014		
Information in [] is optional.[Bonus Size][Club Pack][Great Value][Better Value][Bonus Pack][(x) + (x) bonus pack!][Buy more and save!][Buy X Get Y Free][Buy 3 get 1 free][(x)% (More) (Free)!][(x) Dose(s) Free!][(x) Day(s) (Free)!]	Page 4 of 10	EPA SAL 1/13/2014		
[(x) Month(s) Free!]				
[(x) Day(s) of treatment- Free!]				
[(x) Tube(s) Free!]				
[(x) Applicator(s) Free!]				
[(x) Application(s) Free!]				

ACTIVE INGREDIENTS:

Fipronil	
Pyriproxyfen	
OTHER INGREDIENT [*]	
TOTAL	100.00%

[*diethylene glycol monoethyl ether]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Insert] [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

NET CONTENTS: X fl oz [Y – 0.017 fl oz [0.50 ml] [tube][vial][applicator][pipette](s) [1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

OR {box only designates Vet Only language}

Net Contents: X fl oz X count [Y – X fl oz [tube][vial][applicator][pipette][s]] [Thirty-five] 35[Fifty][50][Seventy-five][75][One hundred][100] [One hundred sixty 160]

{END – FRONT PANEL}

7 DEC15 2 YE EXT Information in [] is optional.

Sergeant's[®] Master Label Version 15.1a Page 5 of 10

EPA Reg. No. 2517-146 EPA SAL 1/13/2014

BACK/SIDE PANEL

CAT SPOT ON FIPRONIL + PYRIPROXYFEN

[[Brand name][This product] contains fipronil and [the insect growth regulator] [IGR] pyriproxyfen to effectively kill fleas, ticks, [mosquitoes] and chewing lice. The active ingredients in [Brand name][this product] feature a sustained-release formula developed for fast-acting [and long-lasting] control of fleas, ticks, [mosquitoes] and chewing lice [for 30 days] on cats [and kittens 12 weeks or older]].

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS AND KITTENS OVER 12 WEEKS OF AGE.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Harmful if swallowed. Harmful if absorbed through skin.

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing cats. Consult a veterinarian before using on cats with known organ dysfunction.

OR {box only designates Vet Only language}

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat a cat with more than one pesticide product at a time. Over dosing a cat can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing cats or cats with known organ dysfunction. If the cat is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

7 DEC15 2 YE EXT Information in [] is optional.

Sergeant's[®] Master Label Version 15.1a Page 6 of 10

EPA Reg. No. 2517-146 EPA SAL 1/13/2014

FIRST AID		
If In Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	• Call a poison control center or doctor for further treatment advice.	
If On Skin Or	• Take off contaminated clothing.	
Clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.	
	• Call a poison control center or doctor for treatment advice.	
If Swallowed	• Call a poison control center or doctor immediately for treatment advice.	
	• Have person sip a glass of water if able to swallow.	
• Do not induce vomiting unless told to do so by a poison control center or doctor.		
	• Do not give anything by mouth to an unconscious person.	
HOT LINE NUMBER		
	act container or label with you when calling a poison control center or doctor, or going for	
treatment. For more information on this pesticide product (including health concerns, medical		
emergencies or	pesticide incidents), you may call 1-800-781-4738.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT**. TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on rabbits or animals other than cats. Do not allow your cat to ingest this product. Do not use on kittens under 12 weeks of age. Do not apply to cats weighing less than 3.5 lbs. Use entire contents of [tube][vial][applicator][pipette] on each cat. [Do not split one [tube] [vial] [applicator] [pipette] between two cats.] Do not double-dose cats. Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.

Side Effects: Monitor your cat after application. [Some cats may experience temporary startle effects when any product is applied.] Cats may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your cat for the next 24 hours.

[{Outer Packaging}]

How to open: Remove product [tube][vial](s) from the package. [Separate one tube from the others.] Hold the [tube][vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: While holding the cat with one hand, use the other hand to apply the solution. Invert the [tube][vial][applicator][pipette] and use the narrow end to part the cat's hair. Apply contents of one [tube][vial][applicator][pipette] of [Brand Name] [this product] directly to skin [as a stripe, starting high on the back of the cat's neck to in front of the shoulder blades] [as a

Sergeant's [®] Master Label				
7 DEC15 2 YE EXT	Version 15.1a	EPA Reg. No. 2517-146		
Information in [] is optional.	Page 7 of 10	EPA SAL 1/13/2014		

spot between the shoulder blades]. [This allows for a more direct application to the skin]. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat. When finished, wrap the [tube][vial][applicator][pipette] in paper and put into the trash. Only one [tube][vial][applicator][pipette] per treatment is needed.

FREQUENCY OF APPLICATION

Use [Brand Name] [this product] monthly for control of flea, tick [and] chewing lice [and mosquito] infestations. [Brand Name] [This product] kills fleas for up to six weeks, and flea eggs, flea larvae [and prevents flea pupae] for up to 90 days / 3 months.

Apply monthly, if your cat is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand Name] [This product] kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days.] [Brand Name] [This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube][vial][applicator][pipette] from the pack until ready to use. Store in a cool (below 77°F[/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. [The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer.] Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's][SENTRY]Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.][Distributed by:][Manufactured by:][BAR CODE AREA]Sergeant's Pet Care Products, Inc.Omaha, NE 68138-3710EPA Reg. No. 2517-146EPA Est. No. XXXXX-XXX-XXX

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387) [Coupon(s) inside or on outside of box] [Made in USA] [Patent(s) Pending] 7 DEC15 2 YE EXT Information in [] is optional.

Sergeant's[®] Master Label Version 15.1a Page 8 of 10

EPA Reg. No. 2517-146 EPA SAL 1/13/2014

{START - OPTIONAL INSERT OR PACKAGE COPY}

[How to Apply - May contain graphics illustrating product use, e.g., cat with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

[[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

[Application Instructions][Directions for Use]

[How to Open:

- **1.** Remove product [tube][vial](s) from the package.
- 2. [Separate one tube from the others.] Hold the [tube][vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line].

[How to Apply:

- 1. Invert [tube][vial][applicator][pipette] over cat and use open end to part cat's hair.
- 2. Apply contents of one [tube][vial][applicator][pipette] of {**Brand Name**} [as a stripe, starting high on the back of the cat's neck to in front of the shoulder blades] [as a spot between the shoulder blades]. Squeeze [tube][vial][applicator][pipette] firmly to apply all of the solution to the cat's skin.]

[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy][Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your cat
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment][application] to avoid chance of ingestion
- [6] Do NOT split [tube][vial][applicator][pipette]s between pets][and use the entire [tube][vial][applicator][pipette] contents]

[Brand Name]

[Monthly reminder card]

[Apply [Brand name][this product] monthly for continuous protection against fleas, ticks, flea eggs, flea larvae [and] chewing lice [and mosquitoes].] [Pet's Name (Empty blank for owner to fill in name)] [First [dose] [Treatment] (Empty blank for owner to fill in date)] [Second [dose] [Treatment] (Empty blank for owner to fill in date)] [Third [dose] [Treatment] (Empty blank for owner to fill in date)] [Fourth [dose] [Treatment] (Empty blank for owner to fill in date)] [Fifth [dose] [Treatment] (Empty blank for owner to fill in date)] [Sixth [dose] [Treatment] (Empty blank for owner to fill in date)] [Sixth [dose] [Treatment] (Empty blank for owner to fill in date)] [Seventh [dose] [Treatment] (Empty blank for owner to fill in date)] [Sith [dose] [Treatment] (Empty blank for owner to fill in date)] [Sith [dose] [Treatment] (Empty blank for owner to fill in date)] [Eighth [dose] [Treatment] (Empty blank for owner to fill in date)] [Ninth [dose] [Treatment] (Empty blank for owner to fill in date)]

Sergeant's [®] Master Label				
7 DEC15 2 YE EXT	Version 15.1a	EPA Reg. No. 2517-146		
Information in [] is optional.	Page 9 of 10	EPA SAL 1/13/2014		

[Tenth [dose] [Treatment] (Empty blank for owner to fill in date)]

[Eleventh [dose] [Treatment] (Empty blank for owner to fill in date)]

[Twelfth [dose] [Treatment] (Empty blank for owner to fill in date)]

[calendar stickers with [Brand name]] [Place stickers on your calendar as a reminder to reapply [Brand name][this product] in 30 days.

[Monthly Application Reminder Magnet (image of reminder magnet)

Enclosed for your convenience is an application reminder magnet. Push the (reset) button to start the clock. After 30 days the magnet will flash (and beep) reminding you to reapply [Brand name][this product]. This application reminder can be used for future treatments. Just press the reset button and in another 30 days the reminder magnet will flash (and beep) reminding you to reapply.]

[Optional graphics below may or may not appear anywhere on finished label]



TPIN	Adult Flea	
TPIN	Fleas	
-784	Flea eggs	S
っ	Flea Larvae	
	Flea Pupae	
×	Ticks	
×.	Brown Dog Tick	
×	Deer Tick	
*	American Dog Tick	

Sergeant's [®] Master Label			
7 DEC15 2 YE EXT	Version 15.1a	EPA Reg. No. 2517-146	
Information in [] is optional.	Page 10 of 10	EPA SAL 1/13/2014	
*	Chewing Lice		
*	Lone Star Tick		
J.K.	Mosquitoes		
		BRAND NAME	
UNITED WARRANTY TO CONSUMERS		PIPE STREET	

{END - OPTIONAL INSERT OR PACKAGE COPY}

TUBE / VIAL LABEL

CAT SPOT ON FIPRONIL + PYRIPROXYFEN

{Front Label} {Back Label}			
{Brand Name} KEEP OUT OF REACH OF CHILDRE		CHILDREN	
For Cats \geq 3.5 lb & 12 wks CAUTION: [Read directions and precaution			and precautions
Fipronil 9.8%, Pyriproxyfen 2.2% be		before using. Use scissors to	open.
0.017 fl oz [0.50 mL]	{label code}	EPA REG. No. 2517-146	{label code}
(EDADECIN 1 '4 4 C	1 1 1 1 1)		

{EPA REG No may be on either the front or back label}

{END TUBE / VIAL LABEL}