

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

MAR 2 6 2012

Kelly R. Hoskins Manager of Regulatory Affairs Sergeant's Pet Care Products, Inc. 10077 South 134th Street Omaha, NE 68138-1710

Subject:

Application for Pesticide Notification

EPA Registration Number: 2517-148 Date of Submission: March 13, 2012

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN) 98-10 dated August 19, 2011, for the abovementioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Clayton Myers at (703) 347-8874, or via email at myers.clayton@epa.gov.

Sincerely,

Richard Gebken Product Manager

Insecticide Branch

Registration Division (7505P)

Enclosures:

Copy of Label Stamped "Notification"

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 05-31-98 **OPP** Identifier Number Registration **United States** EPA **Amendment Environmental Protection Agency** Washington, DC 20460 Other Application for Pesticide - Section I 2. EPA Product Manager 1. Company/Product Number 3. Proposed Classification 2517-148 Richard Gebken Company/Product (Name) 5.PM# 10 None Restricted Sergeant's Pet Care Products, Inc. / Sergeant's Fipronil + Etofenprox Spot-On for Cats 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my 5. Name and Address of Applicant (Include ZIP Code) product is similar or identical in composition and labeling to: Sergeant's Pet Care Products, Inc. 10077 South 134th Street Omaha, NE 68138-1710 EPA Reg. No. Product Name Check if this is a new address Section II Final printed labels in response to Agency letter dated XX-XX-XX Amendment - Explain below. "Me Too" Application Resubmission in response to Agency letter dated XX-XX-XX Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Label notification to add optional graphic. Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging 2. Type of Container Unit Packaging Water Soluble Packaging X Yes* X Yes Yes Metal Plastic No If "Yes" No. per If "Yes" No. per Glass Unit Packaging wgt. Container Package wgt. Container *Certification must Paper 0.017 fl oz (0.50 ml) 3.1.6.12 & be submitted multiple vials Other (Specify) Plastic Bag 5. Location of Label Directions 4. Size(s) Retail Container 3. Location of Net Contents Information On Can Label Container 0.017 fl oz (0.50 ml) On Labeling accompanying product Other Lithograph 6. Manner in Which Label is Affixed to Product Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Title Telephone No. (Include Area Code) Name Kelly R. Hoskins Manager of Regulatory Affairs 402-938-7079 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both (Stamped) under applicable law. 2. Signature 3. Title 2 Hochen BY: Manager of Regulatory Affairs 5. Date: 4. Typed Name: 03/13/2012

Kelly R. Hoskins



10077 South 134th Street • Omaha, NE 68138- 3710 • Telephone 402.938.7000 • Fax 402.938.7091 • www.sergeants.com

March 13, 2012

Richard Gebken, PM10
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Document Processing Desk
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject:

Application for Pesticide Notification (Label Revision) for

Sergeant's Fipronil + Etofenprox Spot-on for Cats (EPA Reg. No. 2517-148)

Dear Mr. Gebken:

Sergeant's Pet Care Products, Inc. (Sergeants, 10077 South 134th St, Omaha, NE 68138-1710, EPA Company Number 2517) is submitting a notification of revision to the master label for the end-use product Sergeant's Fipronil + Etofenprox Spot-on for Cats (EPA Reg. No. 2517-148), containing the active ingredients fipronil and etofenprox. The following items are enclosed in support of this notification:

- Application for Pesticide Notification (EPA Form 8570-1); and
- Master Label v. 12.1 (2 copies, 1 with changes highlighted).

Sergeant's is submitting this notification to add an optional marketing claim and a few optional graphics to the label with the appropriate text. This minor label change is being made via notification because it does not affect the dosage, concentration, frequency or method of application or increase the amount of exposure. All changes have been highlighted on the first revised label included in this package.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions regarding this submission, please contact me at 402-938-7079.

Sincerely,

Kelly R. Hoskins

Manager of Regulatory Affairs

Kelly A Hochers

Enclosures

13 March 2012 Notification

Version 12.1

EPA Reg. No. 2517-148

Information in [] is optional.

Page 1 of 8

EPA SAL 2/21/2012

Optional text appears in brackets-the final label may include some or all of the optional text on the front, back or side label panels.]

FRONT PANEL

CAT SPOT ON FIPRONIL+ETOFENPROX

Sergeant's Fipronil + Etofenprox Spot On for Cats

[ABNs:1

[(Sergeant's®) (Sentry®) FRONTIER GOLD (Spot On) for cats]

[(Sergeant's[®]) (Sentry[®]) EctoadvanceTM (Spot On) for cats] [(Sergeant's[®]) (Sentry[®]) FrontspotTM (Spot On) for cats]

[(Sergeant's®) (Sentry®) Firstline (Spot On) for cats]

[(Sergeant's®) (Sentry®) Frontedge (Spot On) for cats]

[(Sergeant's®) (Sentry®) Frontguard™ (Spot On) for cats]

[(Sergeant's[®]) (Sentry[®]) Frontpronil (Spot On) for cats] [(Sergeant's[®]) (Sentry[®]) Fiproline (Spot On) for cats]

[(Sergeant's®) (Sentry®) Advanspot (Spot On) for cats]

[[Sergeant's®][SENTRY®] AdvanSpot PLUS for cats]

[[Sergeant's®][SENTRY®] PRONYL OTCTM Max for cats] [[Sergeant's®][SENTRY®] FIPROGUARDTM Max for cats] NOTIFICATION

MAR 2 6 2012

[Apply to kittens over 12 weeks old]

[Apply to kittens 12 weeks or older]

[For use ONLY on cats [[&][and] kittens 12 weeks or older] OF ALL WEIGHTS]

[For use ONLY on cats] [of ALL weights] [over 12 weeks of age]

[Mosquitoes]

[•Kills mosquitoes]

[Chewing Lice]

[•Kills chewing lice]

[•Fast Action against chewing lice infestations]

[Adult Fleas]

[• [Full or Partial Brand Name] kills adult fleas for up to six weeks]

[•Kills Fleas [Up to [4] [6] weeks]!]

[•Kills Fleas that may cause flea allergy dermatitis, flea bite anemia, and tapeworm infestation]

[•Stops and prevents reinfestation]

[•Controls flea reinfestation [for up to six weeks]]

[• [Full or Partial Brand Name] kills adult fleas for up to six weeks]

[•If cat is a high risk for flea reinfestation a once month application may be needed]

[•Prevents and controls reinfestations]

[Ticks]

[•Kills Ticks including those that may transmit Lyme disease]

[•Kills Ticks for Up to [4 weeks]!]

[•Kills Deer Ticks (which may transmit Lyme disease) for up to [4 weeks] [1 month][30 days]]

13 March 2012 Notification

Version 12.1

EPA Reg. No. 2517-148

Information in [] is optional.

Page 2 of 8

EPA SAL 2/21/2012

[•Kills Ticks (Including Deer Ticks) for up to 4 weeks]

[•Kills [American Dog Ticks for up to 4 weeks]]

[•Kills [Brown], [American] [and Lone Star] dog ticks for up to 4 weeks]

[•Kills American Dog Ticks [(Dermacentor variabilis)] for up to 4 weeks!]

[Multiple Infestations]

[(Full or Partial Brand Name) provides convenient and effective flea, tick, [and] chewing lice [and mosquito] control for cats and kittens [12 weeks or older]]

[•Controls reinfestation for up to four weeks]

[• Flea & Tick Control for Cats & Kittens 12 weeks or older]

[•Kills fleas, ticks, [&] chewing lice [& mosquitoes]]

[•Kills fleas, ticks, [mosquitoes,] and chewing lice]

[•Monthly flea, tick, [mosquito] and chewing lice protection]

[•[4 Week] [Flea and Tick Treatment]]

[•[Four (4) Week] [Flea Tick, [Mosquito] and Chewing Lice Control]]

[•[Four] [4][Three][3] Way Pest Protection]

[•Once A Month Flea and Tick Treatment]

[•Kills Fleas and Ticks for up to 4 weeks!]

[•Starts to kill fleas and ticks in an hour, continues to kill for a month]

[•Kills [fleas] in 4 hours [and] [ticks in one hour]]

[[Full or Partial Brand Name] kills fleas in 4 hours and Dermacentor ticks in one hour]

[•Kills ticks in 1 hour]

[•Kills fleas and ticks in [24 hours] [1 day]]

[•Starts killing fleas and ticks in as little as 1 hour]

[All Others]

[•Stops and prevents infestations]

[•Prevents and controls reinfestations for 30 days]

[•For Cats and Kittens 12 weeks of age or older]

[•Fast Acting]

[•Cats can be bathed 24 hours after treatment]

[•Waterproof]

[•Long Lasting]

[•One Application] [Two Applications] [Three Applications] [Four Applications] [Five Applications] [Six Applications] [Twelve Applications] [Twenty-Four Applications] and/or [1 Month Supply] [Two Month Supply] [3 Month Supply] [Four Month Supply] [Five Month Supply] [6 Month Supply] [12 Month Supply] [X Month Supply] or [4 Week Supply] [8 Week Supply] [12 Week Supply] [16 Week Supply] [Twenty Week Supply] [24 Week Supply] [48 Week Supply] [52 Week Supply] [104 Week Supply]

[Best if used year round!]

[• (ICON Showing 4 Week Protection)]

[• 4 Week Dose!]

[• 1 Month Dose!]

[• Easy to Use Application]

[• Specially Formulated for Cats and Kittens [12 weeks or older]]

[• [Free] Calendar Stickers Inside!]

[• [Free] Brochure Inside!]

13 March 2012 Notification

Version 12.1

EPA Reg. No. 2517-148 EPA SAL 2/21/2012

Information in [] is optional.

Page 3 of 8

[• [Free] Brochure and Calendar Stickers Inside]
[• Apply once every [4 weeks] [month] [30 days]!]

[• Convenient to use]

[• [Free with purchase] [Free inside] Monthly Application Reminder [Magnet] [clip] [insert]]

[Patent Pending]

[•[1][2][3][4][5][6][12][24] Applications]

ACTIVE INGREDIENTS:

Fipronil	9.80%
Etofenprox	15.00%
OTHER INGREDIENT[**]	
TOTAL:	100.00%

[**diethylene glycol monoethyl ether]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Side] [or] [Back] [Panel] For Additional Precautionary Statements

NET CONTENTS:

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four] 0.017 fl oz [0.50 ml] applicators

[BACK/SIDE CARTON LABEL - MASTER LABEL]

[Full or Partial Brand Name] contains Fipronil and Etofenprox to effectively kill fleas, ticks, [mosquitoes] and chewing lice. The active ingredients in [Full or Partial Brand Name] features a sustained-release formula developed for fast-acting [and long-lasting] control of fleas, ticks, [mosquitoes] and chewing lice [for 30 days] on cats [and kittens 12 weeks or older].

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS AND KITTENS OVER 12 WEEKS OF AGE.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Harmful if swallowed. Harmful if absorbed through skin.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on kittens under 12 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian

13 March 2012 Notification Information in [] is optional.

Version 12.1 Page 4 of 8 EPA Reg. No. 2517-148 EPA SAL 2/21/2012

before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-224-PETS [7387] for 24-hour assistance.

eye. Call a poison control center or doctor for further treatment advice. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.	FIRST AID		
Clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.	If In Eyes	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor 		Rinse skin immediately with plenty of water for 15-20 minutes.	
 Do not give anything by mouth to an unconscious person. 	If Swallowed		

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

FOR EXTERNAL USE ON CATS ONLY. Do not use on kittens under 12 weeks of age. Use entire contents of tube [vial] on each cat. [Do not split tubes between cats.] [Do not use multiple tubes on one cat.] Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. **Best if used year round**. Consult a veterinarian before using this product on debilitated, aged, medicated cats. Consult a veterinarian before using on cats with known organ dysfunction. Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied. Cats and dogs that actively groom or engage in close physical contact with treated cat may be at risk of serious harmful effects. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your pet for the next 24 hours.

Sensitivities may occur after using ANY pesticide product on cats. If signs of sensitivity occur bathe your cat with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately by calling 1-800-781-4738.

13 March 2012 Notification Information in [] is optional.

Version 12.1 Page 5 of 8

EPA Reg. No. 2517-148 EPA SAL 2/21/2012

[Optional diagram may or may not appear anywhere on the finished label]









[{Outer Packaging}]

How to open: Remove product tube(s) [vial] from the package. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: While holding the cat with one hand, use the other hand to apply the solution. Invert the tube [vial] and use the narrow end to part the cat's hair. Apply contents of one tube [vial] of {Full or Partial Brand Name} [as a stripe, starting high on the back of the cat's neck to in front of the shoulder blades] [as a spot between the shoulder blades]. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat. When finished, wrap the tube [vial] in paper and put into the trash. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Use [Full or Partial Brand Name] monthly for complete control of flea, tick [and] chewing lice [and mosquito] infestations. [Full or Partial Brand Name] kills fleas for up to six weeks. Apply monthly, if your pet is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Full or Partial Brand Name] kills mosquitoes within 24 hours for up to 14 days, and within 48 hours for up to 28 days.] [Full or Partial Brand Name] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F[/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. [The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer.] Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with

13 March 2012 Notification

Version 12.1

EPA Reg. No. 2517-148 EPA SAL 2/21/2012

Information in [] is optional.

Page 6 of 8

applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-FETS (7387 [Made in USA]

Distributed by: Sergeant's Pet Care Products, Inc. P.O. Box 540399 Omaha, NE 68154-0399 EPA Reg. No. 2517-148 EPA Est. No. XXXXX -XX -XXX

[BAR CODE AREA

{START - OPTIONAL INSERT OR PACKAGE COPY}

[• How to Apply - May contain graphics illustrating product use, e.g., cat with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

[Application Instructions][Directions for Use] [How to Open:

- 1. Remove product tube(s) [vial] from the package.
- 2. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

- 1. Invert tube over cat and use open end to part cat's hair.
- 2. Apply contents of one tube [vial] of {Full or Partial Brand Name} [as a stripe, starting high on the back of the cat's neck to in front of the shoulder blades [as a spot between the shoulder blades]. Squeeze tube firmly to apply all of the solution to the cat's skin.]

[Optional diagram may or may not appear anywhere on the finished label]










13 March 2012 Notification Information in [] is optional.

Version 12.1 Page 7 of 8 EPA Reg. No. 2517-148 EPA SAL 2/21/2012

[Flea life cycle diagram]



[Easy][Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your pet
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after treatment to avoid chance of ingestion
- [6] Do NOT split tubes between pets][and use the entire tube contents]

[Full or Partial Brand Name]

[Monthly reminder card]

[Apply [Full or Partial Brand Name] monthly for continuous protection against fleas, ticks [and] chewing lice [and mosquitoes].]

[Pet's Name (Empty blank for owner to fill in name)]

[First [dose] [Treatment] (Empty blank for owner to fill in date)]

[Second [dose] [Treatment] (Empty blank for owner to fill in date)]

[Third [dose] [Treatment] (Empty blank for owner to fill in date)]

[Fourth [dose] [Treatment] (Empty blank for owner to fill in date)]

[Fifth [dose] [Treatment] (Empty blank for owner to fill in date)]

[Sixth [dose] [Treatment] (Empty blank for owner to fill in date)]

[Seventh [dose] [Treatment] (Empty blank for owner to fill in date)]

[Eighth [dose] [Treatment] (Empty blank for owner to fill in date)]

[Ninth [dose] [Treatment] (Empty blank for owner to fill in date)]

[Tenth [dose] [Treatment] (Empty blank for owner to fill in date)]

[Eleventh [dose] [Treatment] (Empty blank for owner to fill in date)]

[Twelfth [dose] [Treatment] (Empty blank for owner to fill in date)]

[X [dose] [Treatment] (Empty blank for owner to fill in date)]

[calendar stickers with Full or Partial Brand Name] [Place stickers on your calendar as a reminder to reapply [Full or Partial Brand Name] in 30 days.]

[Monthly Application Reminder Magnet (image of reminder magnet)

Enclosed for your convenience is an application reminder magnet. Push the (reset) button to start the clock. After 30 days the magnet will flash (and beep) reminding you to reapply [Full or Partial Brand Name]. This application reminder can be used for future treatments. Just press the reset button and in another 30 days the reminder magnet will flash (and beep) reminding you to reapply.]


11/11

Sergeant's® Master Label

13 March 2012 Notification Information in [] is optional.

Version 12.1 Page 8 of 8 EPA Reg. No. 2517-148 EPA SAL 2/21/2012

[Optional graphics which may or may not appear anywhere on the finished label]



{END - OPTIONAL INSERT OR PACKAGE COPY}[TUBE] [VIAL] LABEL

Front Label	Back Label	
{Brand Name} [For use only on cats/kittens	KEEP OUT OF REACH OF CHILDREN	
12 weeks or older]	CAUTION: Read directions and precautions	
Fipronil 9.8% w/w, Etofenprox 15% w/w	before using. Use scissors to open.	
0.017 fl oz [0.50 mL] {label code}	EPA REG. No. 2517-148 {label code}	