

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 17, 2014

Ms. James Messina Agent for Sergeant's Pet Care Products, Inc. c/o Exponent 1150 Connecticut Avenue, Suite 1100 Washington, DC 20036-4127

Dear Mr. Messina

Subject: Acceptance of Updated Master Label (D483860)
Sergeant's Fipronil + Cyphenothrin (8.2%) + Methoprene
Squeeze-On for Dogs
EPA Registration Number 2517-149
Your submissions dated September 30, 2013 and June 16, 2014

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

Please note that this letter does not supersede anything contained within the Agency's original conditions of acceptance detailed in the Agency's letter dated April 25, 2012.

A stamped label is enclosed for your records.

If you have any questions you may contact Linda A. DeLuise at 703.305.5428.

Sincerely yours,

Richard Gebken Product Manager (13)

Insecticide Branch

Registration Division (7505P)

Col.

Enclosure

16 June 2014 DER Response

Version 14.1

Page 1 of 11

Information in [] is optional

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in { } is a note to the reviewer

FRONT PANEL

{Optional text appears in brackets-the final product label may include some or all of the optional text on front, back or side panels. The CRP required text will not change.}

Sergeant's Fipronil + Cyphenothrin (8.2%) + Methoprene Squeeze-On for Dogs

{ABNs}

[Sentry® Vet for for Dogs]

[Sentry® FiproGuard® Max for Dogs]

[Sentry® FiproGuard® Max II for Dogs]

[Sentry® FiproGuard® Max III for Dogs]

[Sentry® FiproGuard® Max Advanced for Dogs]

[Sentry® FiproGuard® Max + for Dogs]

[Sentry® FiproGuard® Max Plus for Dogs]

[PetArmor Pro Advanced Ticks for Dogs]

[PetArmor-Pro-Advanced for Dogs] -

[PetArmor Pro Max for Dogs]

[PetArmor Pro Advanced II for Dogs]

[PetArmor Plus Advanced Ticks for Dogs]

ACCEPTED

JUN 17 2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg No. 2517 149

[1.5cm x 1.5cm on final or as below]



For use ONLY on dogs [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] {OR} For use ONLY on dogs [&][and] puppies 4[-] [to] 22 lbs and over 12 weeks of age] {OR} ONLY For Dogs [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] {OR} ONLY For Dogs & Puppies 12 weeks or older [&][and] 4[-][to] 22 lbs

[Mosquitoes]

[Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days]

[Chewing Lice]

[Kills chewing lice]

[Rapid elimination of chewing lice infestations]

[A once monthly application is recommended for chewing lice]

[Fleas]

[Kills fleas]

[Kills adult fleas [(starts to kill in as little as [5 minutes][15minutes][1 hour])]]

[Kills adult fleas [(starts killing in as little as [5 minutes][15 minutes][1 hour])]]

[Kills newly emerged adult fleas [(starts killing in as little as [5 minutes][15 minutes][1 hour])] before they lay eggs]

16 June 2014 DER Response

Version 14.1

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in [] is optional

Information in { } is a note to the reviewer Page 2 of 11

[Kills newly emerged adult fleas [(starts to kill in as little as [5 minutes][15 minutes][1 hour])] before they lay eggs]

[Prevents all flea stages (adult fleas [(starts killing in as little as 1 hour)], flea eggs, and flea larvae)]

[Prevents all flea stages (adult fleas [(starts killing in as little as [5 minutes)], flea eggs, and flea larvae)]

[If dog is a high risk for flea re-infestation a once month application may be needed]

[If dog is at high risk of flea infestation or reinfestation, apply monthly]

[With (S)-methoprene Insect Growth Regulator which Breaks the Flea Life Cycle]

[With (S)-methoprene to Break Flea Life Cycle]

[With Insect Growth Regulator to Break Flea Life Cycle]

[Triple Action [!]:Fipronil and Cyphenothrin with (S)-methoprene IGR Effectively Breaks the Flea Life Cycle]

[Triple Action [!]: Effectively Breaks the Flea Life Cycle[!]]

[Kills fleas [(starts killing in as little as1 hour)] [up to 4 weeks][1 month][30 days]!]

[Kills Flea Eggs & Flea Larvae [for 2 months]]

[Prevents Flea Eggs From Developing Into Biting Adults]

[Starts killing fleas in [just] [5 minutes][15 minutes][1 hour] [after application]]

[Starts-to-kill-fleas-in [just] [5-minutes][15 minutes][1 hour] [after application]]

[Quickly kills fleas]

[Stops and prevents reinfestation]

[Kills fleas, which may be a source of flea allergy dermatitis][(and)(or) flea bite anemia][(and) (or) tapeworm)]

[Ticks]

[Kills ticks]

[Starts killing ticks in [just] [5 minutes][15 minutes][1 hour] [after application]]

[Starts to kill ticks in [just] [5 minutes][15 minutes][1 hour] [after application]]

[Quickly kills ticks]

[Kills ticks including those that may transmit Lyme disease]

[Kills Ticks [(starts killing in as little as 1 hour)] [for up to 4 weeks][1 month][30 days]!]

[Kills [all stages of] deer ticks (which may vector Lyme disease) for up to [4 weeks][1 month][30 days][per application]]

[Kills Ticks including Deer Ticks for up to 4 weeks]

[Kills Brown Dog Ticks [(starts killing in as little as [5 minutes][15 minutes] [1 hour])]]

[Kills [brown dog ticks] [(*Rhipicephalus sanguineus*)], [American dog ticks,] [and] [lone star ticks], [and deer ticks] [for up to [4 weeks] [1 month] [30 days]]]

[Kills Rhipicephalus sanguineus for up to 4 weeks]

[Kills American Dog Ticks [(Dermacentor variabilis)] for up to 4 weeks!]

[Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis and anaplasmosis]

[Multiple Infestations]

[Starts killing fleas and ticks in [just] [5 minutes][15 minutes][1 hour] [after application]] [Starts to kill fleas and ticks in [just] [5 minutes][15 minutes][1 hour]] [after application]] [Kills fleas and ticks [after application]]

4/12

Sergeant's Master Laber

16 June 2014 DER Response

Version 14.1

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in [] is optional

Information in { } is a note to the reviewer Page 3 of 11

[Quickly kills fleas and ticks]

[Kills chewing lice and aids in control of mites that may cause sarcoptic mange]

[Aids in control of sarcoptic mange mites]

[Flea & Tick Control for Dogs & Puppies 12 weeks old and older]

[Kills fleas [(starts killing in as little as [5 minutes][15 minutes][1 hour])], flea eggs, ticks [(starts killing in as little as [5 minutes][15 minutes][1 hour])], [&]chewing lice [& mosquitoes]][and prevents development of flea pupae]

[Kills fleas, [and] ticks [and mosquitoes]]

[Kills fleas [(starts killing in as little as [5 minutes][15 minutes][1 hour])], ticks [(starts killing in as little as [5 minutes][15 minutes][1 hour])], [mosquitoes], chewing lice, flea eggs, and larvae] [Monthly flea, tick, mosquito, chewing lice, and flea egg protection]

[Monthly flea, tick, mosquito and chewing lice protection]

[Kills fleas and ticks ([starts killing][starts to kill] in as little as [5 minutes][15minutes][1 hour]), [kills] [mosquitoes], flea eggs, and lice]

[[Seven] [7][Six][6] [Five][5]Way [Action] [Effectiveness] [Control] to kill fleas, ticks,

[mosquitoes,] chewing lice, flea eggs, [&][and] flea larvae [&] [and][prevent the development of flea pupae]]

[[Six] [6] [Five][5][Four][4]Way [Action] [Effectiveness] [Control] to kill fleas, ticks,

-[mosquitoes,-]-chewing lice, [&][and]flea-eggs-[&]-[and] flea larvae]

[[4 Week] [Flea and Tick & Treatment]]

[[Four (4) Week] [Flea, Tick, Mosquito and Chewing Lice Control]]

[When used monthly [Brand name][this product] completely breaks the flea life cycle and controls tick and chewing lice infestations.]

[4 week Flea and Tick Treatment!]

[Once A Month Flea and Tick Treatment]

[Kills Fleas and Ticks ([starts killing][starts to kill] in as little as [5 minutes][15 minutes][1

hour]) [and kills mosquitoes] for up to 4 weeks!]

[Prevents and controls reinfestations of listed pests for up to [1 month] [4 weeks]]

[All Others]

[For [Small] Dogs 4 to 22 lbs]; [For [Medium] Dogs 23-44 lbs]; [For [Large] Dogs 45-88 lbs];

[For [Extra Large] Dogs 89-132 lbs]

[Apply to puppies over 12 weeks old]

[Apply to puppies 12 weeks or older]

[Fast Acting]

[Waterproof][Water resistant]

[Effective after bathing, [swimming,] and exposure to water and sunlight]

[Long Lasting]

[Apply monthly]

[A once monthly application is required [apply monthly to control] [for] chewing lice.]

[[Three Applications]and/or [3 Month Supply] or [12 Week Supply]]

[Best (if) (when) used year round!]

[4 Week Dose!]

[(ICON Showing 4 Week Protection)]

[1 Month Dose!]

[Easy to Use Application]

[Specially Formulated for Dogs and Puppies Over 12 Weeks]

5/12

Sergeant's Master Laber

16 June 2014 DER Response

Version 14.1

Page 4 of 11

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in [] is optional

Information in { } is a note to the reviewer

[[Free] Calendar Stickers Inside[!]]

[One Applications][Two Applications][Three Applications][Four Applications][Five Applications][Six Applications][Twelve Applications][Twenty-Four Applications] and/or [1]

Month Supply][Two Month Supply][3 Month Supply][Four Month Supply][Five Month Supply][6 Month Supply][12 Month Supply][24 Month Supply] or [4 Week Supply][8 Week

Supply][12 Week Supply][16 Week Supply][20 Week Supply][24 Week Supply][48 Week

Supply][52 Week Supply][104 Week Supply]

[Apply once every 4 weeks!]

[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet]]

[Effective after bathing and exposure to water and sunlight]

[[1][2][3][4][5][6][12][24] Applications]

[Fiponil (9.8%) + cyphenothrin (8.2%) + s-methoprene (8.8%)]

[US and Foreign patents pending]

[Lift [here] for more information]

[For year round protection, apply [Brand name][this product] monthly]

[[Brand Name] is a registered trademark of Sergeant's Pet Care Products, Inc.]

[Direct to skin [tube][vial][applicator][pipette]]

[Easy to Use] [tube][vial][applicator][pipette]]

[Clean-cut-[open]-[tube][vial][applicator][pipette]]

[No-mess [open] [tube][vial][applicator][pipette]]

[Clip-tip design [tube][vial][applicator][pipette][!]]

[Satisfaction Guaranteed]

[If you are not satisfied, we will make it right with a replacement or refund.]

ACTIVE INGREDIENTS:

Fipronil	9.80%
Cyphenothrin	
(S)-methoprene	
OTHER INGREDIENTS[*]	
TOTAL:	100.00%

[*diethylene glycol monoethyl ether, vitamin E nicotinate]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

NET CONTENTS: X fl. oz. [Y - X fl. oz. applicators]

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

0.023 fl. oz. (0.67 mL) [tube][vial][applicator][pipette](s)

0.045 fl. oz. (1.34 mL) [tube][vial][applicator][pipette](s)

0.091 fl. oz. (2.68 mL) [tube][vial][applicator][pipette](s)

0.136 fl. oz. (4.02 mL) [tube][vial][applicator][pipette](s)

16 June 2014 DER Response Information in [] is optional

Version 14.1

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in { } is a note to the reviewer

Page 5 of 11

BACK/SIDE CARTON LABEL

DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN (8.2%) +METHOPRENE

[Brand name] [This product] contains fipronil, cyphenothrin, and the insect growth regulator (IGR) (S)-methoprene to effectively kill fleas [(starts killing in as little as 1 hour)], ticks [(starts killing in as little as 1 hour)], and kills [mosquitoes] [and] chewing lice.

[[Brand name][This product] contains fipronil, cyphenothrin and the insect growth regulator (IGR) (S)-methoprene to effectively kill fleas [(starts killing in [5 minutes)], ticks [(starts killing in [5 minutes)], and kills [mosquitoes] [and] chewing lice.] The active ingredients in [Brand name][this product] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4] [four] weeks] on dogs.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE.

-PRECAUTIONARY-STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or are being treated for skin dermatitis, talk to your vet before applying any topical flea and tick control product.

FIRST AID				
If In Eyes				
f,	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsin eye.			
	Call a poison control center or doctor for further treatment advice.			
If On Skin	Take off contaminated clothing.			
Or Clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.			
	Call a poison control center or doctor for treatment advice.			
If Swallowed	wed • Immediately call a poison control center or doctor.			
	• Do not induce vomiting unless told to do so by a poison control center or doctor.			
	• Have person sip a glass of water if able to do so.			
	Do not give anything by mouth to an unconscious person.			

16 June 2014 DER Response

Version 14.1

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in [] is optional
Information in [] is a note to the reviewer

Page 6 of 11

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs. Do not allow your dog to ingest this product. Do not use on puppies under 12 weeks of age or less than [4][23][45][89] lbs. Use entire contents of [tube] [vial] [applicator][pipette] on each dog. [Do not split one [tube] [vial] [applicator][pipette] between dogs.] Do not use multiple [tube] [vial] [applicator][pipette]s on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

SIDE EFFECTS. Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.

[1.5 cm x 1.5 cm on final or as below]



DO NOT USE ON CATS. May be toxic and POTENTIALLY FATAL if applied to or ingested by a cat. Keep cats away from treated dogs for 24 hours. Cats that actively groom or engage in close physical contact with treated dog may be at risk of serious harmful effects. Cats exhibiting signs of ingestion such as excessive salivation and foaming at the mouth should be taken to the veterinarian immediately.

{Outer Packaging}

How to open: Remove product tube[s] [vial] from the package. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

7/12

16 June 2014 DER Response Information in [] is optional

Version 14.1

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in { } is a note to the reviewer Page 7 of 11

How to apply: Invert [tube] [vial] [applicator][pipette] over dog and use open end to part dog's hair. Squeeze [tube] [vial] [applicator][pipette] firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made if necessary, but do not apply more often than once every 30 days.

Only For Dogs Weighing 4[-][to]22 lbs. Do not use on dogs less than 4 lbs [including small dogs and puppies, 12 weeks or older] {For cartons containing 0.67 mL (0.023 fl. oz.) [tube] [vial] [applicator][pipette]s} Apply one [tube] [vial] [applicator][pipette] (0.67 mL)(0.023 fl. oz.) [directly to skin] [as a spot [on][to] the dog's back between the shoulder blades][[as a stripe, starting] from the back of the neck to a point midway between the neck and tail].][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing Between 23[-][to]44 lbs. Do not apply to dogs less than 23 lbs. {For cartons containing 1.34 mL (0.045 fl. oz.) [tube] [vial] [applicator][pipette]} Apply one [tube] [vial] [applicator][pipette] (1.34 mL) (0.045 fl. oz.) [as a spot [on][to] the dog's back between the shoulder blades] [[as a stripe, starting]from the back of the neck to a point midway-between-the neck and tail].][as a [stripe][line] starting [at the middle-of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing Between 45[-][to]88 lbs. Do not apply to dogs less than 45 lbs. {For cartons containing 2.68 mL (0.091 fl. oz.) [tube] [vial] [applicator][pipette]} Apply one [tube] [vial] [applicator][pipette] (2.68 mL)(0.091 fl. oz.) [as a spot[on][to] the dog's back between the shoulder blades] [[as a stripe, starting]from the back of the neck to a point midway between the neck and tail].][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

Only For Dogs Weighing 89[-][to]132 lbs. Do not use two [tube] [vial] [applicator][pipette]s on dogs greater than 132 lbs. {For cartons containing 4.02 mL (0.136 fl. oz.) [tube] [vial] [applicator][pipette]}

Apply one [tube] [vial] [applicator][pipette] (4.02 mL)(0.136 fl. oz.) [as a spot [on][to] the dog's back between the shoulder blades] [[as a stripe, starting]from the back of the neck to a point midway between the neck and tail].][as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.]

FREQUENCY OF APPLICATION

Use [Brand name][this product] monthly for complete control of flea, tick [and] chewing lice [and to kill [mosquitoes]] [infestations]. [Studies show that] [Brand name][this product] kills fleas ([starts killing][starts to kill] in as little as [5 minutes][15 minutes][1 hour][after application]) for up to three months. If your pet is at high risk for flea reinfestation [, or in a highly infested environment], apply monthly. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand name][This product] kills [mosquitoes] within 24 hours for up to the first

8/12

9/12

Sergeant's Master Laber

16 June 2014 DER Response Information in [] is optional

Version 14.1

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in { } is a note to the reviewer

Page 8 of 11

7 days after treatment, then within 48 hours for up to 28 days.] [Brand name][This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days [4 weeks].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] [applicator][pipette] from the pack until ready to use. Store in a cool [below 77°F[/] (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown-factors.—All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [[Sergeant's][SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.] [XXXX]]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-PETS (7387) [Made in USA]

[Distributed by:][Manufactured by:] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710

[BAR CODE AREA] EPA Reg. No. 2517-149 EPA Est. No. XXXXX-XXX

[How to Apply - May or may not contain optional graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

[{Outer Packaging}]

[[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

16 June 2014 DER Response

Version 14.1

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in [] is optional
Information in { } is a note to the reviewer


Page 9 of 11


[Application Instructions] [Directions for Use] How to open:


- 1. Remove product tube [vial] from the package.
- 2. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.]

How to apply:

- 1. Invert [tube] [vial] [applicator] [pipette] over dog and use open end to part dog's hair.
- 2. Squeeze [tube] [vial] [applicator][pipette] firmly to apply all of the solution to the dog's skin [as a spot [on][to] the dog's back between the shoulder blades.] [or] [[as a stripe, starting] from the back of the neck to a point midway between the neck and tail.]








{Optional graphics above that may or may not appear anywhere on final labeling.}

[Flea life cycle diagram] [Flea Life Cycle][Sample coloring and layout may be different on final label]



[Look at the Label (Look at the Label icon) [Easy] 6 Step [Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment][application] to avoid chance of ingestion

16 June 2014 DER Response

Version 14.1

EPA Reg. No. 2517-149 EPA SAL 04/25/2012

Information in [] is optional

Information in { } is a note to the reviewer Page 10 of 11

• [6] Do NOT split [tube] [vial] [applicator][pipette]s between pets[and use the ENTIRE [tube] [vial] [applicator][pipette] contents]

[Brand name]

[1][2][3][4][5][6][12][24][Month [Application] Tracker]

[For year-round protection, apply [Brand name][this product] monthly.]

[Pet's Name (Empty blank for owner to fill in name)]

[First][1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth] [8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th]

[Dose] [Treatment] [Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)] [calendar stickers with [brand name]]

[Place stickers on your calendar as a reminder to reapply [Brand name][this product][in 30 days.] [Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand name][this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

The	Fleas	
Total	Adult Flea	
75-	Flea eggs	&
つ	Flea Larvae	3
	Flea Pupae	
*	Ticks	
*	Brown Dog Tick	
*	Deer Tick	
*	American Dog Tick	®
*	Chewing Lice	(
*	Lone Star Tick	®
7	Mosquitoes	

16 June 2014 DER Response

Version 14.1

Information in [] is optional

Information in { } is a note to the reviewer Page 11 of 11

EPA Reg. No. 2517-149 EPA SAL 04/25/2012



Mite



{Optional graphics above and below may or may not appear anywhere on finished label}































TUBE/VIAL LABEL DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN (8.2%) **#Methoprene**

-Front-Label-

- Back Label -KEEP OUT OF REACH OF CHILDREN

CAUTION: Read directions and precautions before using. Use scissors to open. Use entire contents.

EPA REG. No. 2517-149

{label code}

{Brand Name} For Dogs [X-Y] lbs ≥ 12 wks Fipronil 9.8%, Cyphenothrin 8.2%, (S)methoprene 8.8% 0.023 fl. oz. (or) 0.045 fl. oz. (or) 0.091 fl. oz. (or) 0.136 fl. oz. {label code}

{END TUBE/VIAL LABEL}