



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505T)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

2517-150

Date of Issuance:

4/30/25

Term of Issuance:

Conditional, Time-Limited
Expires: 1/27/2027

Name of Pesticide Product:

Sergeant's Fipronil + Cyphenothrin
(8.2%) + Pyriproxyfen Squeeze-On
for Dogs

Name and Address of Registrant (include ZIP Code):

Sergeant's Pet Care Products, LLC
10077 South 134th Street
Omaha, NE 68138-3710

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

The Agency, in accordance with FIFRA, as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Cyphenothrin Interim Decision. The Agency has concluded that your submission is acceptable.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Continues page 2

Signature of Approving Official:

Debra Rate, Senior Regulatory Specialist
Invertebrate-Vertebrate Branch 2, Registration Division (7505T)

Date:

4/30/25

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.
2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 1/27/2027.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 04/25/2012.
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 4/20/2018
- Alternate CSF 1 dated 09/30/2013

If you have any questions, please contact Debra Rate at (202) 566-2867 or at rate.debra@epa.gov.

Attachment

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 1 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

{Text in brackets [] is optional, one option will appear on the market label - Text in parenthesis () is essential information, will appear on the label - Text in braces { } is information/note to reviewer, will not appear on the market label}

Sergeant's Fipronil + Cyphenothrin (8.2%) + Pyriproxyfen Squeeze-On for Dogs

{Market label - the word 'Dog' will be at least 40-75% in height of the largest letter in the primary brand name}

{Market label - a large, clear picture of a dog in the respective weight range will be on the front panel of the product as packaged}

Sublabel A: Direct to Consumer Packaging Option

{FRONT PANEL}

{One of the statements below will appear prominently in a box on the front panel}

For use ONLY on Dogs [&] [and] [Puppies] [23 [-] [to] 44 lbs] [45 [-] [to] 88 lbs] [89 [-] [to] 132 lbs] [and] [&] 12 weeks or older

{OR}

For use ONLY on [Small] Dogs [&] [and] [Puppies] 4 [-] [to] 22 lbs [and] [&] 12 weeks or older

{OR}

ONLY For Dogs [&] [and] [Puppies] [23 [-] [to] 44 lbs] [45 [-] [to] 88 lbs] [89 [-] [to] 132 lbs] [and] [&] 12 weeks or older

{OR}

ONLY For [Small] Dogs [&] [and] [Puppies] 4 [-] [to] 22 lbs [and] [&] 12 weeks or older

{A minimum of 1.5 cm x 1.5 cm icon as indicated black cat, black text, red circle and line through cat, on white background to ensure easy spotting, in lower right-hand corner of front label panel}




ACTIVE INGREDIENTS:

Fipronil.....9.80%
Cyphenothrin.....8.20%
Pyriproxyfen.....2.00%
OTHER INGREDIENTS[*].....80.00 %

TOTAL 100.00%

[*diethylene glycol monoethyl ether, vitamin E nicotinate]



KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back and Side Panels for First Aid, Directions for Use and Additional Precautionary Statements {or}

See Back Panel and Inside the Front Flap for First Aid, Direction for Use and Additional Precautionary Statements

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1

Page 2 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

NET CONTENTS:

[1][One] [2][Two] [3][Three] [4][Four] [5][Five] [6][Six] [7][Seven] [8][Eight] [9][Nine] [10][Ten]
[11][Eleven] [12][Twelve] [24][Twenty-Four]

{For Dog Weighing 4-22 lbs.}

1 - 0.023 fl oz (0.67 mL) [tube] [vial]
0.045 fl oz (1.34 mL), 2 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.068 fl oz (2.01 mL), 3 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.091 fl oz (2.68 mL), 4 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.113 fl oz (3.35 mL), 5 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.136 fl oz (4.02 mL), 6 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.159 fl oz (4.69 mL), 7 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.181 fl oz (5.36 mL), 8 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.204 fl oz (6.03 mL), 9 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.227 fl oz (6.70 mL), 10 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.249 fl oz (7.37 mL), 11 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.272 fl oz (8.04 mL), 12 - 0.023 fl oz (0.67 mL) [tubes] [vials]
0.544 fl oz (16.08 mL), 24 - 0.023 fl oz (0.67 mL) [tubes] [vials]

{For Dog Weighing 23-44 lbs.}

1 - 0.045 fl oz (1.34 mL) [tube] [vial]
0.091 fl oz (2.68 mL), 2 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.136 fl oz (4.02 mL), 3 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.181 fl oz (5.36 mL), 4 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.227 fl oz (6.70 mL), 5 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.272 fl oz (8.04 mL), 6 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.317 fl oz (9.38 mL), 7 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.362 fl oz (10.72 mL), 8 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.408 fl oz (12.06 mL), 9 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.453 fl oz (13.40 mL), 10 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.498 fl oz (14.74 mL), 11 - 0.045 fl oz (1.34 mL) [tubes] [vials]
0.544 fl oz (16.08 mL), 12 - 0.045 fl oz (1.34 mL) [tubes] [vials]
1.087 fl oz (32.16 mL), 24 - 0.045 fl oz (1.34 mL) [tubes] [vials]

{For Dog Weighing 45-88 lbs.}

1 - 0.091 fl oz (2.68 mL) [tube] [vial]
0.180 fl oz (5.36 mL), 2 - 0.091 fl oz (2.68 mL) [tubes] [vials]
0.270 fl oz (8.04 mL), 3 - 0.091 fl oz (2.68 mL) [tubes] [vials]
0.362 fl oz (10.72 mL), 4 - 0.091 fl oz (2.68 mL) [tubes] [vials]
0.453 fl oz (13.40 mL), 5 - 0.091 fl oz (2.68 mL) [tubes] [vials]
0.544 fl oz (16.08 mL), 6 - 0.091 fl oz (2.68 mL) [tubes] [vials]
0.634 fl oz (18.76 mL), 7 - 0.091 fl oz (2.68 mL) [tubes] [vials]
0.725 fl oz (21.44 mL), 8 - 0.091 fl oz (2.68 mL) [tubes] [vials]
0.816 fl oz (24.12 mL), 9 - 0.091 fl oz (2.68 mL) [tubes] [vials]
0.906 fl oz (26.80 mL), 10 - 0.091 fl oz (2.68 mL) [tubes] [vials]
0.997 fl oz (29.48 mL), 11 - 0.091 fl oz (2.68 mL) [tubes] [vials]

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1

Page 3 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

1.087 fl oz (32.16 mL), 12 - 0.091 fl oz (2.68 mL) [tubes] [vials]
2.175 fl oz (64.32 mL), 24 - 0.091 fl oz (2.68 mL) [tubes] [vials]

{For Dog Weighing 89- 132 lbs.}

1 - 0.136 fl oz (4.02 mL) [tube] [vial]
0.270 fl oz (8.04 mL), 2 - 0.136 fl oz (4.02 mL) [tubes] [vials]
0.408 fl oz (12.06 mL), 3 - 0.136 fl oz (4.02 mL) [tubes] [vials]
0.544 fl oz (16.08 mL), 4 - 0.136 fl oz (4.02 mL) [tubes] [vials]
0.680 fl oz (20.10 mL), 5 - 0.136 fl oz (4.02 mL) [tubes] [vials]
0.816 fl oz (24.12 mL), 6 - 0.136 fl oz (4.02 mL) [tubes] [vials]
0.952 fl oz (28.14 mL), 7 - 0.136 fl oz (4.02 mL) [tubes] [vials]
1.087 fl oz (32.16 mL), 8 - 0.136 fl oz (4.02 mL) [tubes] [vials]
1.223 fl oz (36.18 mL), 9 - 0.136 fl oz (4.02 mL) [tubes] [vials]
1.360 fl oz (40.20 mL), 10 - 0.136 fl oz (4.02 mL) [tubes] [vials]
1.495 fl oz (44.22 mL), 11 - 0.136 fl oz (4.02 mL) [tubes] [vials]
1.631 fl oz (48.24 mL), 12 - 0.136 fl oz (4.02 mL) [tubes] [vials]
3.262 fl oz (96.48 mL), 24 - 0.136 fl oz (4.02 mL) [tubes] [vials]

{END – FRONT PANEL}

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 4 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

{BACK / SIDE PANEL}

[Brand name][This product] contains fipronil, cyphenothrin, and the [insect growth regulator] [IGR] pyriproxyfen to kill fleas and ticks [(starts killing in as little as 1 hour)], and kills flea eggs, flea larvae, [mosquitoes] and chewing lice.

[[Brand name][This product] contains fipronil, cyphenothrin, and [the insect growth regulator] [IGR] pyriproxyfen to kill fleas and ticks [(starts to kill in as little as 1 hour)], and kills flea eggs, flea larvae, [mosquitoes] and chewing lice.]

The active ingredients in [Brand name][this product] feature a sustained release formula developed for fast acting* [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice on dogs [and puppies greater than [4][23] lbs and 12 weeks].

*Starts [to kill][killing] in [1][one] hour

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE
WEIGHING [4-22] [23-44] [45-88] [89-132] LBS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Overdosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or are being treated for skin dermatitis, talk to your vet before applying any topical flea and tick control product. This product is not a substitute for prescribed heartworm preventative.

FIRST AID

If In Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.
If On Skin Or Clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1

Page 5 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

If Swallowed	• Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Have person sip a glass of water if able to do so. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.	
NOTE TO PHYSICIAN OR VETERINARIAN Treat patient symptomatically	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For External Use Only. To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Dog must be dry at the time of application and remain dry for 24 hours after application. Use entire contents of [tube][vial] on each dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Application of product on dogs must only be done indoors.

RESTRICTIONS:

Do not allow children to apply product.
Do not use on cats, rabbits or animals other than dogs.
Do not allow your dog to ingest this product.
Do not use on puppies under 12 weeks of age or less than [4][23][45][89] lbs.
Do not split one [tube][vial] between dogs.
Do not use multiple [tube][vial]s on one dog.
Do not bathe or allow dog to swim for 24 hours after application.

[Clip. Part. Squeeze.]

[Easier-than-ever applicator lets you **clip** the tip, **part** the fur and **apply** directly to the skin – putting protection from fleas and ticks where it needs to be.]

How to open: Remove product [tube][vial] [s] from the package. [Separate one [tube][vial] from the others.] Hold the [tube][vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube][vial] over dog and use open end to part dog's hair. Squeeze [tube][vial] firmly to apply all of the solution to the dog's skin, [as a spot [on][to] the dog's back between the shoulder blades] {or} [as a [stripe] [line] starting from the back of the neck to a point midway between the neck and tail] {or} [as a [stripe] [line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. Do not apply more than once every [30 days] [month] [4 weeks].

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 6 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

{OR}

How to open:

1. Remove product [tube][vial] [s] from the package.
2. [Separate one [tube][vial] from the others.] Hold the [tube][vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply:

1. Invert [tube][vial] over dog and use open end to part dog's hair.
2. Squeeze [tube][vial] firmly to apply all of the solution to the dog's skin [as a spot [on][to] the dog's back between the shoulder blades.] {or} [as a [stripe] [line] starting from the back of the neck to a point midway between the neck and tail] {or} [as a [stripe] [line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. Do not apply more than once every [30 days] [month] [4 weeks].

FREQUENCY OF APPLICATION

[Use [Brand name][this product] monthly for control of flea, tick [and] chewing lice [infestations] on dogs [and to kill [mosquitoes]]. [Brand name][this product] kills fleas [(starts killing)[starts to kill] in 1 hour][after application]] for one month. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand name][This product] kills mosquitoes within 48 hours for 28 days.] [Brand name][this product] remains effective, even after bathing, water immersion, or exposure to sunlight 24 hours after application. Allow treated area to dry thoroughly. Do not reapply for [30 days] [1 month] [4 weeks].]

{Side Effects box will be located immediately above the cat warning box on the back panel}

SIDE EFFECTS. Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS - MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 7 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] from the pack until ready to use. Store in a cool [below 77°F[/] (25°C)] dry place inaccessible to children and animals. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down the drain or sewer. Call your local solid waste agency for local disposal option.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [[Sergeant's][SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738
Non-Emergency, call: 1-800-224-PETS (7387)

[Coupon(s) inside or on outside of box]
{When outside of the box, the coupon will not cover or distract consumer from required text}

[Made in USA]
[Distributed by:] [Manufactured by:]
Sergeant's Pet Care Products, LLC
P.O. Box 540399 Omaha, NE 68138-3710

[BAR CODE AREA]
EPA Reg. No. 2517-150

EPA Est. No. XXXXX-XX-XXX

{END - BACK / SIDE PANEL}

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 8 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

{TUBE/VIAL LABEL}

Front Label

Back Label

**Sergeant's Fipronil + Cyphenothrin (8.2%) +
Pyriproxyfen Squeeze-On for Dogs**

[4-22][23-44][45-88][89-132] lbs $\geq$ 12 wks
Fipronil 9.8%, Cyphenothrin 8.2%,
Pyriproxyfen 2.0%
0.023 fl oz {or} 0.045 fl oz {or} 0.091 fl oz
{or} 0.136 fl oz {label code}



KEEP OUT OF REACH OF CHILDREN

CAUTION: Read entire label before each use. Use
scissors to open. Use entire contents.

EPA REG. No. 2517-150 {label code}

{Lot No. is engraved on the crimp portion of the tube} {label code refers to an internal product tracking code}
{EPA Reg. No. may be on either the front or back label.}

{END TUBE/VIAL LABEL}

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 9 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

Sublabel B: Veterinarian Packaging Option

{Veterinarian Packaging is for use only by licensed veterinarians on dogs in their control or under their immediate supervision}

{FRONT PANEL}

For use only by licensed veterinarians on dogs in their control or under their immediate supervision

{One of the statements below will appear prominently in a box on the front panel of market label as required}

For use ONLY on Dogs [&] [and] [Puppies] [23 [-] [to] 44 lbs] [45 [-] [to] 88 lbs] [89 [-] [to] 132 lbs]
[and] [&] 12 weeks or older

{OR}

For use ONLY on [Small] Dogs [&] [and] Puppies 4 [-] [to] 22 lbs [and] [&] 12 weeks or older

{OR}

ONLY For Dogs [&] [and] [Puppies] [23 [-] [to] 44 lbs] [45 [-] [to] 88 lbs] [89 [-] [to] 132 lbs] [and] [&]
12 weeks or older

{OR}

ONLY For [Small] Dogs [&] [and] Puppies 4 [-] [to] 22 lbs [and] [&] 12 weeks or older

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels
Not for residential use. Do not repack.

[Ideal for shelter use when under direct supervision of veterinarian]
[Professional Roll Pack]
[Convenient roll pack for in clinic use]
[Convenient roll pack for animal facility use]
[For use only by licensed veterinarians]

{A minimum of 1.5 cm x 1.5 cm icon as indicated black cat, black text,
red circle and line through cat, on white background to ensure easy spotting,
in lower right-hand corner of front label panel}



ACTIVE INGREDIENTS:

Fipronil.....	9.80%
Cyphenothrin	8.20%
Pyriproxyfen	2.00%
OTHER INGREDIENTS[*]:	80.00 %
TOTAL	100.00%

[*diethylene glycol monoethyl ether, vitamin E nicotinate]

KEEP OUT OF REACH OF CHILDREN

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 10 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

CAUTION

See Back and Side Panels for First Aid, Directions for Use and Additional Precautionary Statements
{or}

See Back Panel and Inside the Front Flap for First Aid, Direction for Use and Additional Precautionary Statements

NET CONTENTS:

[Thirty-five][35] [Fifty][50] [Seventy-five][75] [One hundred][100] [One hundred sixty][160]

{For Dog Weighing 4-22 lbs.}

0.793 fl oz (23.45 mL), 35 - 0.023 fl oz (0.67 mL) [tubes] [vials]
1.133 fl oz (33.50 mL), 50 - 0.023 fl oz (0.67 mL) [tubes] [vials]
1.699 fl oz (50.25 mL), 75 - 0.023 fl oz (0.67 mL) [tubes] [vials]
2.266 fl oz (67.00 mL), 100 - 0.023 fl oz (0.67 mL) [tubes] [vials]
3.625 fl oz (107.2 mL), 160 - 0.023 fl oz (0.67 mL) [tubes] [vials]

{For Dog Weighing 23-44 lbs.}

1.586 fl oz (46.90 mL), 35 - 0.045 fl oz (1.34 mL) [tubes] [vials]
2.266 fl oz (67.00 mL), 50 - 0.045 fl oz (1.34 mL) [tubes] [vials]
3.398 fl oz (100.50 mL), 75 - 0.045 fl oz (1.34 mL) [tubes] [vials]
4.531 fl oz (134.00 mL), 100 - 0.045 fl oz (1.34 mL) [tubes] [vials]
7.253 fl oz (214.50 mL), 160 - 0.045 fl oz (1.34 mL) [tubes] [vials]

{For Dog Weighing 45-88 lbs.}

3.172 fl oz (93.8 mL), 35 - 0.091 fl oz (2.68 mL) [tubes] [vials]
4.531 fl oz (134 mL), 50 - 0.091 fl oz (2.68 mL) [tubes] [vials]
6.797 fl oz (201 mL), 75 - 0.091 fl oz (2.68 mL) [tubes] [vials]
9.062 fl oz (268 mL), 100 - 0.091 fl oz (2.68 mL) [tubes] [vials]
14.499 fl oz (428.8 mL), 160 - 0.091 fl oz (2.68 mL) [tubes] [vials]

{For Dog Weighing 89-132 lbs.}

4.758 fl oz (140.7 mL), 35 - 0.136 fl oz (4.02 mL) [tubes] [vials]
6.797 fl oz (201 mL), 50 - 0.136 fl oz (4.02 mL) [tubes] [vials]
10.195 fl oz (301.5 mL), 75 - 0.136 fl oz (4.02 mL) [tubes] [vials]
13.593 fl oz (402 mL), 100 - 0.136 fl oz (4.02 mL) [tubes] [vials]
21.749 fl oz (643.2 mL), 160 - 0.136 fl oz (4.02 mL) [tubes] [vials]

{END - FRONT PANEL}

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 11 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

{BACK / SIDE PANEL}

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE
WEIGHING [4-22] [23-44] [45-88] [89-132] LBS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat the dog with more than one pesticide product at a time. Overdosing the dog can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing dogs, or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product. This product is not a substitute for prescribed heartworm preventative.

FIRST AID	
If In Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.
If On Skin Or Clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed	• Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Have person sip a glass of water if able to do so. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Treat patient symptomatically	

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 12 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For External Use Only. To prevent harm to you and the dog, read entire label before each use. Follow all directions and precautionary statements carefully. Dog must be dry at the time of application and remain dry for 24 hours after application. Use entire contents of [tube][vial] on each dog. Weigh the dog to be sure you are applying the right dose formulated for the weight of the dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Application of product on dogs must only be done indoors.

RESTRICTIONS:

Do not allow children to apply product.
Do not use on cats, rabbits or animals other than dogs.
Do not allow the dog to ingest this product.
Do not use on puppies under 12 weeks of age or less than [4][23][45][89] lbs.
Do not split one [tube][vial] between dogs.
Do not use multiple [tube][vial]s on one dog.
Do not bathe or allow dog to swim for 24 hours after application.

[[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting protection from fleas and ticks where it needs to be.]

How to open: Remove product [tube][vial] [s] from the package. [Separate one [tube][vial] from the others.] Hold the [tube][vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube][vial] over dog and use open end to part dog's hair. Squeeze [tube][vial] firmly to apply all of the solution to the dog's skin, [as a spot [on][to] the dog's back between the shoulder blades] {or} [as a [stripe] [line] starting from the back of the neck to a point midway between the neck and tail] {or} [as a [stripe] [line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. Do not apply more often than once every [30 days] [month] [4 weeks].

{OR}

How to open:

1. Remove product [tube][vial] [s] from the package.
2. [Separate one [tube][vial] from the others.] Hold the [tube][vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply:

1. Invert [tube][vial] over dog and use open end to part dog's hair.
2. Squeeze [tube][vial] firmly to apply all of the solution to the dog's skin [as a spot [on][to] the dog's back between the shoulder blades.] {or} [as a [stripe] [line] starting from the back of the

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 13 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

neck to a point midway between the neck and tail] {or} [as a [stripe] [line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. Do not apply more than once every [30 days] [month] [4 weeks].

FREQUENCY OF APPLICATION

[Use [Brand name][this product] monthly for control of flea, tick [and] chewing lice [infestations] on dogs [and to kill [mosquitoes]]. [Brand name][this product] kills fleas ([starts killing][starts to kill] in 1 hour)[after application]] for one month. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand name][This product] kills mosquitoes within 48 hours for 28 days.] [Brand name][This product] remains effective, even after bathing, water immersion, or exposure to sunlight 24 hours after application. Allow treated area to dry thoroughly. Do not reapply for [30 days] [1 month] [4 weeks].]

{Side Effects box will be located immediately above the cat warning box on the back panel}

SIDE EFFECTS. Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS - MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] from the pack until ready to use. Store in a cool [below 77°F/[/ (25°C)] dry place inaccessible to children and animals. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down the drain or sewer. Call your local solid waste agency for local disposal option.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1

Page 14 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [[Sergeant's][SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738
Non-Emergency, call: 1-800-224-PETS (7387)

[Coupon(s) inside or on outside of box]
{When outside of the box, the coupon will not cover or
distract consumer from required text}

[Made in USA]

[Distributed by:] [Manufactured by:]

Sergeant's Pet Care Products, LLC
P.O. Box 540399 Omaha, NE 68154-0399

[BAR CODE AREA]

EPA Reg. No. 2517-150
EPA Est. No. XXXXX-XX-XXX

{END - BACK / SIDE PANEL}

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 15 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

{OPTIONAL LANGUAGE AND MARKETING STATEMENTS}

{ABNs}

Sentry® Ectoadvance™ Plus for Dogs

Mosquitoes

{1} Kills mosquitoes within 48 hours for 28 days

Chewing Lice

{2} Kills chewing lice

{3} Controls chewing lice infestations on dogs

{4} A once [monthly] [every 4 weeks] [every 30 days] application is required for chewing lice

Fleas

{5} [Brand name][this product] kills adult fleas [(starts killing in 1 hour)], flea eggs, and flea for [4 weeks] [1 month] [30 days]

{6} [Brand name][this product] kills adult fleas [(starts to kill in 1 hour)], flea eggs, and flea larvae for [4 weeks] [1 month] [30 days]

{7} [Brand name][This product] prevents development of all flea stages for [30 days][4 weeks]

{8} Kills flea eggs, [larvae] for [4 weeks] [1 month] [30 days]

{9} With Pyriproxyfen Insect Growth Regulator which Breaks the Flea Life Cycle

{10} With Pyriproxyfen to Break Flea Life Cycle

{11} With Insect Growth Regulator to Break Flea Life Cycle

{12} Triple Action [!]:Fipronil and Cyphenothrin with pyriproxyfen [IGR] [insect growth regulator] kills [adult] fleas, flea eggs, and flea larvae. [Breaks the Flea Life Cycle] [!]

{13} Kills Fleas [!] [(starts [killing] [to kill] in as little as 1 hour)] for [4 weeks] [1 month] [30 days] [!]

{14} Kills Flea Eggs & Flea Larvae

{15} Prevents Flea Eggs From Developing Into Biting Adults

{16} Prevents development of all stages of the flea life cycle

{17} Starts killing fleas in 1 hour [after application]

{18} Starts to kill fleas in 1 hour [after application]

{19} Prevents flea reinfestation on dogs

Ticks

{20} Kills ticks

{21} Starts killing ticks in 1 hour [after application]

{22} Starts to kill ticks in 1 hour [after application]

{23} Kills ticks (starts killing in as little as 1 hour) [after application]) [!]

{24} Kills ticks including those that may transmit Lyme disease

{25} Kills ticks [starts killing in 1 hour] for [4 weeks][1 month][30 days] [!]

{26} Kills [all stages of] deer ticks [(which may vector Lyme disease)] for [4 weeks][1 month][30 days][per application]

{27} Kills [brown dog ticks] [(*Rhipicephalus sanguineus*)], [American dog ticks,] [(*Dermacentor variabilis*)] [and] [lone star ticks] [(*Amblyomma americanum*)], [and deer ticks] [(*Ixodes scapularis*)] [for [4 weeks] [1 month] [30 days]]

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 16 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

- {28} Kills *Rhipicephalus sanguineus* for [4 weeks] [1 month] [30 days]
- {29} Kills American Dog Ticks [(*Dermacentor variabilis*)] for [4 weeks] [1 month] [30 days]

Multiple Infestations

- {30} Starts killing fleas and ticks in 1 hour [after application]
- {31} Starts to kill fleas and ticks in 1 hour [after application]
- {32} Kills fleas and ticks
- {33} Flea & Tick Control for Dogs & Puppies 12 weeks [old] and older [and] [weighing] [4-22] [23-44] [45-88] [89-132] lbs.
- {34} Kills fleas [(starts killing in as little as 1 hour)], flea eggs, ticks [(starts killing in as little as 1 hour)], chewing lice [&] [mosquitoes][and prevents development of flea pupae]
- {35} Kills fleas [(starts to kill in as little as 1 hour)], flea eggs, ticks [(starts to kill in as little as 1 hour)], chewing lice & [mosquitoes][and prevents development of flea pupae]
- {36} Kills Fleas [and] Ticks [and mosquitoes]
- {37} Kills fleas [(starts killing in as little as 1 hour)], ticks [(starts killing in as little as 1 hour)], [mosquitoes], chewing lice, flea eggs, and larvae and prevents pupae development
- {38} Kills fleas [(starts to kill in as little as 1 hour)], ticks [(starts to kill in as little as 1 hour)], [mosquitoes], chewing lice, flea eggs, and larvae and prevents pupae development
- {39} [Monthly] [4-week] [30 days] protection against flea, tick, mosquito, chewing lice, and flea egg on dogs.
- {40} [Monthly] [4-week] [30 days] protection against flea, tick, mosquito, and chewing lice on dogs.
- {41} Kills fleas and ticks [(starts killing in as little as 1 hour)], kills [mosquitoes], flea eggs, and chewing lice
- {42} Kills fleas and ticks [(starts to kill in as little as 1 hour)], kills [mosquitoes], flea eggs, and chewing lice
- {43} [Seven] [7][Six][6] [Five][5]Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, flea eggs, [&][and] flea larvae [&] [and][prevent the development of flea pupae]
- {44} [Six] [6] [Five][5][Four][4]Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, [&][and]flea eggs [&] [and] flea larvae
- {45} [4-week] [1 month] [30 days] Flea and Tick & Treatment
- {46} [Four (4) Week] [1 month] [30 days] Flea, Tick, Mosquito and Chewing Lice Control
- {47} When used [monthly] [every 4 weeks] [every 30 das] [Brand name][this product] breaks the flea life cycle and controls tick and chewing lice infestations.
- {48} [4-week] [monthly] [1 month] [30 days] Flea and Tick Treatment [!]
- {49} Once [A Month] [every 4 weeks] [30 days] Flea and Tick Treatment
- {50} Kills Fleas and Ticks [(starts killing in as little as 1 hour)] [and kills mosquitoes] for [4 weeks] [1 month] [30 days] [!]
- {51} Kills Fleas and Ticks [(starts to kill in as little as 1 hour)] [and kills mosquitoes] for [4 weeks] [1 month] [30 days] [!]
- {52} Kills Fleas and Ticks [(starts killing in as little as 1 hour)], Flea Eggs & Flea Larvae for [4-week] [1 month] [30 days]
- {53} Prevents and controls reinfestations of listed pests for [30 days][1 month][4 weeks]

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 17 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

[All Others]

{54} [Brand Name] is a registered trademark of Sergeant's Pet Care Products, LLC
{55} For [[Small][S] Dogs [and puppies] 4 to 22 lbs and 12 weeks or older]; [[Medium][M] Dogs 23-44 lbs and 12 weeks or older]; [[Large][L] Dogs 45-88 lbs and 12 weeks or older]; [[Extra Large][X-L] Dogs 89-132 lbs and 12 weeks or older]
{56} Apply to puppies 12 weeks or older [and] weighing [4-22] [23-44] [45-88] [89-132] lbs
{57} Fast Acting, Starts [to kill][killing] in [1][one] hour [!]
{58} [4 weeks]1 month][30 days] of High-Speed Protection [!] [Starts [to kill][killing] in [1] [one] hour !]
{59} Waterproof [24 hours after application]
{60} Long Lasting, [4 weeks] [one month] [30 days] Protection [!]
{61} Apply [monthly] [every 4 weeks] [every 30 days]
{62} [A once [monthly] [every 4 weeks] [every 30 days] application is required] [apply [monthly] [every 4 weeks] [every 30 days] [to control] [for] chewing lice.]
{63} Aids in control of sarcoptes mites that may cause sarcoptic mange*
{64} Best (if) (when) used year-round [!]
{65} [4 Week] [one month] [30-day] Dose [!]
{66} [4 Week] [one month] [30-day] Protection [!]
{67} Easy to Use Application
{68} Specially Formulated for Dogs and Puppies Over 12 Weeks [and] weighing [4-22] [23-44] [45-88] [89-132] lbs
{69} [Free] Calendar Stickers Inside [!]
{70} [One Application][Two Applications][Three Applications][Four Applications][Five Applications][Six Applications][Twelve Applications][Twenty-Four Applications] and/or [1 Month Supply][2 Month Supply][3 Month Supply][4 Month Supply][5 Month Supply][6 Month Supply][12 Month Supply][24 Month Supply] or [4 Week Supply][8 Week Supply][12 Week Supply][16 Week Supply][20 Week Supply][24 Week Supply][48 Week Supply][52 Week Supply][104 Week Supply]
{71} Apply once every [4 weeks] [month] [30 days] [!]
{72} [Free with purchase] [Free inside] Monthly Application Reminder [Magnet]
{73} Effective after bathing, [swimming,] and exposure to water and sunlight 24 hours after application
{74} [1][2][3][4][5][6][12][24] Applications
{75} [Contains] Fiponil [(9.8%)] + cyphenothrin [(8.2%)] + pyriproxyfen [(2.0%)]
{76} (US patent(s): 8617582; 8637060; 8809374; 8809375; 8871806; 9795136; 9801375)
{77} Foreign patents pending
{78} Lift [here] for more information
{79} For year-round protection, apply [Brand name][this product] [monthly] [every 4 weeks] [every 30 days]
{80} Direct to skin [tube][vial]
{81} Easy to Use [tube][vial]
{82} Clean cut [open] [tube][vial] [!]
{83} No-mess [open] [tube][vial]
{84} Clip-tip design [tube][vial] [!]
{85} Satisfaction Guaranteed. If you are not satisfied, we will make it right with a replacement or refund
{86} [1][2][3][4][5][6][12][24] [Month [Application] Tracker]
{87} Dog's Name {Empty blank for owner to fill in name}
{88} [First][1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth][8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th] [Dose] [Treatment] [Application] {Empty blank for owner to fill in date} {Date: MM/DD/YY}

Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 18 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

{89} {Calendar stickers with [brand name]}

{90} Place stickers on your calendar as a reminder to reapply [Brand name] [this product] in [30 days.]
[one month] [4 weeks]


{91} Monthly Application Reminder Magnet {image of reminder magnet}

{92} Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for [30 days] [one month] [4 weeks]. At the end of [30 days] [one month] [4 weeks] the reminder light will blink, reminding you to reapply [Brand name][this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another [30 days] [one month] [4 weeks]

**Repeated treatment over multiple months is recommended in conjunction with veterinary guidance for successful treatment of Sarcoptes mites.*


{END - OPTIONAL LANGUAGE AND MARKETING CLAIMS}

Optional pictures, graphics and pictograms below may or may not appear anywhere on the finished label



[Flea life cycle diagram] [Flea Life Cycle]

{Sample coloring and layout may be different on final label}



Sergeant's Master Label


24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1

Page 19 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017

	Fleas	
	Adult Flea	
	Flea eggs	
	Flea Larvae	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Chewing Lice	
	Lone Star Tick	
	Mosquitoes	
	Mite	




Sergeant's Master Label

24 February 2025 - Amendment
Per Re-evaluation ID

Version 25.1
Page 20 of 20

EPA Reg. No. 2517-150
SUPERSEDES EPA SAL
01/27/2017



{Representative image of dog(s) in the appropriate weight range will appear on the packaging}

