



### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 17, 2014

Ms. James Messina
Agent for Sergeant's Pet Care Products, Inc.
c/o Exponent
1150 Connecticut Avenue, Suite 1100
Washington, DC 20036-4127

Dear Mr. Messina

Subject: Acceptance of Updated Master Label (D483862)

Sergeant's Fipronil + Cyphenothrin (8.2%) Squeeze-On for Dogs

EPA Registration Number 2517-151

Your submissions dated September 30, 2013 and June 16, 2014

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

Please note that this letter does not supersede anything contained within the Agency's original conditions of acceptance detailed in the Agency's letter dated April 25, 2012.

A stamped label is enclosed for your records.

If you have any questions you may contact Linda A. DeLuise at 703.305.5428.

Sincerely yours,

Richard Gebken

Product Manager (13)

Insecticide Branch

Registration Division (7505P)

Enclosure

20 May 2014 DER Response

Version 14.1

EPA Reg. No. 2517-151 EPA SAL 04/25/2012

Information in [ ] is optional

Information in { } is a note to the reviewer Page 1 of 11

### FRONT PANEL DOG SQUEEZE ON FIPRONILE GYPHENOTHRIN (8.2%)

{Optional text appears in brackets-the final product label may include some or all of the optional text on front, back or side panels. The CRP required text will not change.}

### Sergeant's Fipronil + Cyphenothrin (8.2%) Squeeze-On for Dogs

{ABNs}

[Sergeant's® AdvanSpot Plus Spot On for Dogs]

[Sergeant's® AdvanSpot Plus for Dogs]

[Sentry® AdvanSpot Plus Spot On for Dogs]

[Sentry® AdvanSpot Plus for Dogs]

{1.5cm x 1.5cm on final or as below}



For use ONLY on dogs [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs]

For use ONLY on dogs [&][and] puppies 4[-] [to] 22 lbs and over 12 weeks of age OR

ONLY For Dogs [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs]

ONLY For Dogs & Puppies 12 weeks or older [&][and] 4[-][to] 22 lbs

#### [Mosquitoes]

[Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days]

#### [Chewing Lice]

[Kills chewing lice]

[Rapid elimination of chewing lice infestations]

[A once monthly application is recommended for chewing lice]

### ACCEPTED

JUN 17 2014

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg No. 25/7 - 15 [

[Fleas]

[Kills fleas]

[[Kills adult fleas (starts killing in as little as [5 minutes][15 minutes] [1 hour]) [for up to 3 months]]

[[Kills adult fleas (starts to kill in as little as [5 minutes][15 minutes] [1 hour]) [for up to 3 months]]

[If dog is at high risk of flea reinfestation, apply once a month]

[If dog is at high risk of flea infestation or reinfestation, apply monthly]

[Kills newly emerged adult fleas (starts killing in as little [5][15] [minutes] [1 hour]) before they lay eggs]

[Kills newly emerged adult fleas (starts to kill in as little [5][15] [minutes] [1 hour]) before they lay eggs]

[Kills fleas, which may be a source of flea allergy dermatitis] [(and)(or) flea bite anemia][ (and) (or tapeworm)]

20 May 2014 DER Response

Version 14.1

Information in [ ] is optional

Information in { } is a note to the reviewer Page 2 of 11 EPA Reg. No. 2517-151 EPA SAL 04/25/2012

[Kills fleas (starts killing in as little as [5 minutes][15 minutes] [1 hour]) up to [4 weeks] [1 month] [30 days]!]

[Kills fleas (starts to kill in as little as [5 minutes][15 minutes] [1 hour]) up to [4 weeks] [1 month] [30 days]!]

[Starts killing fleas in [just] [5 minutes] [15 minutes] [1 hourl] [after application]]

[Starts to kill fleas in [just] [5 minutes][15 minutes][1 hour] [after application]]

[Quickly kills fleas]

[Stops and prevents reinfestation]

#### [Ticks]

[Kills ticks]

[Starts killing ticks in [just] [5 minutes][15 minutes][1 hour]] [after application]

[Starts to kill ticks in [just] [5 minutes][15 minutes][1 hour]] [after application]

[Ouickly kills ticks]

[Kills Ticks [(starts killing in as little as 1 hour)] including those that may transmit Lyme disease

[Kills ticks [(starts killing in as little as 1 hour)] for up to [4 weeks] [1 month] [30 days]!]

[Kills Deer Ticks [that may transmit Lyme disease,] for up to [4 weeks] [1 month] [30 days]]

[Kills Ticks [(starts killing in as little as 1 hour)]]

[Kills Deer Ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills [brown dog ticks] [(Rhipicephalus sanguineus)], [American dog ticks, [(Dermacentor variablis)]] [and] [lone star ticks, [(Amblyomma americanum)]], [and deer ticks, [(Ixodes scapularis)]] [for up to [4 weeks] [1 month] [30 days]]]

[Kills [Brown Dog Ticks], [(Rhipicephalus sanguineus)] [(starts killing in as little as [5] minutes][15 minutes] [1 hour])] for up to [4 weeks] [1 month] [30 days]]

[Kills American Dog Ticks [(Dermacentor variabilis)] for up to [4 weeks] [1 month] [30 days]!]

[Prevents and controls reinfestation of listed pests][for] [30 days][1 month][4 weeks]]

[Kills ticks that may transmit (Lyme disease,)( Rocky Mountain spotted fever,)

(ehrlichiosis,)( babesiosis,)( and anaplasmosis)]

#### [Multiple Infestations]

[Starts killing fleas and ticks in [just] [5 minutes][15 minutes][1 hour]] [after application] [Starts to kill fleas and ticks in [just] [5 minutes][15 minutes][1 hour]] [after application] [Ouickly kills fleas and ticks]

[Kills chewing lice and aids in control of mites that may cause sarcoptic mange]

[Aids in control of mites that may cause sarcoptic mange]

[Flea [&] [and] Tick Control for Dogs [&] [and] Puppies 12 weeks old [&] [and] older]

[Flea & Tick Control for Dogs & Puppies 12 weeks old and older]

[Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)],

[and] Chewing lice [&] [and] [Mosquitoes]]

[Kills Fleas [(starts killing in as little as 1 hour], Ticks [(starts killing in as little as 1 hour)], [and kills Mosquitoes], [and kills chewing lice]]

[Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], and kills chewing lice [&] [and] [mosquitoes]]

20 May 2014 DER Response

Version 14.1

Page 3 of 11

EPA Reg. No. 2517-151 EPA SAL 04/25/2012

Information in [ ] is optional

Information in { } is a note to the reviewer

[Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], [mosquitoes,] and chewing lice]]

[Monthly flea, tick, [mosquitoes,] and chewing lice application]

[[4 Week] [1 month] [30 day] [Flea and Tick Application]

[[Four (4) Week] [1 month] [30 day] [Flea, Tick, [Mosquitoes,] and Chewing Lice Application] [Kills Fleas [(starts killing in as little as 1 hour)] and Ticks [(starts killing in as little as 1 hour)]

for up to [4 weeks] [1 month] [30 days]!]

[Once A Month Flea and Tick Application]

[Use [Brand Name][This product] monthly to control Ticks [(starts killing in as little as 1 hour)] and chewing lice]

[Monthly flea, tick, [mosquitoes,] and chewing lice protection.]

[Starts killing [fleas] [and] [ticks] in as little as [5 minutes] [15 minutes] [1 hour] [and continues to kill (for a month) (4 weeks) (30 days)]!]

[Starts to kill [fleas] [and] [ticks] in as little as [5 minutes][15 minutes] [1 hour])] [and continues to kill for a month]!]

#### [All Others]

[For-[Small]-Dogs 4 to 22 lbs]; [For [Medium] Dogs 23-44 lbs]; [For [Large] Dogs 45-88 lbs];

[For [Extra Large] Dogs 89-132 lbs]

[For Dogs and Puppies 12 weeks of age or older]

[Apply to puppies over 12 weeks old]

[Apply to puppies 12 weeks or older]

[Aids in control of mites that may cause sarcoptic mange]

[Fast Acting] [Long Lasting]

[Remains effective, even after bathing, [swimming,] [water immersion], or exposure to sunlight]

[Easy to Use [Application]]

[One Applications][Two Applications][Five

Applications][Six Applications][Twelve Applications][Twenty-Four Applications] and/or [1

Month Supply][Two Month Supply][3 Month Supply][Four Month Supply][Five Month

Supply][6 Month Supply][12 Month Supply][24 Month Supply] or [4 Week Supply][8 Week

Supply][12 Week Supply][16 Week Supply][20 Week Supply][24 Week Supply][48 Week

Supply][52 Week Supply][104 Week Supply]

[Best (if) (when) used year round!]

[(ICON Showing [4 week] [1 month] [30 day] Protection)]

[4 Week Dose!] [1 Month Dose!] [30 Day Dose!]

[Specially Formulated for Dogs and Puppies 12 weeks of age or older]

[[Free] Calendar Stickers Inside!]

[Monthly application reminder card inside]

[Apply once every [4 weeks] [month] [30 days]!]

[Waterproof]

[Water resistant]

[Can be used on puppies 12 weeks of age and older]

[[Convenient spot application][Convenient][to use]]

EPA Reg. No. 2517-151

EPA SAL 04/25/2012

### Sergeant's Master Laber

20 May 2014 DER Response

Version 14.1

Information in [ ] is optional

Information in { } is a note to the reviewer Page 4 of 11

[Fipronil (9.8%) + Cyphenothrin (8.2%)]

[Lift [here] for more information]

[For year-round protection, apply [Brand Name] monthly]

[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet][inside]]

[[1][2][3][4][5][6][12][24] Applications]

[[Brand Name] is a registered trademark of Sergeant's Pet Care Products, Inc.]

[Direct to skin [tube][vial][applicator][pipette]]

[Easy to Use] [tube][vial][applicator][pipette]]

[Clean cut [open] [tube][vial][applicator][pipette]]

[No-mess [open] [tube][vial][applicator][pipette]]

[Clip-tip design [tube][vial][applicator][pipette][!]]

[Satisfaction Guaranteed]

[If you are not satisfied, we will make it right with a replacement or refund.]

#### **ACTIVE INGREDIENTS:**

Fipronil	***************************************	9.80%
-	***************************************	
OTHER INGREDIENTS[*]:8		82.00%
TOTAL-		100.00%

[\*diethylene glycol monoethyl ether, Vitamin E nicotinate]

#### KEEP OUT OF REACH OF CHILDREN **CAUTION**

See [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

#### NET CONTENTS: X fl. oz. [Y - X fl. oz. [tube] [vial] [applicator][pipette](s)]

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

0.023 fl. oz. (0.67 mL) [tube] [vial] [applicator][pipette][s]

0.045 fl. oz. (1.34 mL) [tube] [vial] [applicator][pipette][s]

0.091 fl. oz. (2.68 mL) [tube] [vial] [applicator][pipette][s]

0.136 fl. oz. (4.02 mL) [tube] [vial] [applicator][pipette][s]

{END - FRONT PANEL}

### BACK/SIDE DOG SOUEEZE ON FIPRONIL+CYPHENOTHRIN.(8.2%) CARTON LABEL

[[Brand Name][This product] contains Fipronil and Cyphenothrin to effectively kill fleas [(starts killing in as little as 1 hour)], ticks [(starts killing in as little as 1 hour)] [(including those that may transmit Lyme disease)], and kills [mosquitoes] [and] chewing lice.]

[[Brand Name][This product]contains Fipronil and Cyphenothrin to effectively kill fleas [(starts killing in [5 minutes][15 minutes])], ticks [(starts killing in [5 minutes][15 minutes)] [(including those that may transmit Lyme disease)], and kills [mosquitoes] [and] chewing lice.]

20 May 2014 DER Response Information in [ ] is optional

Version 14.1

EPA Reg. No. 2517-151 EPA SAL 04/25/2012

Information in { } is a note to the reviewer

Page 5 of 11

[The active ingredients in [Brand Name] [This product] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks [mosquitoes] and chewing lice for up to 30 days on dogs.]

# READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE.

[[Brand Name][This product] for dogs provides [four] [three] way protection that kills fleas, ticks, [mosquitoes] and chewing lice. Controls mites that may cause sarcoptic mange. Kills deer ticks that may transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks.]

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. CAUTION.** Causes moderate eye irritation. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while-rare, may occur after using any pesticide product. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or are being treated for skin dermatitis, talk to your vet before applying any topical flea and tick control product.

FIRST AID		
If In Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	
If On Skin Or Clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
If Swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
HOT LINE NUMBER		

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.

#### NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically

20 May 2014 DER Response Information in [ ] is optional

Version 14.1

EPA Reg. No. 2517-151 EPA SAL 04/25/2012

Information in { } is a note to the reviewer Page 6 of 11

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs. Do not allow your dog to ingest this product. Do not use on puppies under 12 weeks of age or less than 4][23][45][89] lbs. Use entire contents of [tube] [vial] [applicator][pipette] on each dog. [Do not split one [tube] [vial] [applicator][pipette] between dogs.] Do not use multiple [tube] [vial] [applicator][pipette]s on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

**SIDE EFFECTS.** Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.

### {1.5 cm x 1.5 cm on final or as below}

DO NOT USE ON CATS. May be toxic and POTENTIALLY FATAL if applied to or ingested by a cat. Keep cats away from treated dogs for 24 hours. Cats that actively groom or engage in close physical contact with treated dog may be at risk of serious harmful effects. Cats exhibiting signs of ingestion such as excessive salivation and foaming at the mouth should be taken to the veterinarian immediately.

### BACKPANEL DOG SQUEEZE ON FIPROND+CYPHENOTHRIN (8:2%)

{Outer Packaging}

**How to open:** Remove product tube[s] [vial] from the package. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube] [vial] [applicator][pipette] over dog and use open end to part dog's hair. Squeeze [tube] [vial] [applicator][pipette] firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every [30 days] [month].

Only For Dogs Weighing 4[-][to]22 lbs. Do not use on dogs less than 4 lbs [including small dogs and puppies, 12 weeks or older]

20 May 2014 DER Response Information in [ ] is optional

Version 14.1

EPA Reg. No. 2517-151 EPA SAL 04/25/2012

Information in { } is a note to the reviewer

Page 7 of 11

**{For cartons containing 0.67 mL (0.023 fl. oz.) [tube] [vial] [applicator][pipette]s}** Apply one [tube] [vial] [applicator][pipette] (0.67 mL (0.023 fl. oz.) [as a spot [on][to] the dog's back between the shoulder blades][[as a stripe, starting] from the back of the neck to a point midway between the neck and tail] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.].

Only For Dogs Weighing [Between] 23[-] [to] 44 lbs. Do not apply to dogs less than 23 lbs. {For cartons containing 1.34 mL (0.045 fl. oz.) [tube] [vial] [applicator][pipette]} [Apply one [tube] [vial] [applicator][pipette] (1.34 mL)(0.045 fl oz)] [as a spot [on] [to] the dog's back between the shoulder blades.] [[as a stripe, starting] from the back of the neck to a point midway between the neck and tail] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.].

Only For Dogs Weighing [Between] 45[-] [to] 88 lbs. Do not apply to dogs less than 45 lbs. For cartons containing 2.68 mL (0.091 fl oz) [tube] [vial] [applicator][pipette]}
Apply one [tube] [vial] [applicator][pipette] (2.68 mL)(0.091 fl oz) [as a spot [on] [to] the dog's back-between-the shoulder blades] [[as-a stripe, starting] from the back of the neck to a point midway between the neck and tail] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.].

Only For Dogs Weighing [Between] 89[-] [to] 132 lbs. Do not use two [tube] [vial] [applicator][pipette]s on dog greater than 132 lbs. For cartons containing 4.02 mL (0.136 floz) [tube] [vial] [applicator][pipette]}

Apply one [tube] [vial] [applicator][pipette] (4.02 mL)(0.136 fl oz) [as a spot [on] [to] the dog's back between the shoulder blades] [[as a stripe, starting] from the back of the neck to a point midway between the neck and tail] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades.][This allows for a more direct application to the skin.].

#### FREOUENCY OF APPLICATION

Use [Brand Name] [This product] monthly for complete control of flea, tick [and] chewing lice [and mosquito] [infestations]. [Studies show that] [Brand Name] [this product] kills adult fleas [(starts killing in as little as 1 hour)] [[starts killing] [starts to kill] in [5 minutes] [15 minutes] for up to three months. If your dog is at high risk for flea reinfestation [, or in a highly infested environment], apply monthly. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand Name] [This product] kills mosquitoes within 24 hours for up to the first 7 days after application, then within 48 hours for up to 28 days.] [Brand Name] [This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days [4 weeks].

20 May 2014 DER Response

Version 14.1

EPA Reg. No. 2517-151 EPA SAL 04/25/2012

Information in [ ] is optional

Information in { } is a note to the reviewer

Page 8 of 11

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove [tube] [vial] [applicator][pipette] from the pack until ready to use. Store in a cool [(below 77°F[/][25°C])] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**CONTAINER DISPOSAL:** If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. [WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental-or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [[Sergeant's®] [SENTRY®] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.] [XXXX]]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387) [Coupon(s) inside or on outside of box] [Made in USA] [Patent(s) Pending]

[Distributed by:][Manufactured by:] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710

[BAR CODE AREA] EPA Reg. No. 2517-151 EPA Est. No. XXXXX-XX-XXX

### OPTIONAL DOG SQUEEZE ON FIPRONIL+CYPHENOTHRIN (8.2%) OUTER PACKAGING

{How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.}

#### [[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

[Application Instructions] [Directions for Use] How to open:

20 May 2014 DER Response

Version 14.1

EPA Reg. No. 2517-151 EPA SAL 04/25/2012

Information in [ ] is optional

Information in { } is a note to the reviewer


Page 9 of 11

- 1. Remove product tube [vial] from the package.
- 2. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.]


#### How to apply


- 1. Invert [tube] [vial] [applicator] [pipette] over dog and use open end to part dog's hair.
- 2. Squeeze [tube] [vial] [applicator][pipette] firmly to apply all of the solution [on] [to] the dog's skin [as a spot to the dog's back between the shoulder blades.] [or] [[as a stripe, starting] from the back of the neck to a point midway between the neck and tail.]

#### {Optional drawings that may or may not appear anywhere on finished label}











[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment][application] to avoid chance of ingestion
- [6] Do NOT split [tube] [vial] [applicator][pipette]s between pets [and use the ENTIRE [tube] [vial] [applicator][pipette] contents]]

#### [Brand Name]

[1][2][3][4][5][6][12][24][Month [Application] Tracker]

[For year-round protection, apply [Brand Name][This product] monthly.]

[Pet's Name (Empty blank for owner to fill in name)]

[First][1st][Second][2nd][Third][3rd][Fourth][4<sup>th</sup>][Fifth][5<sup>th</sup>][Sixth][6<sup>th</sup>][Seventh][7<sup>th</sup>][Eighth][8<sup>th</sup>][Ninth][9<sup>th</sup>][Tenth][10<sup>th</sup>][Eleventh][11<sup>th</sup>][Twelfth][12<sup>th</sup>]

[Dose] [Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)] [calendar stickers with **Brand Name**]

# 11/12

### Sergeant's Master Label

20 May 2014 DER Response

Version 14.1

Information in [ ] is optional

EPA SAL 04/25/2012

EPA Reg. No. 2517-151

Information in { } is a note to the reviewer

Page 10 of 11

[Place stickers on your calendar as a reminder to reapply [Brand Name][This product] [in 30 days.]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand Name][this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

The	Fleas	
The	Adult Flea	
*	Ticks	
*	Brown Dog Tick	
	- Deer Tick	
*	American Dog Tick	
*	Chewing Lice	
*	Lone Star Tick	<b>®</b>
2	Mosquitoes	<b>®</b>
*	Mite	<b>(S)</b>

{Optional graphics above and below may or may not appear anywhere on finished label}



20 May 2014 DER Response

Version 14.1

EPA Reg. No. 2517-151 EPA SAL 04/25/2012

Information in [ ] is optional

Information in { } is a note to the reviewer

Page 11 of 11

# TÜBE/VIAL LABEL DOG SQUEEZE ON FIPRONIL+GYPHENOTHRIN (8.2%)

{Front Label}

{Back Label}

{Brand Name}
For Dogs [x-y] lbs ≥12 wks
Fipronil 9.8%, Cyphenothrin 8.2%, (S)methoprene 8.8%
0.023 fl. oz. (or) 0.045 fl. oz. (or) 0.091 fl. oz.
(or) 0.136 fl. oz. {label code}

KEEP OUT OF REACH OF CHILDREN CAUTION: Read directions and precautions before using. Use scissors to open. Use entire contents.

EPA REG. No. 2517-151

{label code}

{END TUBE/VIAL LABEL}

12/.