


2517-152

4/15/2014

1/12

 <p align="center"><b>ENVIRONMENTAL PROTECTION AGENCY</b></p> <p align="center">Office of Pesticide Programs Registration Division (7504P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460-0001</p>	<p>EPA Registration No.</p> <p align="center"><b>2517-152</b></p>	<p>Date of Issuance:</p> <p align="center"><b>APR 15 2014</b></p>
<p align="center"><b>NOTICE OF PESTICIDE:</b></p> <p align="center"><input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p align="center">(under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</p>	<p>Term of Issuance:</p> <p align="center"><b>Conditional</b></p> <hr/> <p>Name of Pesticide Product:</p> <p align="center"><b>Sergeant's® Fipronil + Etofenprox + Pyriproxyfen Squeeze-On for Dogs</b></p>	
<p><b>Name and Address of Registrant (include ZIP Code):</b>  <b>Sergeant's Pet Products, Inc.</b>  <b>2625 South 158<sup>th</sup> Plaza</b>  <b>Omaha, NE 68130-1770</b></p>		
<p><b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This action is taken under the authority of section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.</p>		
<p align="center"><b>Terms of Registration</b></p> <ol style="list-style-type: none"> <li>EPA has registered the product listed above provided that the following changes are made to the label before you release the product for shipment:             <ol style="list-style-type: none"> <li>Revise the EPA Registration Number to read: "EPA Registration No 2517-152"</li> </ol> </li> <li>This registration is <b>time-limited and expires two years (2) from the date this product is first released for shipment (April 15, 2016)</b>. You must provide the Agency with a projected "release for shipment date," in writing within 30 days of the date of this Notice of Registration. The Agency will calculate the expiration date based on the projected "release for shipment date" until an actual release for shipment date is provided in writing.</li> <li>Only one basic confidential statement of formula (CSF) will be on file for this product at any time (i.e., no alternate formulations or minor formulation amendments will be submitted and/or approved for this product, except to allow for alternate sources of any individual inert ingredient).</li> <li>Within twelve (12) months of the date on this Notice of Registration, provide to the Agency acceptable data packages for Guideline Studies: OPPTS 830.6320 (Corrosion Characteristics) and OPPTS 830.6317 (Storage Stability).</li> </ol>		
<p>Signature of Approving Official:</p> <p align="center">Refer to Page #3</p> <p>Richard J. Gebken, Product Manager (10) Registration Division, Insecticide Branch</p>	<p>Date:</p> <p align="center"><b>APR 15 2014</b></p>	

- 5. You must submit the following data within the time-frame described below:  
 Within twelve (12) months of the date on this Notice of Registration, provide to the Agency acceptable data packages for Guideline Studies: OPPTS 830.6320 (Corrosion Characteristics) and OPPTS 830.6317 (Storage Stability).
- 6. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product for the quarter that begins on July 1, 2014. The quarterly reports are due two months after the end of each quarter. Please flag any Confidential Business Information (CBI) as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the Registration Division (attn: Kaitlin Keller).

The following is a list of information that must be included in the quarterly reports for each incident:

- EPA Registration Number
- Product name (brand name)
- Lot#
- Where purchased: internet, store, Veterinarian
- Active Ingredient(s)
- Weight range for product
- Date on which incident occurred, (mm/dd/yyyy)
- State in which the incident occurred, (standard 2 letter abbreviation)
- Registrant case #
- Species: dog, cat, other (specify)
- Breed: (as reported by pet owner)
- Age: months or years
- Sex: M, F, or neutered
- Weight: pounds
- Primary Route of Exposure: dermal, oral, other animal, inhalation, other
- Body System: neurological, dermatological, GI, respiratory, ocular, other Major signs noted
- Time to Onset: (hours, days)
- Treated by veterinarian: yes or no
- First time product used: yes or no
- Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
- Any known precondition
- EPA Severity Code: death, major, moderate, minor
- Outcome: died, recovered, still treated, unknown

- 7. Along with the enhanced incident reporting, you must submit an analysis of all incidents seen, to include the following details:
  - a. All minor dermal and ocular irritation reports.
  - b. Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
  - c. A similar summary table for dogs (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
  - d. Summary table for dogs and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
  - e. A summary table for s showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
  - f. A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
  - g. A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
  - h. Table showing number of incidents for each dog breed.
  - i. Table showing number of incidents in dog for each clinical sign.
  - j. Table showing number of incidents in dog for each organ system.
  - k. Report aggregate incidents, but do not combine moderate and minor incidents.

8. If EPA determines that future mitigation measures are necessary for all pet spot-on products, the Agency will inform all registrants concerned. If mitigation measures are necessary, EPA may take regulatory action.
9. Sergeant's Pet Products, Inc. must adequately address all of the mitigation actions identified in the Agency's *Generic Pet Spot-On Mitigation Plan* available at the following internet site:  
<http://www.epa.gov/pesticides/health/spot-on-meetings.html>.
10. Enclosed is a copy of the data call-in (DCI) for fipronil.

You must submit and/or cite all data required for registration of your product under section 3(c)(5) of FIFRA when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for registration review of your product under FIFRA.

Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. If you fail to comply with all of the **Terms of Registration** stated above, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA and/or automatically expire. Your release for shipment of the product constitutes your acceptance of these conditions.

A copy of your label stamped "Accepted with Comments" is enclosed for your records along with hard copies of the acute toxicity/companion animal safety data, child-resistant packaging, efficacy, and product chemistry reviews completed in support of the registration of this new product. If you have any questions concerning this letter, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at [Rodia.Carmen@epa.gov](mailto:Rodia.Carmen@epa.gov).

Sincerely,



Richard Gebken  
Product Manager 10  
Insecticide Branch  
Registration Division (7504P)

Enclosures:      *Label Stamped "Accepted with Comments," dated April 15, 2014*  
*Acute Toxicity/Companion Animal Safety Data Review, dated February 12, 2013*  
*Child-Resistant Packaging Review, dated November 13, 2012*  
*Efficacy Review #1, dated February 20, 2013*  
*Efficacy Review #2, dated April 4, 2014*  
*Product Chemistry Review, dated February 11, 2013*  
*Copy of DCI for Fipronil*

4/12

# Sergeant's® Master Label

15 April 2014 Application  
Information in [ ] is optional.

Version 14.1  
Page 1 of 9

EPA Reg. No. 2517-RLE

**FRONT PANEL** **DOG SQUEEZE-ON**  
**FIPRONIL+ETOFENPROX+PYRIPROXYFEN**

[Option text appears in brackets-the final product label may include some or all of the optional text on front, back or side panels. The CRP required text will not change.]

## Sergeant's Fipronil + Etofenprox + Pyriproxyfen Squeeze-On for Dogs [1.5 cm x 1.5 cm or as indicated below]



For use ONLY on dogs [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] {OR}  
For use ONLY on dogs [[&][and] puppies 4[-] [to] 22 lbs and over 13 weeks of age {OR}  
ONLY For Dogs [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] {OR}  
ONLY For Dogs & Puppies 13 weeks or older [&][and] 4[-][to] 22 lbs

### [Mosquitoes]

[Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days]  
[Kills mosquitoes]

### [Chewing Lice]

[Kills chewing lice]  
[Rapid elimination of chewing lice infestations]

### [Fleas]

[[Brand name][This product] prevents development of all flea stages for up to [63 days] [9 weeks].]  
[Prevents all flea stages (adult fleas, flea eggs, and flea larvae)]  
[If dog is at high risk for flea reinfestation a once a month application may be needed]  
[Kills flea eggs [and][larvae] [and][prevents pupae development] for up to [63 days][9 weeks]]  
[With Pyriproxyfen Insect Growth Regulator which Breaks the Flea Life Cycle]  
[With Pyriproxyfen to Break Flea Life Cycle]  
[With Insect Growth Regulator to Break Flea Life Cycle]  
[Kills Fleas for up to [4 weeks!] [2 months!]]

### [Ticks]

[Kills ticks including those that may transmit Lyme disease]  
[Kills American Dog Ticks [(*Dermacentor variabilis*)] for up to 4 weeks!]  
[Kills Ticks [for up to 4 weeks!]]  
[Kills [all stages of] Deer Ticks (which may [transmit][vector] Lyme disease) for up to 4 weeks[per application]  
[Kills Ticks (Including Deer Ticks) for up to 4 weeks]  
[Kills [brown dog ticks,] [(*Rhipicephalus sanguineus*),] [American dog ticks,] [and] [lone star ticks,] [and deer ticks] [for up to [4 weeks] [1 month] [30 days]]]  
[Kills *Rhipicephalus sanguineus* for up to 4 weeks]

ACCEPTED  
With COMMENTS:  
In EPA Letter Dated:  
*April 15, 2014*  
Under the Federal Insecticide, Fungicide  
and Rodenticide Act, As amended, for the  
pesticide Registered under EPA Reg. No:  
2517-152

# Sergeant's<sup>®</sup> Master Label

15 April 2014 Application  
Information in [ ] is optional.

Version 14.1  
Page 2 of 9

EPA Reg. No. 2517-RLE

5/12

## [Multiple Infestations]

[Kills fleas and ticks in [1][one] hour]  
[Flea & Tick Control for Dogs & Puppies 13 Weeks Old and Older]  
[Kills fleas, flea eggs, ticks, chewing lice & [mosquitoes]]  
[Kills fleas, ticks, [mosquitoes], chewing lice, flea eggs, larvae, and prevents pupae development]  
[Monthly flea, tick, [mosquito,] chewing lice, and flea egg protection]  
[Monthly flea, tick, [mosquito] and chewing lice protection]  
[Kills fleas, ticks, [mosquitoes], flea eggs, and chewing lice]  
[[4 Week] [Flea and Tick & Treatment]]  
[[Seven] [7] [Six][6][Five][5]Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, flea eggs, flea larvae [&] [and] prevent the development of flea pupae]]  
[[Six] [6] [Five][5][Four][4]Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, flea eggs [&] [and] flea larvae]  
[[Four (4) Week] [Flea, Tick, [Mosquito] and Chewing Lice Control]  
[Kills Flea Eggs & Flea Larvae for up to [63 days], [9 weeks]!]  
[Prevents Flea Eggs From Developing Into Biting Adults]  
[Kills Fleas, Ticks, Flea Eggs & Flea Larvae for up to 4 Weeks]  
[4 week Flea and Tick Treatment!]  
[Once A Month Flea and Tick Treatment]  
[Kills Fleas and Ticks for up to 4 weeks!]  
[When used monthly [full or partial brand name] completely breaks the flea life cycle and controls tick and chewing lice infestations.]  
[Prevents and controls reinfestations of fleas, ticks, and chewing lice for up to [1 month] [4 weeks]]  
[Kills Fleas, [and][&] Ticks for up to [4 weeks][1 month][30 days]!]  
[Kills Fleas, [and][&] Ticks [and Mosquitoes] for up to [4 weeks][1 month]!]

## [All Others]

[For Dogs and Puppies 13 weeks of age or older]  
[Apply to puppies over 13 weeks old]  
[Apply to puppies 13 weeks or older]  
[For Small Dogs 4 to 22 lbs.] [For Medium Dogs 23-44 lbs.] [For Large Dogs 45-88 lbs.] [For Extra Large Dogs 89-132 lbs.]  
[Fast Acting]  
[Waterproof]  
[Long Lasting]  
[Apply monthly]  
[A once monthly application is required for chewing lice.]  
[Apply monthly to control chewing lice.]  
[Aids in Control of mites that may cause sarcoptic mange]  
[One Application][Two Applications][Three Applications][Four Applications][Five Applications][Six Applications][12 Applications][24 Applications] and/or [1 Month Supply][2 Month Supply][3 Month Supply][4 Month Supply][5 Month Supply][6 Month Supply][12 Month Supply][24 Month Supply] or [4 Week Supply][ 8 Week Supply][12 Week Supply][16

6/12

# Sergeant's® Master Label

15 April 2014 Application  
Information in [ ] is optional.

Version 14.1  
Page 3 of 9

EPA Reg. No. 2517-RLE

Week Supply][20 Week Supply][24 Week Supply][48 Week Supply][52 Week Supply][104 Week Supply]

[Best if used year round!]

[(ICON Showing 4 Week Protection)]

[4 Week Dose!]

[1 Month Dose!]

[Easy to Use Application]

[Specially Formulated for Dogs and Puppies over 13 weeks old]

[[Free] Calendar Stickers Inside!]

[Patented Technology]

[Apply once every [4 weeks] [month]!]

[Effective after bathing and exposure to water and sunlight]

[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet]]

[[1][2][3][4][5][6][12][24] Applications]

[Fipronil (9.8%) + Etofenprox (15%) + Pyriproxyfen (2.2%)]

[[Brand Name][This product] is a registered trademark of [Sergeant's®] [Company Name]]

[US and Foreign patents pending]

[Lift [here] for more information]

[For year round protection, apply [brand name][this product] monthly]

[Direct to skin [tube][vial][applicator][pipette]]

[Easy to Use] [tube][vial][applicator][pipette]

[Clean cut [open] [tube][vial][applicator][pipette]]

[No-mess [open] [tube][vial][applicator][pipette]]

[Clip-tip design [tube][vial][applicator][pipette][!]]

[Satisfaction Guaranteed]

[If you are not satisfied, we will make it right with a replacement or refund.]

## ACTIVE INGREDIENTS:

Fipronil.....	9.80%
Etofenprox.....	15.00%
Pyriproxyfen .....	2.20%

**OTHER INGREDIENTS:..... 73.00%**

**TOTAL 100.00%**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

**Net Contents: X fl oz [Y – X fl oz [tube][vial][applicator][pipette][s]]**

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

[0.023 fl oz (0.67 ml) [tube][vial][applicator][pipette][s]]

[0.045 fl oz (1.34 ml) [tube][vial][applicator][pipette][s]]

[0.091 fl oz (2.68 ml) [tube][vial][applicator][pipette][s]]

[0.136 fl oz (4.02 ml) [tube][vial][applicator][pipette][s]]

**{END - FRONT PANEL}**

7/12

# Sergeant's® Master Label

15 April 2014 Application  
Information in [ ] is optional.

Version 14.1  
Page 4 of 9

EPA Reg. No. 2517-RLE

**BACK/SIDE PANEL**

**DOG SQUEEZE ON**

**FIPRONIL+ETOFENPROX+PYRIPROXYFEN**

[Brand name][This product] contains fipronil, etofenprox and the insect growth regulator (IGR) pyriproxyfen to effectively kill fleas, ticks [(including those that may transmit Lyme disease)], and kill[s] flea eggs, flea larvae, [mosquitoes] and chewing lice. The active ingredients in [Brand name][this product] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4] [four] weeks] on dogs.

**READ ENTIRE LABEL BEFORE EACH USE.  
USE ONLY ON DOGS AND PUPPIES OVER 13 WEEKS OF AGE.**

### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. CAUTION.** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS.** For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

### FIRST AID

<b>If On Skin Or Clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If Swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If In Eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.

### NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically

8/12

# Sergeant's® Master Label

15 April 2014 Application  
Information in [ ] is optional.

Version 14.1  
Page 5 of 9

EPA Reg. No. 2517-RLE

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.** Do not use on cats, rabbits or animals other than dogs. Do not allow your dog to ingest this product. Do not use on puppies under 13 weeks of age or less than [4][23][45][89] lbs. Use entire contents of [tube] [vial] [applicator][pipette] on each dog. [Do not split one [tube] [vial] [applicator][pipette] between dogs.] Do not use multiple [tube] [vial] [applicator][pipette]s on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4783. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.



**DO NOT USE ON CATS.** Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

[[Outer Packaging]]

**How to open:** Remove product tubes [vial] from the package. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

**How to apply:** Invert [tube][vial][applicator][pipette] over dog and use open end to part dog's hair. Squeeze [tube][vial][applicator][pipette] firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every [4 weeks][30 days][month].

**Only For Dogs Weighing 4[-][to] 22 lbs. Do not apply to dogs weighing less than 4 lbs. [including small dogs and puppies, 13 weeks or older]:**

**{For cartons containing 0.67 mL (0.023 fl oz) applicator tubes}**

Apply one [tube][vial][applicator][pipette] (0.67 mL)(0.023 fl oz) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. [This allows for a more direct application to the skin.]

**Only For Dogs Weighing 23 [-] [to] 44 lbs. Do not apply to dogs weighing less than 23 lbs. {For cartons containing 1.34 mL (0.045 fl oz) applicator tube}**

Apply one [tube][vial][applicator][pipette] (1.34 mL)(0.045 fl. oz.) [directly to skin] [from the



9/12

# Sergeant's® Master Label

15 April 2014 Application  
Information in [ ] is optional.

Version 14.1  
Page 6 of 9

EPA Reg. No. 2517-RLE

back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. [This allows for a more direct application to the skin.]

**Only For Dogs Weighing 45 [-] [to] 88 lbs. Do not apply to dogs weighing less than 45 lbs. {For cartons containing 2.68 mL (0.091 fl oz) applicator tube}**

Apply one [tube][vial][applicator][pipette] (2.68 mL)(0.091 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. [This allows for a more direct application to the skin.]

**Only For Dogs Weighing 89[-] [to] 132 lbs Do not apply to dogs weighing less than 89 lbs. Do not use two tubes on dogs greater than 132 lbs{For cartons containing 4.02 mL (0.136 fl oz) applicator tube}**

Apply one [tube][vial][applicator][pipette] (4.02 mL)(0.136 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. [This allows for a more direct application to the skin.]

## FREQUENCY OF APPLICATION

Use [brand name][this product] monthly for complete control of flea, tick [and] chewing lice [and to kill mosquitoes] [infestations]. If your pet is at high risk for flea reinfestation [, or in a highly infested environment], apply monthly. Apply monthly to control ticks, [mosquitoes] and chewing lice. [[Brand name][This product] kills mosquitoes within 24 hours for up to the first 7 days after treatment, then within 48 hours for up to 28 days.] [Brand name] [This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [4 weeks][30 days].

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove tube from the pack until ready to use. Store in a cool [below 77°F [/] (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**CONTAINER DISPOSAL:** **If empty:** Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## [WARRANTY]

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's

10/12

# Sergeant's® Master Label

15 April 2014 Application  
Information in [ ] is optional.

Version 14.1  
Page 7 of 9

EPA Reg. No. 2517-RLE

makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's][SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738  
Non-Emergency, call: 1-800-224-PETS (7387)

[Made in USA]

[Distributed by:][Manufactured by:]  
Sergeant's Pet Care Products, Inc.  
Omaha, NE 68138-3710

[BAR CODE AREA]  
EPA Reg. No. 2517-RLE  
EPA Est. No. [2517-NE-001] [XXX-XX-XXX]

{END - BACK / SIDE PANEL}

**OUTER PACKAGING OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE DOG SQUEEZE ON  
FIPRONIL+ETOFENPROX+PYRIPROXYFEN**

[How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

### [[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin -- putting proven flea and tick protection where it needs to be.]

### [Application Instructions] [Directions for Use]

#### How to open

1. Remove product tubes [vial] from the package.
2. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

#### How to apply

1. Invert [tube][vial][applicator][pipette] over dog and use open end to part dog's hair.
2. Squeeze [tube][vial][applicator][pipette] firmly to apply all of the solution to the dog's skin [as a spot [on] [to] the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.] [Optional drawings that may or may not appear anywhere on finished label]

11/12


# Sergeant's® Master Label

15 April 2014 Application  
Information in [ ] is optional.

Version 14.1  
Page 8 of 9

EPA Reg. No. 2517-RLE

[Flea life cycle diagram] [Flea Life Cycle][Sample coloring and layout may be different on final label]



[Look at the Label (Look at the Label icon) 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment][application] to avoid chance of ingestion
- [6] Do NOT split tubes between pets [and use the ENTIRE tube contents]]

### [Brand name]

[1][2][3][4][5][6][12][24][Month [Treatment] [Application] Tracker]

[For year-round protection, apply [brand name][this product] monthly.]

[Pet's Name (Empty blank for owner to fill in name)]

[First][1st][Second][2nd][Third][3rd][Fourth][4<sup>th</sup>][Fifth][5<sup>th</sup>][Sixth][6<sup>th</sup>][Seventh][7<sup>th</sup>][Eighth][8<sup>th</sup>][Ninth][9<sup>th</sup>][Tenth][10<sup>th</sup>][Eleventh][11<sup>th</sup>][Twelfth][12<sup>th</sup>]

[Dose] [Treatment] [Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)  
[calendar stickers with brand name]

[Place stickers on your calendar as a reminder to reapply [brand name][this product] [in 30 days.]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [brand name][this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

[Optional graphics below may or may not appear anywhere on finished label]




# Sergeant's® Master Label

15 April 2014 Application  
Information in [ ] is optional.

Version 14.1  
Page 9 of 9

EPA Reg. No. 2517-RLE



	Adult Flea	
	Flea eggs	
	Flea Larvae	
	Flea Pupae	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Chewing Lice	
	Lone Star Tick	
	Mosquitoes	
	Mite	

{END - OPTIONAL INSERT OR PACKAGE COPY}

TUBE/VIAL LABEL

DOG SQUEEZE

ON FIPRONIL+ETOFENPROX+PYRIPROXYFEN

Front Label

Back Label

<p>{Brand Name} </p> <p>For dogs [X-Y lbs] ≥13 wks</p> <p>Fipronil 9.8%, Etofenprox 15%, Pyriproxyfen 2.2%</p> <p>Dog 0.023 fl oz (or) 0.045 fl oz (or) 0.091 fl oz (or) 0.136 fl oz {label code}</p>	<p>KEEP OUT OF REACH OF CHILDREN</p> <p>CAUTION: Read directions and precautions before using. Use scissors to open.</p> <p>EPA REG. No. 2517-RLE {label code}</p>
---	--