



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

December 14, 2015

Mr. Kelly R. Hoskins
Sergeant's Pet Care Products, Inc.
10077 South 134th Street
Omaha, NE 68138-3710

Subject: Label Amendment – Addition of sublabel for veterinarian use and other minor changes
Product Name: SERGEANT'S FIPRONIL + ETOFENPROX + METHOPRENE
SQUEEZE-ON FOR DOGS
EPA Registration Number: 2517-154
Application Date: 01/06/2015
Decision Number: 499065

Dear Mr. Hoskins:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

The alternate brand names PetArmor® Tri [-] Action for Dogs & Puppies, PetArmor® Triple [-] Action for Dogs & Puppies, PetArmor® Tri [-] Shield for Dogs & Puppies, PetArmor® Tri [-]

Guard for Dogs & Puppies, SENTRY® Tri [-] Action for Dogs & Puppies, SENTRY® Triple [-] Action for Dogs & Puppies, SENTRY® Tri [-] Shield for Dogs & Puppies, and SENTRY® Tri [-] Guard for Dogs & Puppies have been added to the product record.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, you may contact Elizabeth Fertich at 703-347-8560 or via email at fertich.elizabeth@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'J. S.', with a stylized flourish at the end.

Jennifer Saunders, PhD, Product Manager 4
Invertebrate and Vertebrate Branch 1 (IVB1)
Registration Division (7505P)
Office of Pesticide Programs

Sergeant's Master Label

4DEC15 2 YR EXT

Version 15.1

EPA No. 2517-154

Information in [] is optional.

Page 1 of 11

EPA SAL 4/15/2014

FRONT PANEL

DOG SQUEEZE ON

FIPRONIL+ETOFENPROX +METHOPRENE

[Optional text appears in brackets – the final product label may include some or all of the optional text on front, back or side label panels. The CRP required text will not change.] {Information is instructional}

Sergeant's Fipronil + Etofenprox + Methoprene Squeeze-On for Dogs

{Market Label-the word Dog will be at least 75% in height of the largest letter in the primary brand name.}

{Market Label-a large clear picture of a dog in the respective weight range will be on the front panel of the label}

[ABNs]

[PetArmor® Tri [-] Action for Dogs & Puppies]

[PetArmor® Triple [-] Action for Dogs & Puppies]

[PetArmor® Tri [-] Shield for Dogs & Puppies]


[PetArmor® Tri [-] Guard for Dogs & Puppies]

[SENTRY® Tri [-] Action for Dogs & Puppies]

[SENTRY® Triple [-] Action for Dogs & Puppies]

[SENTRY® Tri [-] Shield for Dogs & Puppies]

[SENTRY® Tri [-] Guard for Dogs & Puppies]



{ 1.5 cm x 1.5 cm or as indicated below }

[Apply to puppies over 13 weeks old]

[Apply to puppies 13 weeks or older]



For use ONLY on dogs [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] {OR}

For use ONLY on dogs [[&][and] puppies 4[-] [to] 22 lbs and over 13 weeks of age {OR}

ONLY For Dogs [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] {OR}

ONLY For Dogs & Puppies 13 weeks or older [&][and] 4[-][to] 22 lbs

{Market Label-one of the statements above will be placed prominently on the front panel}

{box only designates Vet Only language}

{SUBLABEL: FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION}

FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels.
Not for residential use. Do not repack.

[Ideal for shelter use when under direct supervision of veterinarian]

[Professional Roll Pack]

[Convenient roll pack for in clinic use]

[Convenient roll pack for animal facility use]

[For use only by licensed veterinarians]

Sergeant's Master Label

4DEC15 2 YR EXT

Version 15.1

EPA No. 2517-154

Information in [] is optional.

Page 2 of 11

EPA SAL 4/15/2014

[Mosquitoes]

[Kills mosquitoes] [within 24 hours for up to 7 days] [and within 48 hours for up to 28 days]

[Chewing Lice]

[Kills chewing lice][Rapid elimination of chewing lice infestation]

[[A once monthly application required][Apply monthly to control] [for] chewing lice]

[Adult Fleas]

[[Kills [adult] Fleas [for up to three months]]

[Kills newly emerged adult Fleas before they lay eggs]

[Kills Adult Fleas, which may be a source of [flea allergy dermatitis] [, flea bite anemia]]

[Kills Fleas Up to [4 weeks] [1 month] [30 days]!]

[If dog is a high risk for flea reinfestation a once month application may be needed]

[Flea Eggs and Larvae]

[Controls flea reinfestation for up to [12 weeks] [3 months]]

[Kills adult fleas, flea eggs, flea larvae, and prevents the development of pupae for up to [three months] [12 weeks].]

[Effectively controls all stages of the flea (including adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]

[Effective against all stages of the flea (including adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]

[If dog is a high risk for flea reinfestation a once month application may be needed]

[Prevents from developing, flea eggs [larvae] [pupae] for up to [3 months] [12 weeks]]

[With (S)-methoprene Insect Growth Regulator [IGR] which Breaks the Flea Life Cycle]

[With (S)-methoprene to Break Flea Life Cycle]

[With Insect Growth Regulator [IGR] to Break Flea Life Cycle]

[Kills Flea Eggs & Flea Larvae for [up to 3 months] [up to 12 weeks]!]

[Prevents Flea Eggs From Developing Into Biting Adults]

[Prevents all stages of the flea life cycle from developing]

[Controls reinfestation of fleas for up to 3 months]

[Effective against all stages of the flea life cycle]

[Effectively controls all stages of the flea life cycle]

[Ticks]

[Kills Ticks including those that may transmit Lyme disease]

[Kills Ticks for Up to [4 weeks] [1 month] [30 days]!]

[Kills [all stages of] deer ticks [including those that may transmit Lyme disease,] [for up to [4 weeks] [1 month] [30 days] [per application]]

[Kills Ticks (Including Deer Ticks) for up to [4 weeks] [1 month] [30 days]]

[Kills [brown dog ticks], [(*Rhipicephalus sanguineus*)] [American dog ticks,] [and] [lone star ticks][,][and deer ticks] [for up to [4 weeks] [1 month] [30 days]]

[Kills American Dog Ticks [(*Dermacentor variabilis*)] for up to [4 weeks] [1 month] [30 days]!]

[Multiple Infestations]

[Kills chewing lice [and aids in control of mites that may cause sarcoptic mange]]

[Flea [&] [and] Tick Control for Dogs [&] [and] Puppies 13 weeks old [&] [and] older]

[Kills fleas, flea eggs, ticks, chewing lice [&] [and] [mosquitoes]]

[Kills fleas, ticks, [mosquitoes], chewing lice, flea eggs, flea larvae [&] [and] [prevents the development of flea pupae]]

[Kills Fleas, Ticks [&] [and] [Mosquitoes]]

[Breaks the Flea Life Cycle [for up to three months]]

Sergeant's Master Label

4DEC15 2 YR EXT

Version 15.1

EPA No. 2517-154

Information in [] is optional.

Page 3 of 11

EPA SAL 4/15/2014

[Monthly flea, tick, [mosquito], chewing lice and flea egg protection]

[Monthly flea, tick, [mosquito] and chewing lice protection]

[Kills fleas, ticks, [mosquitoes], flea eggs, and chewing lice]

[[Seven] [7] [Six] [6][Five[5] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, flea eggs, [&][and]flea larvae [&] [and] prevent the development of flea pupae]]

[[Six] [6] [Five] [5][Four][4] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, [&][and]flea eggs [&] [and] flea larvae]

[[4 week] [1 month] [30 day] Flea [and] [&] Tick [Application] [Treatment]!]

[[Four (4) Week] [1 month] [30 day] [Flea, Tick, and Chewing Lice Control]

[[Four [4] Week] [1 month] [Flea, Tick, [Mosquito] and Chewing Lice Control]

[Use [**Brand Name**][this product] monthly to break the flea life cycle.]

[Use [**Brand Name**][this product] monthly to control ticks and chewing lice]

[Monthly flea, tick, [mosquito,] flea egg, flea larvae and chewing lice protection.]

[Once A Month Flea, Tick, [Mosquitoes] [and] [Chewing Lice][Application] [Treatment]]

[Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills Fleas, [and] [&] Ticks [and Mosquitoes] for up to [4 weeks] [1 month]!]

[Kills Fleas, Ticks, Flea Eggs [and] [&] Flea Larvae for up to [4 Weeks] [1 month] [30 days]]

[All Others]

[For Dogs and Puppies 13 weeks of age or older]

[Can be used on puppies 13 weeks of age and older]

[Specially Formulated for Dogs and Puppies 13 weeks of age or older]

[Only For Small Dogs 4 to 22 lbs.] [Only For Medium Dogs 23-44 lbs.] [Only For Large Dogs 45-88

lbs.] [Only For Extra Large Dogs 89-132 lbs.]

[S][Small][4-22 lbs.][M][Medium][23-44 lbs.][L][Large][45-88 lbs.][XL][Extra Large][89-132 lbs.]

[Fast Acting] [Long Lasting]

[Convenient spot treatment]

[Easy to Use [Application]]

[Best if used year round!]

[For year-round protection, apply [**Brand Name**][this product] monthly]

[(ICON Showing [4 week] [1 month] [30 day] Protection)]

[Apply monthly]

[Prevents reinfestation of fleas, ticks, and chewing lice for [4 weeks] [1 month]]

[Apply once every [4 weeks] [month] [30 days]!]

[4 Week Dose!] [1 Month Dose!] [30 Day Dose!]

[One Application][Two Applications][Three Applications][Four Applications][Five Applications][Six Applications][12 Applications][24 Applications] and/or [1 Month Supply][2 Month Supply][3 Month Supply][4 Month Supply][5 Month Supply][6 Month Supply][12 Month Supply][24 Month Supply] or [4 Week Supply][8 Week Supply][12 Week Supply][16 Week Supply][20 Week Supply][24 Week Supply][48 Week Supply][52 Week Supply][104 Week Supply]

[Aids in control of mites that may cause sarcoptic mange]

[Waterproof]

[Effective after bathing and exposure to water and sunlight]

[[Free] Calendar Stickers Inside!]

[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet][inside]]

[Fipronil (9.8%) + Etofenprox (15.0%) + (S)-methoprene (11.8%)]

[[Brand Name][This product] is a registered trademark of [Sergeant's®] [Company Name]]

[[1][2][3][4][5][6][12][24] Applications]

[Stops and prevents infestation of listed pests for [4 weeks][1 month]]

[Stops existing infestation and prevents establishment of additional infestation of listed pests]

[Lift [here] for more information]

Sergeant's Master Label

4DEC15 2 YR EXT

Version 15.1

EPA No. 2517-154

Information in [] is optional.

Page 4 of 11

EPA SAL 4/15/2014

[Direct to skin [tube][vial][applicator][pipette]]
[Easy to Use] [tube][vial][applicator][pipette]
[Clean cut [open] [tube][vial][applicator][pipette]]
[No-mess [open] [tube][vial][applicator][pipette]]
[Clip-tip design [tube][vial][applicator][pipette][!]]
[Satisfaction Guaranteed]
[If you are not satisfied, we will make it right with a replacement or refund.]
[Save Now!]
[Value Size]
[Club Size]
[Bonus Size]
[Club Pack]
[Great Value]
[Better Value]
[Bonus Pack]
[(x) + (x) bonus pack!]
[Buy more and save!]
[Buy X Get Y Free]
[Buy 3 get 1 free]
[(x)% (More) (Free)!]
[33% more free]
[(x) Dose(s) Free!]
[(x) Day(s) (Free)!]
[(x) Month(s) Free!]
[(x) Day(s) of treatment- Free!]
[(x) Tube(s) Free!]
[(x) Applicator(s) Free!]
[(x) Application(s) Free!]

ACTIVE INGREDIENTS:

Fipronil..... 9.80%

Etofenprox..... 15.00%

(S)-methoprene..... 11.80%

OTHER INGREDIENTS: 63.40%

TOTAL **100.00%**

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [Insert] [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

Net Contents: X fl oz [Y – X fl oz [tube][vial][applicator][pipette][s]]

[1][One][2][Two][3][Three][4][Four][5][Five][6][Six][12][Twelve][24][Twenty-Four]

OR {box only designates Vet Only language}

Net Contents: X fl oz X count [Y – X fl oz [tube][vial][applicator][pipette][s]]

[Thirty-five] 35[Fifty][50][Seventy-five][75][One hundred][100] [One hundred sixty 160]

[0.023 fl oz (0.67 ml) [tube][vial][applicator][pipette][s]]

[0.045 fl oz (1.34 ml) [tube][vial][applicator][pipette][s]]

[0.091 fl oz (2.68 ml) [tube][vial][applicator][pipette][s]]

[0.136 fl oz (4.02 ml) [tube][vial][applicator][pipette][s]]

Sergeant's Master Label

4DEC15 2 YR EXT

Version 15.1

EPA No. 2517-154

Information in [] is optional.

Page 5 of 11

EPA SAL 4/15/2014

BACK / SIDE PANEL

DOG SQUEEZE ON

FIPRONIL+ETOFENPROX +METHOPRENE

[[**Brand Name**][This product] contains Fipronil, Etofenprox and S-Methoprene (insect growth regulator) (IGR) to effectively kill fleas and ticks [(including those that may transmit Lyme disease).] [The active ingredients in [**Brand Name**][this product] feature a sustained release formula developed for fast acting [and long lasting] control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4][four] weeks] on dogs.]

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES OVER 13 WEEKS OF AGE.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

OR {box only designates Vet Only language}

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat a dog with more than one pesticide product at a time. Over dosing a dog can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

FIRST AID

| | |
|-----------------------------------|---|
| If On Skin Or Clothing | <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice. |
| If Swallowed | <ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person. |
| If In Eyes | <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for further treatment advice. |

HOT LINE NUMBER

Sergeant's Master Label

4DEC15 2 YR EXT

Version 15.1

EPA No. 2517-154

Information in [] is optional.

Page 6 of 11

EPA SAL 4/15/2014

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats, rabbits or animals other than dogs. Do not allow [your] dog to ingest this product. Do not use on puppies under 13 weeks of age or less than [4][23][45][89] lbs. Use entire contents of [tube] [vial] [applicator][pipette] on each dog. [Do not split one [tube] [vial] [applicator][pipette] between dogs.] Do not use multiple [tube] [vial] [applicator][pipette]s on one dog. Weigh [your] dog to be sure you are applying the right dose formulated for the weight of [your] dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4783. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.

{ 1.5cm x 1.5cm on final or as indicated }



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

{ Outer Packaging }

How to open: Remove product tubes [vial] from the package. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the lines.

How to apply: Invert [tube][vial][applicator][pipette] over dog and use open end to part dog's hair. Squeeze [tube][vial][applicator][pipette] firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every [4 weeks][30 days][month].

Only For Dogs Weighing 4[-][to] 22 lbs. Do not apply to dogs weighing less than 4 lbs. [including small dogs and puppies, 13 weeks or older]:

{For cartons containing 0.67 mL (0.023 fl oz) applicator tubes}

Apply one [tube][vial][applicator][pipette] (0.67 mL)(0.023 fl oz) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. [This allows for a more direct

Sergeant's Master Label

4DEC15 2 YR EXT

Version 15.1

EPA No. 2517-154

Information in [] is optional.

Page 7 of 11

EPA SAL 4/15/2014

application to the skin.]

Only For Dogs Weighing 23 [-] [to] 44 lbs. Do not apply to dogs weighing less than 23 lbs.

{For cartons containing 1.34 mL (0.045 fl oz) applicator tube}

Apply one [tube][vial][applicator][pipette] (1.34 mL)(0.045 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. [This allows for a more direct application to the skin.]

Only For Dogs Weighing 45 [-] [to] 88 lbs. Do not apply to dogs weighing less than 45 lbs.

{For cartons containing 2.68 mL (0.091 fl oz) applicator tube}

Apply one [tube][vial][applicator][pipette] (2.68 mL)(0.091 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. [This allows for a more direct application to the skin.]

Only For Dogs Weighing 89[-] [to] 132 lbs Do not apply to dogs weighing less than 89 lbs. Do not use two tubes on dogs greater than 132 lbs{For cartons containing 4.02 mL (0.136 fl oz) applicator tube}

Apply one [tube][vial][applicator][pipette] (4.02 mL)(0.136 fl. oz.) [directly to skin] [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades] [as a [stripe][line] starting [at the middle of the back][at a midway point between the neck and tail] and ending [at a spot] between the shoulder blades]. [This allows for a more direct application to the skin.]

FREQUENCY OF APPLICATION

Use [**Brand Name**] [this product] monthly for ~~complete~~ control of flea, tick, [and] chewing lice, [and] mosquito infestations. [Studies show that] [**Brand Name**][this product] kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks[,] [mosquitoes] and chewing lice. [**Brand Name**] [This product] remains effective even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [30 days] [4 weeks].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F [/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[**WARRANTY** Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All

Sergeant's Master Label

4DEC15 2 YR EXT

Version 15.1

EPA No. 2517-154

Information in [] is optional.

Page 8 of 11

EPA SAL 4/15/2014

such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY]
Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738
Non-Emergency, call: 1-800-224-PETS (7387)

[Coupon(s) inside or on outside of box]
[Made in USA] [U.S. Patent No. 5,567,429]

[Distributed by:][Manufactured by:]
Sergeant's Pet Care Products, Inc.
Omaha, NE 68138-3710

[BAR CODE AREA][Lot code]
EPA Reg. No. 2517-154
EPA Est. No. [2517-NE-001] [2517-NE-002]
[XXX-XX-XXX]

{END - BACK / SIDE PANEL}

OUTER PACKAGING OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE

DOG SQUEEZE ON

FIPRONIL+ETOFENPROX +METHOPRENE

[How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

[[Clip. Part. Squeeze.]

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea and tick protection where it needs to be.]

[Application Instructions] [Directions for Use]

How to Open

1. Remove product tubes [vial] from the package.
2. [Separate one tube from the others.] Hold the tube [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply

1. Invert [tube][vial][applicator][pipette] over dog and use open end to part dog's hair.
2. Squeeze [tube][vial][applicator][pipette] firmly to apply all of the solution to the dog's skin [as a spot [on] [to] the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.] [Optional drawings that may or may not appear anywhere on finished label]

Sergeant's Master Label

4DEC15 2 YR EXT

Information in [] is optional.

Version 15.1

Page 9 of 11

EPA No. 2517-154

EPA SAL 4/15/2014

[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy] [Spot On]

[Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow directions
- [2] Weigh [your] dog
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment][application] to avoid chance of ingestion
- [6] Do NOT split [tube][vial][applicator][pipette]s between pets[and use the ENTIRE [tube] [vial] [applicator] [pipette] contents]

[Brand Name]

[1][2][3][4][5][6][12][24][Month [Application] Tracker] [Carecard]

[For year-round protection, apply [Brand Name][this product] monthly.]

[Pet's][Dog's] Name (Empty blank for owner to fill in name)]

[Dog's Weight (Empty blank for owner to fill in name)]

[First][1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth][8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th]

[Dose] [Treatment] [Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)]

[Application date][Date of Application]

[calendar stickers with Brand Name]

[Place stickers on your calendar as a reminder to reapply [Brand Name][this product] in 30 days.]



[Place sticker on your calendar or [refrigerator] to remind yourself to apply [Brand name][this product] to your dog]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand Name][this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

[Optional graphics below may or may not appear anywhere on finished label]

[Flea life cycle diagram] [Flea Life Cycle][Sample coloring and layout may be different on final label]



Sergeant's Master Label

4DEC15 2 YR EXT

Information in [] is optional.

Version 15.1

Page 10 of 11

EPA No. 2517-154

EPA SAL 4/15/2014



| | | |
|--|-------------------|--|
| | Adult Flea | |
| | Flea eggs | |
| | Flea Larvae | |
| | Flea Pupae | |
| | Ticks | |
| | Brown Dog Tick | |
| | Deer Tick | |
| | American Dog Tick | |
| | Chewing Lice | |
| | Lone Star Tick | |
| | Mosquitoes | |
| | Mite | |

{END - PACKAGE COPY}

Sergeant's Master Label

4DEC15 2 YR EXT

Version 15.1

EPA No. 2517-154

Information in [] is optional.

Page 11 of 11

EPA SAL 4/15/2014

TUBE/VIAL LABEL

DOG SQUEEZE ON

FIPRONIL+ETOFENPROX +METHOPRENE

{Front Label}

{Back Label}

{**Brand Name**} For dogs [X-Y lbs] \geq 13 wks
Fipronil 9.8%, Etofenprox 15%,
(S)-methoprene 11.8%
0.023 fl oz (**or**) 0.045 fl oz (**or**) 0.091 fl
oz (**or**) 0.136 fl oz {label code}



KEEP OUT OF REACH OF CHILDREN
CAUTION: Read directions and precautions before
using. Use scissors to open.
EPA REG. No. 2517-154 {label code}

{EPA REG No may be on either the front or back label}

{END – TUBE/VIAL COPY}