

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W.

Washington, D.C. 20460

NOTICE OF PESTICIDE:

X RegistrationReregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

2517-155

9/30/25

Term of Issuance:

Conditional, Time-Limited

Expires: 5/30/2027

Name of Pesticide Product:

SERGEANT'S FIPRONIL MULTI -

DOSE FOR CATS

Name and Address of Registrant (include ZIP Code):

Prince Bamaze Manager Regulatory Affairs Sergeant's Pet Care Products, LLC 10077 South 134th Street Omaha, NE 68138-3710

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Digitally signed by Debra Rate Date: 2025.09.30 07:36:08

-04'00'

Debra Rate, Acting Product Manager 11

Invertebrate-Vertebrate Branch 2, Registration Division (7505P)

Date:

9/30/25

- 2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 5/30/2027.
- 3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 05/17/2013.
- 4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 09/28/2012
- Alt. CSF 1 dated 09/28/2012

If you have any questions, please contact Debra Rate via email at rate.debra@epa.gov.

Enclosure

4 August 2025 - Amendment Version 25.1 EPA No. 2517-155
Information in [] is optional. Page 1 of 6 EPA SAL 05/17/2013

{Text in brackets [] is optional, one option will appear on the market label - Text in parenthesis () is essential information, will appear on the label - Text in braces {} is information/note to reviewer, will not appear on the market label. The CRP required text will not change.}

#### **Sergeant's Fipronil Multi-Dose for Cats**

{Market Label - the word 'Cat' will be at least 40-75% in height of the largest letter in the primary brand name.} {Market Label - a large, clear picture of a cat in the appropriate weight range will be on the front panel of the product as packaged.}

#### **{FRONT PANEL}**

For use only by licensed veterinarians on animals in their control or under their immediate supervision

{One of the statements below will appear prominently in a box on the front panel}

For use ONLY on cats [[&] [and] kittens over 1.5 lbs. and 8 weeks [of age] or older {or}

ONLY for cats [&] [and] kittens 8 weeks [of age] or older and over 1.5 lbs.

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels. Not for residential use. Keep product in its original container. Do not repackage.

[Ideal for shelter use when under direct supervision of veterinarian]

[Multi-dose bottle] [Multi-Dose Package]

[Convenient multi-dose bottle for in clinic use]

[Convenient multi-dose bottle for animal facility use]

[Accurate and convenient dosing for [all sizes of] cats over 1.5 lbs. and over 8 weeks of age]

#### **ACTIVE INGREDIENT:**

Fipronil	9.70%
ANOTHER INGREDIENT [**]:	90.30%
TOTAL	$1\overline{00.00\%}$

[\*\*diethylene glycol monoethyl ether]

## KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back] [Label] for First Aid and Additional Precautionary Statements

**Net Contents:** [3.38 fl oz [(100 mL)]] [8.45 fl oz [(250 mL)]]

{END - FRONT PANEL}

### ACCEPTED

09/30/2025

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2517-155

4 August 2025 - Amendment Information in [] is optional.

Version 25.1 Page 2 of 6

EPA No. 2517-155 EPA SAL 05/17/2013

#### {BACK/SIDE PANEL(S)}

# READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS AND KITTENS 8 WEEKS [OF AGE] OR OLDER WEIGHING OVER 1.5 LBS

[Sergeant's Fipronil Multi-Dose for Cats provides [[four] [three] [way] protection that kills fleas, ticks, [mosquitoes] and chewing lice. Kills deer ticks that may transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks. Prevents flea reinfestation on cat for [[4] [four] weeks] [[1] [one] month] [30 days].]

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. CAUTION.** Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### HAZARDS TO DOMESTIC ANIMALS.

For external use on cats only. Individual sensitivities may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat a cat with more than one pesticide product at a time. Overdosing a cat can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing cats, or cats with known organ dysfunction. If the cat is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

FIRST AID		
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.	
HOTLINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor, or going		

#### **DIRECTIONS FOR USE**

for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. To prevent harm to you and the cat, read entire label before each use. Follow all directions and precautionary statements carefully.

4 August 2025 - Amendment Information in [] is optional.

Version 25.1 Page 3 of 6

EPA No. 2517-155 EPA SAL 05/17/2013

#### **RESTRICTIONS:**

Do not allow children to apply product.

Do not use on rabbits or animals other than cats.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age.

Do not apply to cats weighing less than 1.5 lbs.

Do not overdose cat.

Cat must be dry at the time of application and remain dry for 24 hours.

Instruct cat owner to separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.

{Side Effects box to be located on the lower right hand side of the back label panel}

**Side Effects:** Instruct the owner to monitor the cat after application. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed and continue to monitor the cat for the next 24 hours. [Some cats may experience temporary startle effects when any product is applied.] Cats may experience some irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe the cat with a mild soap and rinse with large amounts of water. If signs persist or become more severe within a few days of application, immediately call 1-800-781-4738. If the cat has an unusual reaction to the initial application, evaluate the cat's condition before repeating application.

{CRP text below is found on top of cap. Graphic may or may not appear anywhere on the label}

#### WHILE PUSHING DOWN TURN CLOSE TIGHTLY



#### How to Apply

110W to Apply			
Weight/Application Amount			
Only for cats and kittens 8 weeks or older and over 1.5 lbs.			
Weight:	Apply:		
All sizes over 1.5 lbs.	(0.50  mL)  or  (0.50  cc)		

Application to be made using commercially available ≥1 mL (syringe must have 0.1 mL graduations), luer tip disposable syringe without needle. Use of non-sterile syringe is acceptable since applications are topical. Use syringe [(not included)] to measure and withdraw the appropriate amount of solution by inserting the syringe into the top of the bottle. Refer to table above for application rates. Part the cat's hair and apply entire amount directly to the skin of the cat, as directed below. Do not apply more often than once every [4 weeks] [month] [30 days]. When finished using product, replace the cap.

4 August 2025 - Amendment Information in [] is optional.

Version 25.1 Page 4 of 6 EPA No. 2517-155 EPA SAL 05/17/2013

#### FREQUENCY OF APPLICATION

[Brand Name] [This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [30 days][4 weeks][one month].

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Keep product in its original container. Do not repackage. Store in a cool [(below 77°F [/][25°C])] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**SYRINGE DISPOSAL:** Do not reuse this syringe. Only discard empty syringes. Do not discard syringes containing product. Discard disposable syringe in accordance with State and Local regulations. **CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 [Coupon(s) inside or on outside of box]

Non-Emergency, call: 1-800-224-PETS (7387) [Made in USA]

[Distributed by:] [Manufactured by:] Sergeant's Pet Care Products, LLC PO Box 540399, Omaha, NE 68154-0399

[BAR CODE AREA] [Lot code] EPA Reg. No. 2517-155 EPA Est. No. [XXX-XX-XXX]

4 August 2025 - Amendment Information in [] is optional.

Version 25.1 Page 5 of 6

EPA No. 2517-155 EPA SAL 05/17/2013

{Optional graphics below may or may not appear anywhere on finished label}

Total	Flea	
Total	Adult Fleas	
*	Ticks	
*	Deer Tick	
*	Brown Dog Tick	
*	Lone Star Tick	
*	American Dog Tick	
*	Chewing Lice	
7)	Mosquitoes	

#### {END BACK/SIDE LABEL(S)}

[ABNs:]

[Meridian® Ectoadvance<sup>TM</sup> Spot On for Cats]

[Meridian® Ectoadvance<sup>TM</sup> for Cats]

{Optional marketing statements below may appear anywhere on the market label}

#### Mosquitoes

{1} Kills mosquitoes within 48 hours for up to 28 days

#### **Chewing Lice**

{2} Kills chewing lice

#### **Fleas**

- {3} Kills adult fleas [for up to 4 weeks]
- {4} Kills Fleas Up to [4 weeks] [1 month] [30 days] [!]

4 August 2025 - Amendment Version 25.1 EPA No. 2517-155 Information in [] is optional. Page 6 of 6 EPA SAL 05/17/2013

- {5} If cat is a high risk for flea reinfestation apply once a month
- {6} Kills fleas which may be a source of flea allergy dermatitis [and flea bite anemia]

#### **Ticks**

- {7} Kills ticks including those that may transmit Lyme disease
- {8} Kills deer ticks [including those that may transmit Lyme disease,] [for up to [4 weeks] [1 month] [30 days] [per application]]
- {9} Kills ticks including [brown dog ticks] [(Rhipicephalus sanguineus)] [American dog ticks,] [(Dermacentor variabilis)] [and] [lone star ticks] [,][and] [deer ticks] [for up to [4 weeks] [1 month] [30 days]

#### **Multiple Infestations**

- {10} Flea [&] [and] Tick Control for Cats [&] [and] Kittens 8 weeks [old] and over 1.5 lbs
- {11} Kills fleas, ticks, [mosquitoes] [&] [and] chewing lice
- {12} Monthly flea, tick, [mosquito] and chewing lice protection for cats
- {13} [Four] [4] [Three] [3] Way [Action] [Effectiveness] [Control] [!] [kills fleas, [mosquitoes,] ticks, and chewing lice
- {14} [4 week] [1 month] [30 day] Flea [and] [&] Tick [Application] [Treatment] [!]
- [15] [Four Week] [1 month] [30 day] [Flea, Tick, [Mosquito] and Chewing Lice Control [!]
- {16} Once A Month Flea and Tick Treatment
- {17} Use Sergeant's Fipronil Multi-Dose for Cats monthly to control ticks and chewing lice
- {18} Kills Fleas and Ticks for up to [4 weeks] [1 month] [30 days] [!]
- {19} Sergeant's Fipronil Multi-Dose for Cats provides convenient and effective flea, tick, chewing lice [and] [mosquito] control for cats and kittens over 8 weeks [of age] [,][and] over 1.5 lbs.

#### All Others

- {20} For Cats and Kittens 8 weeks [of age] or older and over 1.5 lbs.
- {21} Can [use][apply] [on][to] kittens 8 weeks [of age] and older and 1.5 lbs.
- {22} Specially Formulated for Cats and Kittens Over 8 Weeks [Old] and over 1.5 lbs.
- {23} Easy to Use [Application]
- {24} Apply [monthly] [once every [4 weeks] [month] [30 days][!]
- {25} Waterproof
- {26} Effective after bathing and exposure to water and sunlight
- {27} Can be used on breeding, pregnant and lactating [queens], [female] [cats]