



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

NOTICE OF PESTICIDE:

☒ Registration  
☐ Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

2517-156

Date of Issuance:

9/30/25

Term of Issuance:

Conditional, Time-Limited  
Expires: 5/30/2027

Name of Pesticide Product:

SERGEANT'S FIPRONIL MULTI -  
DOSE FOR DOGS

Name and Address of Registrant (include ZIP Code):

Prince Bamaze  
Manager Regulatory Affairs  
Sergeant's Pet Care Products, LLC  
10077 South 134th Street  
Omaha, NE 68138-3710

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Digitally signed by Debra Rate  
Date: 2025.09.30 07:39:42  
-04'00'

Debra Rate, Acting Product Manager 11  
Invertebrate-Vertebrate Branch 2, Registration Division (7505P)

Date:

9/30/25

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 5/30/2027.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 05/17/2013.
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 09/28/2012
- Alt. CSF 1 dated 09/28/2012

If you have any questions, please contact Debra Rate via email at [rate.debra@epa.gov](mailto:rate.debra@epa.gov).

Enclosure

# Sergeant's Master Label

4 August 2025 - Amendment  
Information in [ ] is optional.

Version 25.1  
Page 1 of 6

EPA No. 2517-156  
EPA SAL 05/17/2013

{Text in brackets [ ] is optional, one option will appear on the market label - Text in parenthesis ( ) is essential information, will appear on the label - Text in braces { } is information/note to reviewer, will not appear on the market label. The CRP required text will not change.}

## Sergeant's Fipronil Multi-Dose for Dogs

{Market Label - the word 'Dog' will be at least 40-75% in height of the largest letter in the primary brand name.}

{Market Label - a large, clear picture of a dog in the appropriate weight range will be on the front panel of the product as packaged.}

### {FRONT PANEL}

**For use only by licensed veterinarians on animals in their control or under their immediate supervision**

{One of the statements below will appear prominently in a box on the front panel}

For use ONLY on dogs [&] [and] puppies 5 to 132 lbs. and 8 weeks [of age] or older

{or}

ONLY For Dogs & Puppies 8 weeks or older [&] [and] 5 to 132 lbs.

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels.  
Not for residential use. Keep product in its original container. Do not repackage.

[Ideal for shelter use when under direct supervision of veterinarian]

[Multi-dose bottle]

[Convenient multi-dose bottle for in clinic use]

[Convenient multi-dose bottle for animal facility use]

[Accurate and convenient dosing for dogs [&] [and] puppies 5 to 132 lbs. and over 8 weeks of age]

[Weigh dog for accurate dosing]

[Multi-Dose Package [Weigh dog and determine appropriate application rate using chart]]

{Black cat, black text, red circle and line through cat, on white background to ensure easy spotting, in the lower right-hand corner of front label panel.}



### ACTIVE INGREDIENT:

Fipronil ..... 9.70%

**OTHER INGREDIENT [\*\*]:** ..... 90.30%

**TOTAL** ..... **100.00%**

[\*\*diethylene glycol monoethyl ether]

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See [Back][Label] for First Aid and Additional Precautionary Statements

**Net Contents:** [3.38 fl oz [(100 mL)]] [8.45 fl oz [(250 mL)]]

{END - FRONT PANEL}

**ACCEPTED**

**09/30/2025**

Under the Federal Insecticide, Fungicide  
and Rodenticide Act as amended, for the  
pesticide registered under  
EPA Reg. No. 2517-156

# Sergeant's Master Label

4 August 2025 - Amendment  
Information in [ ] is optional.

Version 25.1  
Page 2 of 6

EPA No. 2517-156  
EPA SAL 05/17/2013

## {BACK/SIDE PANEL(S)}

### READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS AND PUPPIES 8 WEEKS [OF AGE] OR OLDER WEIGHING 5 TO 132 LBS

[*Sergeant's Fipronil Multi-Dose for Dogs* provides [[four] [three] way] protection that kills fleas, ticks, [mosquitoes] and chewing lice. Aids in control of mites that may cause Sarcoptic mange. Kills deer ticks that may transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks. Prevents flea reinfestation on dogs for [[4][four] weeks] [[1] [one]month] [30 days].]

### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. CAUTION.** Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### HAZARDS TO DOMESTIC ANIMALS.

For external use on dogs only. Individual sensitivities may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat a dog with more than one pesticide product at a time. Overdosing a dog can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

FIRST AID	
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.	

### DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**  
To prevent harm to you and the dog, read entire label before each use. Follow all directions and precautionary statements carefully.

### RESTRICTIONS:

Do not allow children to apply product.  
Do not use on cats, rabbits or animals other than dogs.

# Sergeant's Master Label

4 August 2025 - Amendment  
Information in [ ] is optional.

Version 25.1  
Page 3 of 6

EPA No. 2517-156  
EPA SAL 05/17/2013

Do not allow the dog to ingest this product.

Do not use on puppies under 8 weeks of age or less than 5 lbs.

Weigh dog to be sure you are applying the right dose formulated for the weight of the dog.

Dog must be dry at the time of application and remain dry for 24 hours.

Instruct dog owner to separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

{Side Effects box to be located immediately above the cat warning box on the back label panel}

**Side Effects:** Instruct the owner to monitor the dog after application. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed and continue to monitor the dog for the next 24 hours. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe dog with a mild soap and rinse with large amounts of water. If signs persist or become more severe within a few days of application immediately call 1-800-781-4783. If dog has an unusual reaction to the initial application, evaluate the [situation][dog's condition] before repeating application.


{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

**DO NOT USE ON CATS.** Instruct the owner to keep cats away from treated dogs for 24 hours. Evaluate [the situation] [the condition of the cat] if applied to a cat or ingested by a cat. [Common signs of ingestion are excessive salivation and foaming at the mouth].



{CRP text below is found on top of cap. Graphic may or may not appear anywhere on the label}

WHILE PUSHING DOWN TURN CLOSE TIGHTLY



## How to Apply

Weigh dog or puppy 8 weeks and older, to determine appropriate application rate using the following chart:

Weight/Application Amount	
Only for dogs weighing:	Apply:
5 [-][to] 20 lbs	(0.6 mL) or (0.6 cc)
21 [-][to] 44 lbs	(1.4 mL) or (1.4 cc)
45 [-][to] 88 lbs	(2.8 mL) or (2.8 cc)
89 [-][to] 132 lbs	(4.0 mL) or (4.0 cc)

Application to be made using commercially available 5 mL (syringe must have 0.2 mL graduations), luer tip disposable syringe without needle. Use of non-sterile syringe is acceptable since applications are topical. Use syringe [(not included)] to measure and withdraw the appropriate amount of solution by inserting the syringe into the top of the bottle. Refer to table above for application rates. Part the dog's hair and apply entire amount directly to the skin of the dog, as directed below. Do not apply more often than once every [4 weeks] [months] [30 days]. When finished using product, replace the cap.

# Sergeant's Master Label

4 August 2025 - Amendment  
Information in [ ] is optional.

Version 25.1  
Page 4 of 6

EPA No. 2517-156  
EPA SAL 05/17/2013

## FREQUENCY OF APPLICATION

[Brand Name] [This product] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for [30 days] [4 weeks] [one month].

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Keep product in its original container. Do not repack. Store in a cool [(below 77°F [ / ] [25°C])] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**SYRINGE DISPOSAL:** Do not reuse the syringe. Only discard empty syringes; do not discard syringes containing product. Discard disposable syringe in accordance with State and Local regulations.

**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[WARRANTY:** Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 [Coupon(s) inside or on outside of box]  
Non-Emergency, call: 1-800-224-PETS (7387) [Made in USA]

[Distributed by:] [Manufactured by:]  
Sergeant's Pet Care Products, LLC  
PO Box 540399, Omaha, NE 68154-0399

[BAR CODE AREA] [Lot code]  
EPA Reg. No. 2517-156  
EPA Est. No. [XXX-XX-XXX]



















# Sergeant's Master Label

4 August 2025 - Amendment  
Information in [ ] is optional.

Version 25.1  
Page 5 of 6

EPA No. 2517-156  
EPA SAL 05/17/2013

{Optional graphics below may or may not appear anywhere on finished label}

	Flea	
	Adult Fleas	
	Ticks	
	Deer Tick	
	Brown Dog Tick	
	Lone Star Tick	
	American Dog Tick	
	Chewing Lice	
	Mosquitoes	

**{END BACK/SIDE LABEL(S)}**

**[ABN(s):]**

**[Meridian® Ectoadvance™ Spot On for Dogs]**

**[Meridian® Ectoadvance™ for Dogs]**

**{Optional marketing statements below may appear anywhere on the market label}**

## **Mosquitoes**

{1} Kills mosquitoes within 48 hours [for up to 28 days]

## **Chewing Lice**

{2} Kills chewing lice

## **Adult Fleas**

{3} Kills adult fleas [for one month]

{4} Kills newly emerged adult fleas before they lay eggs

{5} Kills Adult Fleas, which may be a source of [flea allergy dermatitis] [and] [, flea bite anemia]

{6} Kills Fleas up to [4 weeks] [1 month] [30 days] [!]

{7} If dog is a high risk for flea reinfestation a once monthly application may be needed

{8} Starts [killing][to kill] fleas in [an][1][one] hour

# Sergeant's Master Label

4 August 2025 - Amendment  
Information in [ ] is optional.

Version 25.1  
Page 6 of 6

EPA No. 2517-156  
EPA SAL 05/17/2013

## Ticks

- {9} Kills ticks including those that may transmit Lyme disease
- {10} Kills [all stages of] deer ticks [including those that may transmit Lyme disease,] [for up to [4 weeks] [1 month] [30 days] [per application]
- {11} Starts [killing] [to kill] ticks in [an] [1] [one] hour
- {12} Kills ticks [including] [brown dog ticks] [(*Rhipicephalus sanguineus*)] [American dog ticks,] [(*Dermacentor variabilis*)] [and] [lone star ticks] [,] [and deer ticks] [for up to [4 weeks] [1 month] [30 days]

## Multiple Infestations

- {13} Kills chewing lice [and aids in control of mites that may cause Sarcoptic mange]
- {14} Flea [&] [and] Tick Control for Dogs [&] [and] Puppies 8 weeks and older [,][and] weighing [5-22], [23-44], [45-88] or [89-132] lbs.
- {15} Kills fleas, [&] [and] ticks, [&] [and] [chewing lice] [&] [and] [mosquitoes]
- {16} Monthly flea, tick, [mosquito], and chewing lice [application] [treatment][protection] for dogs
- {17} [Four] [4] [Three] [3] Way [Action][Effectiveness][Control] to kill, ticks, [mosquito,] and chewing lice
- {18} [4 Week] [1 month] [30 day] [Flea and Tick [Application] [Treatment]
- {19} [Four (4) Week] [1 month] [Flea, Tick, [Mosquito] and Chewing Lice Control
- {20} Once A Month Flea, Tick, [Mosquitoes] [and] [Chewing Lice] [Application] [Treatment]
- {21} Use *Sergeant's Fipronil Multi-Dose for Dogs* monthly to control ticks and chewing lice
- {22} Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days] [!]
- {23} Kills Fleas, [and] [&] Ticks [and Mosquitoes] for up to [4 weeks] [1 month] [!]
- {24} Starts [killing] [to kill] fleas and ticks in [an][1] [one] hour

## All Others

- {25} For Dogs and Puppies 8 weeks [of age] or older [,][and] weighing [5-22], [23-44], [45-88] or [89-132] lbs.
- {26} Can [use][apply] [on][to] puppies 8 weeks [of age] and older [,][and] weighing [5-22], [23-44], [45-88] or [89-132] lbs.
- {27} Specially Formulated for Dogs and Puppies 8 weeks [of age] or older [,][and] weighing [5-22], [23-44], [45-88] or [89-132] lbs.
- {28} Convenient spot treatment [Easy to Use [Application]
- {29} Apply [monthly] [once every [4 weeks] [month] [30 days] [!]
- {30} Waterproof
- {31} Effective after bathing and exposure to water and sunlight
- {32} Can be used on breeding, pregnant and lactating [bitches] [female] [dogs]