

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Avenue, N.W. Washington, D.C! 20460

NOTICE OF PESTICIDE: '

X Registration Reregistration

EPA Reg 🖸	Date of	
Number:	Issuances 2014	
2517-158	Mark D Intel	

Term of Issuance: Conditional

Name of Pesticide Product: Sergeant's Fipronil + Pyriproxyfen Spray for Dogs and Cats

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code): Sergeant's Pet Care Products, Inc.

10077 South 134th Street Omaha, NE 63138-3710

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- 1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. You will make the following label changes before you release the product for shipment:
  - a. Revise the EPA Registration Number to read "EPA Registration 2517-158.

	**************************************
Signature of Approving Official:	Date:
See page 2	APR - 9 2014

EPA Reg. No. 2517-158

- 3. Submit and/or cite all data required for reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data. See the data requirements in DCI ID# GDCI-129121-1305 issued March 17, 2014 for fipronil. For information on the DCI's you may contact Ms. Susan Bartow in the OPP Product Re-evaluation Division at 703-603-0065 or by email at Bartow.susan@epa.gov.
- 4. Submit and/or cite all data required for reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data. See the data requirements in DCI ID# GDCI-129032-1299 issued February 21, 2013 for pyriproxyfen. For information on the DCI's you may contact Mr. Ricardo Jones in the OPP Product Re-evaluation Division at 703- 347-0493 or by email at Jones.ricardo@epa.gov.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A copy of your label stamped "Accepted "is enclosed for your records. If you have any questions concerning this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

Sincerely yours,

Richard Gebken

Product Manager (10)

Insecticide Branch

Registration Division (7505P)

8 April 2014 Application

Version14.1

EPA File Symbol 2517-RLI

as amended, for the pesticide

registered under EPA Reg No. 6

Revised label per efficacy DER

Page 1 of 9

[Optional text appears in brackets – the final label may include some or all of the optional text]

### Sergeant's Fipronil + Pyriproxyfen Spray for Dogs and Cats

#### [Alternate Brand Names:]

- [Sentry® Fiproguard® Plus Spray for Dogs and Cats II]
- [Sentry® Fiproguard® Plus Spray for Dogs II]
- [Sentry® Fiproguard® Plus Spray for Cats II]
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Dogs and Cats II]
- Sentry® Fiproguard® Plus Flea and Tick Spray for Dogs II]
  - [Sentry® Fiproguard® Plus Flea and Tick Spray for Cats II]
- [Sentry® Fiproguard® Plus Pest Spray for Dogs and Cats II]
- [Sentry® Fiproguard® Plus Pest Spray for Dogs II]
- [Sentry® Fiproguard® Plus Pest Spray for Cats II]
- [Sentry® Fiproguard® Plus Fipronil Plus Flea and Tick Spray for Dogs and Cats II]
- [Sentry® Fiproguard® Plus Fipronil Plus Flea and Tick Spray for Dogs II]
- [Sentry® Fiproguard® Plus Fipronil Plus Flea and Tick Spray for Cats II]
- [Sentry® Fiproguard® Plus Fipronil + Flea and Tick Spray for Dogs and Cats II]
- [Sentry® Fiproguard® Plus Fipronil + Flea and Tick Spray for Dogs II]
- [Sentry® Fiproguard® Plus Fipronil + Flea and Tick Spray for Cats II]
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Dogs and Cats Fipronil Plus Pyriproxyfen III
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Dogs Fipronil Plus Pyriproxyfen II]
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Cats Fipronil Plus Pyriproxyfen II]
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Dogs and Cats Fipronil + Pyriproxyfen II]
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Dogs Fipronil + Pyriproxyfen II]
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Cats Fipronil + Pyriproxyfen II]
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Dogs and Cats Fipronil and Pyriproxyfen II]
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Dogs Fipronil and Pyriproxyfen II]
- [Sentry® Fiproguard® Plus Flea and Tick Spray for Cats Fipronil and Pyriproxyfen II]
- [PetArmor Plus Spray for Dogs and Cats II]
- [PetArmor Plus Spray for Dogs II]
- [PetArmor Plus Spray for Cats II]
- [PetArmor Plus Flea and Tick Spray for Dogs and Cats II]
- [PetArmor Plus Flea and Tick Spray for Dogs II]
- [PetArmor Plus Flea and Tick Spray for Cats II]
- [PetArmor Plus Fipronil Plus Flea and Tick Spray for Dogs and Cats II]
- [PetArmor Plus Fipronil Plus Flea and Tick Spray for Dogs II]
- [PetArmor Plus Fipronil Plus Flea and Tick Spray for Cats II]
- [PetArmor Plus Fipronil + Flea and Tick Spray for Dogs and Cats II]
- [PetArmor Plus Fipronil + Flea and Tick Spray for Dogs II]
- [PetArmor Plus Fipronil + Flea and Tick Spray for Cats II]
- [PetArmor Plus Flea and Tick Spray for Dogs and Cats Fipronil Plus Pyriproxyfen II]
- [PetArmor Plus Flea and Tick Spray for Dogs Fipronil Plus Pyriproxyfen II]
- [PetArmor Plus Flea and Tick Spray for Cats Fipronil Plus Pyriproxyfen II]

8 April 2014 Application

Version14.1

EPA File Symbol 2517-RLI

Revised label per efficacy DER

Page 2 of 9

[PetArmor Plus Flea and Tick Spray for Dogs and Cats Fipronil + Pyriproxyfen II]

[PetArmor Plus Flea and Tick Spray for Dogs Fipronil + Pyriproxyfen II]

[PetArmor Plus Flea and Tick Spray for Cats Fibronil + Pyriproxyfen II]

[PetArmor Plus Flea and Tick Spray for Dogs and Cats Fipronil and Pyriproxyfen II]

[PetArmor Plus Flea and Tick Spray for Dogs Flpronil and Pyriproxyfen II]

[PetArmor Plus Flea and Tick Spray for Cats Fipronil and Pyriproxyfen II]

[Sergeant's PetArmor Plus Spray for Dogs and Cats II]

[Sergeant's PetArmor Plus Spray for Dogs II]

[Sergeant's PetArmor Plus Spray for Cats II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Dogs and Cats II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Dogs II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Cats II]

[Sergeant's PetArmor Plus Fipronil Plus Flea and Tick Spray for Dogs and Cats II]

[Sergeant's PetArmor Plus Fipronil Plus Flea and Tick Spray for Dogs II]

[Sergeant's PetArmor Plus Fipronil Plus Flea and Tick Spray for Cats II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Dogs and Cats Fipronil Plus Pyriproxyfen II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Dogs Fipronil Plus Pyriproxyfen II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Cats Fipronil Plus Pyriproxyfen II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Dogs and Cats Fipronil + Pyriproxyfen II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Dogs Fipronil + Pyriproxyfen II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Cats Fipronil + Pyriproxyfen II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Dogs and Cats Fipronil and Pyriproxyfen II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Dogs Fipronil and Pyriproxyfen II]

[Sergeant's PetArmor Plus Flea and Tick Spray for Cats Fipronil and Pyriproxyfen II]

[For use on dogs, cats, puppies, [and][&] kittens] [8 weeks or older] [over 8 weeks old][over 8 weeks of age]].

[For [use on] Dogs [and][&] [Puppies]] [For [use on] Cats [and][&] [Kittens]] [8 weeks or older] [over 8 weeks old][over 8 weeks of age]].

[Apply to [puppies] [and] [kittens] [8 weeks or older] [over 8 weeks old][over 8 weeks of age]] [Brand Name][This product] provides [spray][treatment][and][&]control of fleas and ticks on [dogs] [and] [cats] [including [puppies] [and] [kittens] [8 weeks or older] [over 8 weeks old][over 8 weeks of age]].

#### [Fleas]

[Kills fleas]

[Controls fleas]

[Prevents new flea infestations]

[Halts existing flea infestations]

[If [your] [dog] [or] [cat] is at high risk for flea reinfestation, apply once a month]

[Stops [existing infestations and] prevents establishment of new infestations]

[Kills fleas for up to [4 weeks] [1 month] [30 days]!]

[Kills [newly emerged] adult fleas [before they lay eggs]]

[[Brand Name][This product] may protect dogs from fleas for up to 90 days]

[Kills fleas which may cause flea allergy dermatitis]

[Kills fleas [which may be a source of flea allergy dermatitis]]

# 5/11

Sergeant's Master Label

8 April 2014 Application

Version14.1

EPA File Symbol 2517-RLI

Revised label per efficacy DER

Page 3 of 9

[[Brand Name][This product] prevents development of all flea stages for up to [30 days] [4 weeks].]

[Prevents all flea stages (adult fleas, flea eggs, and flea larvae)]

[Kills flea eggs [and][larvae] [and][prevents pupae development] for up to [30 days][4 weeks]]

[With Pyriproxyfen Insect Growth Regulator which Breaks the Flea Life Cycle]

[With Pyriproxyfen to Break Flea Life Cycle].

[With Insect Growth Regulator to Break Flea Life Cycle]

[Dual Action [!]: Fipronil with Pyriproxyfen IGR Effectively Breaks the Flea Life Cycle]

[Dual Action [!]: Effectively Breaks the Flea Life Cycle[!]]

[Prevents Flea Eggs From Developing Into Biting Adults]

#### [Ticks]

[Kills ticks]

[Controls ticks]

[Prevents new tick infestations]

[Halts existing tick infestations]

[If [your] [dog] [or] [cat] is at high risk for tick reinfestation, apply once a month]

[Kills ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills ticks (including deer ticks) for up to [4 weeks] [1 month] [30 days]]

[Kills [all stages of] deer ticks [including those that may transmit Lyme disease,] [for up to [4 weeks] [1 month] [30 days]]

[Kills American dog ticks [(Dermacentor variabilis)] for up to [4 weeks] [1 month] [30 days]!]

[Kills [brown dog ticks] [(Rhipicephalus sanguineus)], [American dog ticks] [(Dermacentor variabilis)], [and] [lone star ticks] [(Amblyomma americanum)] [, ] [and] [deer ticks] [(Ixodes scapularis)] [for up to [4 weeks] [1 month] [30 days]]

[Kills ticks including those that may transmit Lyme disease]

[Kills ticks that may transmit [Lyme disease] [Rocky Mountain spotted fever] [ehrlichiosis] [babesiosis] [anaplasmosis] [haemobartonellosis]]

#### [Multiple Infestations]

[Kills fleas [and][&] ticks]

[Controls fleas [and][&] ticks]

[Prevents new flea [and][&] tick infestations]

[Halts existing flea [and][&] tick infestations]

[Kills fleas [and][&] ticks for up to [4 weeks] [1 month] [30 days]!]

[If [your] [dog] [or] [cat] is at high risk for flea [and][&] tick reinfestation, apply once a month] [Kills fleas, flea eggs, & ticks]

[[Kills ticks, fleas, flea eggs, larvae, and prevents pupae development][for 30 days]]

[Monthly flea, tick, and flea egg protection]

[When used monthly [Brand Name][this product] completely breaks the flea life cycle and controls tick infestations.]

[All Others][Reviewer note: one or more of the following statements will be found on the product label]

[[Insecticide] [Insecticidal] Spray [For [Dogs,] [Cats,] [and][Puppies,] [and Kittens]]

[For dogs, puppies, cats and kittens 8 weeks and older]

[Quiet Spray]

EPA File Symbol 2517-RLI Version14.1 8 April 2014 Application Revised label per efficacy DER Page 4 of 9 [No hiss sprayer] [Continuous spray] [Convenient spray treatment] [Even Coverage] [Even spray pattern] [Uniform and Complete Coverage] [Continuous spray for complete coverage of your [dog] [and] [or] [cat]] [Easy to [Use] [Apply]] [No pumping needed] [Even works upside down] [Sprays in any direction] [Sprays [at] [from] all angles [, even upside down!]] [Quiet applicator [can be sprayed from any angle for hard to reach places] [Recyclable] [Contains no CFCs] [Apply monthly] [4 Week Protection] [Use [Brand Name][this product] monthly] [Apply once every [4 weeks] [month] [30 days]!] [Best if used year round!] [Waterproof] [Effective after bathing and exposure to water and sunlight] [Fast Acting] [Long Lasting] [Fast-acting, Long-lasting, waterproof treatment and control of fleas [and][&] ticks] [Each bottle of [Brand Name][this product] provides multiple monthly applications for your [dog] [and] [cat]] [Each bottle of [Brand Name][this product] protects multiple [dogs] [and] [cats] for [4 weeks][30 days [1 month]] [For cat use only label:] [[Contains] 7 [Treatments] [Applications]<sup>†</sup> (<sup>†</sup>Cats weighing 10 lbs) [6.5 oz can]] [[Contains] 10 [Treatments] [Applications] (†Cats weighing 10 lbs) [9.0 oz can]] [[Contains] 13 [Treatments] [Applications] (Cats weighing 10 lbs) [12.3 oz can]] [For dog use only label:] [[Contains] 10 [Treatments] [Applications]<sup>†</sup> (<sup>†</sup>Dogs weighing 15 lbs) [6.5 oz can]] [[Contains] 10 [Treatments] [Applications] (†Dogs weighing 20 lbs) [9.0 oz can]] [[Contains] 10 [Treatments] [Applications] (†Dogs weighing 25 lbs) [12.3 oz can]] [For dog and cat use label:] [[Contains] 7 [Treatments] [Applications]<sup>†</sup> (<sup>†</sup>Cats weighing 10 lbs) [6.5 oz can]] [[Contains] 10 [Treatments] [Applications]<sup>†</sup> (<sup>†</sup>Cats weighing 10 lbs) [9.0 oz can]] [[Contains] 13 [Treatments] [Applications]<sup>†</sup> (<sup>†</sup>Cats weighing 10 lbs) [12.3 oz can]]] [[Contains] 10 [Treatments] [Applications] (†Dogs weighing 15 lbs) [6.5 oz can]] [[Contains] 10 [Treatments] [Applications] (†Dogs weighing 20 lbs) [9.0 oz can]]

[[Contains] 10 [Treatments] [Applications] (†Dogs weighing 25 lbs) [12.3 oz can]]

8 April 2014 Application

Version14.1

EPA File Symbol 2517-RLI

Revised label per efficacy DER

Page 5 of 9

[[Stops][and][prevents] infestation of listed pests by killing [fleas] [and] [ticks] for [4 weeks][1 month][30 days]]

[[Contains] Fipronil (0.29%) [and][plus][+] Pyriproxyfen (0.125%)]

[[Brand Name][This product] is a trademark of [Company Name]]

#### **ACTIVE INGREDIENT:**

Fipronil	0.290%
Pyriproxyfen.*	
OTHER INGREDIENTS [*]:	
TOTAL:	100%

[\*[IPA,][EtOH,] Diethylene glycol monoethyl ether, BHA, BHT]

## KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] [Label Panel[s]] for Additional Precautionary Statements

**NET CONTENTS:** 

[6.5 oz. [(184 g)] / 7.9 fl. oz. [(232.9 ml)] [or] [9.0 oz. [(255 g)]] / 10.9 fl. oz. [(322.8 ml)] [or] [12.3 oz. [(349 g)]] / 14.9 fl. oz. [(441.8 ml)]

READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON [DOGS] [CATS] [AND][PUPPIES] [AND] [KITTENS] [OVER 8 WEEKS OF AGE].

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if absorbed through skin, if swallowed or if inhaled. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Persons applying this product must wear [protective] rubber gloves.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Causes moderate eye irritation. Take care not to spray in the dog's or cat's eyes or facial area. Do not use on kittens and puppies under 8 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals.

#### PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE: Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

8 April 2014 Application Revised label per efficacy DER Version14.1 Page 6 of 9 EPA File Symbol 2517-RLI

FIRST AID				
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>			
	Call a poison control center or doctor for treatment advice.			
If in eyes:	<ul> <li>Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor immediately for treatment advice.</li> </ul>			
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>			
If swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything to an unconscious person.</li> </ul>			
	HOT LINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product including health concerns, medical emergencies or pesticide incidents, you may call 1-800-781-4783.

[Reviewer note: final printed label may be for dog and cat use, dog use or cat use. Labeling will reflect specific use.]

[Brand Name][This product] controls infestations by killing fleas and ticks for at least [30 days][4 weeks][1 month]. [May provide 90 day flea protection for dogs.]
Stops and prevents infestation of fleas and ticks (brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may transmit Lyme disease)). Apply [Brand Name][this product] to dogs, cats, puppies and kittens (8 weeks or older) as follows.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG OR CAT, **READ ENTIRE LABEL AND ATTACHED DIRECTIONS BEFORE EACH USE.** Follow all directions and precautionary statements carefully. Use only on dogs or cats. Do not use on rabbits. Do not use on any other animals.

- 1. Wear [protective] rubber gloves.
- 2. Hold canister in any position. Ruffle the dog's or cat's hair with one gloved hand while applying spray to the dog's or cat's back, sides, abdomen, legs, shoulders and neck.
- 3. For head and eye area, spray [Brand Name] [This product] on a gloved hand and rub gently into dog's or cat's hair.

8 April 2014 Application Revised label per efficacy DER Version14.1 Page 7 of 9 EPA File Symbol 2517-RLI

#### [Label graphics options]



Wear protective rubber gloves.



Pinch N'Pull™



Hold canister in any position. Ruffle the dog's hair with one gloved hand while applying spray to the dog's back, sides, abdomen, legs, shoulders and neck.



For head and eye area, spray [Brand Name] on a gloved hand and rub gently into dog's hair.



Wear protective rubber gloves.



Pinch N'Pull™



Hold canister in any position. Ruffle the cat's hair with one gloved hand while applying spray to the cat's back, sides, abdomen, legs, shoulders and neck.



For head and eye area, spray [Brand Name] on a gloved hand and rub gently into cat's hair.

Do not get this product in your dog's or cat's eyes or mouth. Apply spray until dog's or cat's hair is damp to thoroughly wet.

[[For dog use only label:] Spray 1 to 2 seconds per pound of the dog's body weight. Dogs with long or dense hair will require the higher rate. Replace cap securely after each use.]

[[For cat use only label:] Spray 2 seconds per pound of the cat's body weight. Replace cap securely after each use.]

[[For dog and cat use label:] Spray 2 seconds per pound of the animal's body weight. Replace cap securely after each use.]

#### [OR]

[[For dog and cat use label:]

For cat, spray 2 seconds per pound of the cat's body weight.

For dog, spray 1 to 2 seconds per pound of the dog's body weight. Dogs with long or dense hair will require the higher rate. Replace cap securely after each use.]

8 April 2014 Application

Version14.1

EPA File Symbol 2517-RLI

Revised label per efficacy DER

Page 8 of 9

As with any flea control product, wash hands and exposed skin thoroughly with soap and water after use. Dispose of gloves after use.

Apply [Brand Name][this product] monthly. Application directly to ticks is not required for control. Do not reapply spray for 30 days.

[Brand Name][This product] remains effective after bathing and exposure to water and sunlight.

[Satisfaction Guaranteed]

[If you are not satisfied, we will make it right with a replacement or refund.]

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store in original container. Keep away from fire, sparks and heated surfaces. Store in a cool, dry place inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Do not puncture or incinerate! Non-refillable container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

#### **[WARRANTY**

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY][XXX] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738

Non-Emergency, call: [1-800-224-PETS (7387)][1-800-224-7387]]

[Distributed by:][Manufactured by:] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710

[BAR CODE AREA]
[Lot code][date][label code]

EPA Reg. No. 2517-RLI EPA Est. No. XXXXX-XXX [Made in USA]

8 April 2014 Application


Version14.1

EPA File Symbol 2517-RLI

Revised label per efficacy DER

Page 9 of 9


[How to remove cap: Refer to top of cap] [Note to reviewer: CRP graphic on top of cap, graphic is not optional]



Pinch N' Pull™

[Graphics below may or may not appear anywhere on final label printing] [Flea life cycle diagram] [Flea Life Cycle]









To Topic	Adult Flea	
yer-	Flea eggs	<b>&amp;</b>
つ	Flea Larvae	3
	Flea Pupae	
*	Ticks	<b>(A)</b>
*	Brown Dog Tick	
*	Deer Tick	<b>(A)</b>
*	American Dog Tick	<b>®</b>
*	Lone Star Tick	