# 6/19/2014





## U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

X\_\_\_\_ Registration
\_\_\_ Reregistration

Name of Pesticide Product: Sergeant's Fipronil + Etofenprox + Methoprene BOV Spray for Dogs and Cats

Term of IssuanceJUN 19 2014

Date of

Issuance:

EPA Req.

Number:

2517-164

Conditional

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code): Sergeant's Pet Care Products, Inc.

10077 South 134th Street

Omaha, NE 63138-3710

Note: Changes in labeling differing in substance Brow Walt deepted in comection with this registration west be subwitted to and accepted by the Registration bivision prior to use of the label in commerce. In any correspondence on this product always refer to the above SBA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is  $\underline{conditionally}$  registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- 1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. You will make the following label changes before you release the product for shipment:
  - a. Revise the EPA Registration Number to read "EPA Registration 2517-164.

Signature of	Approving Official:	Date:	
See page 2		JUN	1 9 2014

page 2

EPA Reg. No. 2517-164

- 3. Submit and/or cite all data required for reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data. See the data requirements in DCI ID# GDCI-128965-95 issued June 28, 2012, for ethofenprox. For information on the DCI's you may contact Ms. Wilhelmena Livingston in the OPP Product Re-evaluation Division at 703-308-8025 or by email at Livingston.wilhelmena@epa.gov.
  - 4. See the data requirements in DCI ID# GDCI-129121-1305 issued March 14, 2013 for fipronil. For information on the DCI's you may contact Ms. Susan Bartow in the OPP Product Re-evaluation Division at 703-603-0065 or by email at Bartow.Susan@epa.gov.
  - 5. You must generate a one year storage stability and corrosion characteristics study corresponding to guideline 830.6317 on the proposed product. It is required that the observations be made at 0, 3, 6, 9, and 12 month intervals. The results must be submitted to the Agency in electronic and hard copy format.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A copy of your label stamped "Accepted "is enclosed for your records. If you have any questions concerning this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

Sincerely yours,

Richard Gebken Product Manager (10) Insecticide Branch

Registration Division (7505P)

16 June 2014 Application

Version 14.1

EPA Reg. No. 2517-RAU

Revised per EPA DER/reviews.

Page 1 of 10

Optional text appears in brackets – the final label may include some or all of the optional text, which may or may not be capitalized

FRONT PANEL

Sergeant's Fipronil + Etofenprox + Methoprene BOV Spray for Dogs and Cats

### Sergeant's Fipronil + Etofenprox + Methoprene BOV Spray for Dogs and Cats

### [Alternate Brand Names:]

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Small Dogs & Puppies]

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Toy Breed Dogs & & Puppies]

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Small & Toy Breed Dogs & **Puppies**l

**ISENTRY® FIPROGUARD® MAX Flea & Tick Spray for Small Dogs & Puppies** 

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Toy Breed Dogs & Puppies]

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Small & Toy Breed Dogs &

**Puppies**1

[PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Dogs & Puppies]

[PETARMOR®PRO ADVANCED TICKS Flea and Tick Spray for Dogs and Puppies]

[PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Dogs & Puppies]

[PET-ARMOR@PRO ADV-ANCED-TICKS Flea and Tick Spray for Dogs and Puppies]

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Cats & Kittens]

[SENTRY® FIPROGUARD® MAX Flea and Tick Spray for Cats and Kittens]

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Cats & Kittens]

[SENTRY® FIPROGUARD® MAX Flea and Tick Spray for Cats and Kittens] [PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea and Tick Spray for Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea and Tick Spray for Cats and Kittens]

[PETARMOR® Tick and Flea Spray for Cats]

[PETARMOR® Tick and Flea Spray for Cats]

[SENTRY® FIPROGUARD® Plus Flea and Tick Spray for Cats]

[SENTRY® FIPROGUARD® Plus Flea & Tick Spray for Cats]

**ISENTRY® FIPROGUARD® MAX Flea and Tick Spray for Small Dogs and Puppies and** Cats and Kittensl

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Small Dogs & Puppies & Cats & Kittens]

SENTRY® FIPROGUARD® MAX Flea and Tick Spray for Toy Breed Dogs and Puppies and Cats and Kittens]

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Toy Breed Dogs & Puppies & Cats & Kittens

[SENTRY® FIPROGUARD® MAX Flea and Tick Spray for Small and Toy Breed Dogs and Puppies and Cats and Kittens

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Small & Toy Breed Dogs & ACCEPTED

Puppies & Cats & Kittens

(SENTRY® FIPROGUARD® MAX Flea and Tick Spray for Small Dogs and Puppies and Cats and Kittens JUN 19 2014

> Under the Federal Insecticide. Fungicide, and Rodenticide Act, as amended, for the pesticide

16 June 2014 Application

Version 14.1

EPA Reg. No. 2517-RAU

Revised per EPA DER/reviews.

Page 2 of 10

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Small Dogs & Puppies & Cats & Kittens]

[SENTRY® FIPROGUARD® MAX Flea and Tick Spray for Toy Breed Dogs and Puppies and Cats and Kittens]

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Toy Breed Dogs & Puppies & Cats & Kittens]

[SENTRY® FIPROGUARD® MAX Flea and Tick Spray for Small and Toy Breed Dogs and Puppies and Cats and Kittens]

[SENTRY® FIPROGUARD® MAX Flea & Tick Spray for Small & Toy Breed Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED Flea and Tick Spray for Small Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Small Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea and Tick Spray for Toy Breed Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Toy Breed Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea and Tick Spray for Small and Toy Breed Dogs-and-Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Small & Toy Breed Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea and Tick Spray for Small Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Small Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea and Tick Spray for Toy Breed Dogs and Puppies and Cats and Kittens]

[ PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Toy Breed Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea and Tick Spray for Small and Toy Breed Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS Flea & Tick Spray for Small & Toy Breed Dogs & Puppies & Cats & Kittens]

[For Dogs [and][&] [Puppies]] [12 weeks or older] [over 12 weeks old][over 12 weeks of age]] [For Cats [and][&] [Kittens]] [12 weeks or older] [over 12 weeks old][over 12 weeks of age]] [Apply to puppies][Apply to kittens] [12 weeks or older][over 12 weeks old][over 12 weeks of age]]

[Apply to puppies and kittens [12 weeks or older] [over 12 weeks old][over 12 weeks of age]] [For use on dogs, cats, puppies, [and][&] kittens] [12 weeks or older] [over 12 weeks old][over 12 weeks of age]].

[[Brand Name] [This product] provides [spray][treatment] [and][&]control of fleas and ticks on [dogs] [including puppies][and][cats][including kittens] [12 weeks or older] [over 12 weeks old][over 12 weeks of age]]

16 June 2014 Application

Version 14.1

EPA Reg. No. 2517-RAU

Revised per EPA DER/reviews.

Page 3 of 10

### [Fleas]

[Kills adult fleas]

[Kills fleas]

[Controls fleas]

[Prevents new flea infestations]

[Halts existing flea infestations]

[If [your] [dog][or][cat] is at high risk for flea reinfestation, apply once a month]

[Stops [existing infestations] and prevents establishment of new infestations]

[Kills fleas for up to [4 weeks] [1 month] [30 days]!]

[Kills [newly emerged] adult fleas [before they lay eggs]]

[[Brand Name] [This product] may protect dogs from fleas for up to 90 days]

[Kills fleas which may cause flea allergy dermatitis [and anemia]]

[Kills fleas [which may be a source of flea allergy dermatitis]]

[Starts killing fleas on dogs in [just] [5 minutes][15 minutes][1 hour] [after application]]

[Starts to kill fleas on dogs in [just] [5 minutes][15 minutes][1 hour] [after application]]

[Quickly kills fleas]

[Starts killing existing fleas on dogs in [5 minutes] [15 minutes]]

[Starts killing new fleas on dogs in [5 minutes][15 minutes]]

[Provides control of existing flea infestations on dogs in 24 hour]

[Provides control of new flea infestations on dogs in 24 hours]

### [Flea Eggs and Larvae]

[Kills flea eggs]

[Kills flea larvae]

[Controls flea reinfestation [for up to six weeks]]

[Kills adult fleas, flea eggs, flea larvae, and prevents the development of pupae [for up to six weeks]]

[Kills all stages of the flea (adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]

[If [dog][or][cat] is at high risk for flea reinfestation apply once a month]

[Kills flea eggs [larvae] [and prevents the development of pupae] for up to six weeks]

[With (S)-methoprene [Insect Growth Regulator] [IGR] which Breaks the Flea Life Cycle]

[With (S)-methoprene to Break Flea Life Cycle]

[With [Insect Growth Regulator] [IGR] to Break Flea Life Cycle]

[Triple Action [!]: Fipronil and Etofenprox with (S)-methoprene [insect growth regulator] [IGR]

Effectively Breaks the Flea Life Cycle

[Triple Action [!]: Effectively Breaks the Flea Life Cycle[!]]

[Kills Flea Eggs & Flea Larvae [for up to six weeks]!]

[Prevents Flea Eggs From Developing Into Biting Adults]

#### [Ticks]

[Kills ticks]

[Controls ticks]

[Prevents new tick infestations]

[Halts existing tick infestations]

[If [your] [dog][or][cat] is at high risk for tick reinfestation, apply once a month]

[Kills ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills ticks (including deer ticks) for up to [4 weeks] [1 month] [30 days]]

[Kills [all stages of] deer ticks [including those that may transmit Lyme disease,] [for up to [4] weeks] [1 month] [30 days]]

16 June 2014 Application

Version 14.1

EPA Reg. No. 2517-RAU

Revised per EPA DER/reviews.

Page 4 of 10

[Kills American dog ticks [(Dermacentor variabilis)] for up to [4 weeks] [1 month] [30 days]!]

[Kills [brown dog ticks] [(Rhipicephalus sanguineus)], [American dog ticks][Dermacentor variabilis] [and] [lone star ticks][Amblyomma americanum][,][and] [deer ticks][Ixodes

scapularis] [for up to [4 weeks] [1 month] [30 days]]

[Kills ticks including those that may transmit Lyme disease]

[Kills ticks that may transmit [Lyme disease] [Rocky Mountain spotted fever] [ehrlichiosis]

[babesiosis] [anaplasmosis] [haemobartonellosis]]

[Starts killing ticks on dogs in [just] [15 minutes][1 hour] [after application]

[Starts to kill ticks on dogs in [just] [15 minutes][1 hour] [after application]

[Quickly kills ticks]

[Starts killing existing ticks on dogs in 15 minutes]

[Starts killing new ticks on dogs in [15 minutes]

[Provides control of existing tick infestations on dogs in 24 hour]

[Provides control of new tick infestation on dogs in 24 hours]

### [Multiple Infestations]

[Kills fleas [and][&] ticks]

[Starts killing fleas and ticks on dogs in [just] [15 minutes][1 hour] [after application] [and continues to kill for a month] !]]

[Starts to kill fleas and ticks on dogs in [just] [15 minutes][1 hour] [after application] [and continues to kill for a month]!]

[Quickly kills fleas and ticks]

[Controls fleas [and][&] ticks]

[Prevents new flea [and][&] tick infestations]

[Halts existing flea [and][&] tick infestations]

[Kills fleas [and][&] ticks for up to [4 weeks] [1 month] [30 days]!]

[If [your] [dog][or][cat] is at high risk for flea [and][&] tick reinfestation, apply once a month]

[Prevents and controls reinfestations of listed pests [for 30 days]

### [All Others]

[with aloe] [vera]]

[specific fragrance noted here][fragrance][scent][fragrance icon]

[Patented Odor Control Formula]

[Controls odors]

[[Patented] Extreme Odor Control]

[Odor [eliminator][control]]

[Eliminate[s] odors]

[Extreme Deodorizing formula]

[[Insecticide] [Insecticidal] Spray [for [Dogs and Puppies][and][Cats and Kittens]]

[Quiet Spray]

[No hiss sprayer]

[Continuous spray]

[Convenient spray treatment]

[Even Coverage][Even spray pattern]

[Uniform and Complete Coverage]

[Continuous spray for complete coverage of your [dog][and][or][cat]]

[Quiet applicator]

16 June 2014 Application

Version 14.1

EPA Reg. No. 2517-RAU

Revised per EPA DER/reviews.

Page 5 of 10

[Easy to [Use] [Apply]]

[No pumping needed]

[Even works upside down]

[Sprays in any direction]

[Sprays [at] [from] all angles [, even upside down!]]

[Quiet applicator [can be sprayed from any angle for hard to reach places]

[Recyclable]

[Contains no CFCs]

[Apply monthly]

[4 Week Protection]

[Use [Brand Name] monthly]

[Apply once every [4 weeks] [month] [30 days]!]

[Best if used year round!]

[Waterproof]

[Effective after bathing and exposure to water and sunlight]

[Fast Acting] [Long Lasting]

[Fast-acting, Long-lasting, waterproof treatment and control of fleas [and][&] ticks]

[Each bottle of [Brand Name][this product] provides multiple monthly applications for your dog]

[Each bottle of [Brand Name] [this product] protects multiple dogs for [4 weeks][30 days][1

month]]

[Each bottle of [Brand Name] [this product] protects multiple cats for [4 weeks][30 days][1 month]]

[[Contains] 13 [Treatments] [Applications]<sup>†</sup> (<sup>†</sup>Cats weighing 10 lbs) [6.5 oz can]]

[[Contains] 18 [Treatments] [Applications]<sup>†</sup> (<sup>†</sup>Cats weighing 10 lbs) [9.0 oz can]]

[[Contains] 25 [Treatments] [Applications]<sup>†</sup> (<sup>†</sup>Cats weighing 10 lbs) [12.3 oz can]]

[[Contains] 5 [Treatments] [Applications]<sup>†</sup> (<sup>†</sup>Dogs weighing 15 lbs) [6.5 oz can]]

[[Contains] 5 [Treatments] [Applications]<sup>†</sup> (†Dogs weighing 20 lbs) [9.0 oz can]] [[Contains] 5 [Treatments] [Applications]<sup>†</sup> (†Dogs weighing 25 lbs) [12.3 oz can]]

[[Stops][and][prevents] infestation of listed pests by killing [fleas] [and] [ticks] for [4 weeks][1

month][30 days]]

[Figrapii (0.20%) + Etafannray (0.50%) + Mathanrana (0.27%)]

[Fipronil (0.29%) + Etofenprox (0.50%) + Methoprene (0.27%)]

[[BrandName] is a trademark of [Company Name]]

[Meets NCWM section 10.3.1]

[Satisfaction Guaranteed]

[If you are not satisfied, we will make it right with a replacement or refund.]

### **ACTIVE INGREDIENTS:**

Fipronil	0.29%
Etofenprox	
Methoprene	
OTHER INGREDIENTS:	
TOTAL:	100.00%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] [Label[s][ [Panel[s]] for Additional Precautionary Statements

16 June 2014 Application

Version 14.1

EPA Reg. No. 2517-RAU

Revised per EPA DER/reviews.

Page 6 of 10

NET WEIGHT: [6.5 oz (184 g)] [7.9 fl oz (232.9 mL)]

[9.0 oz (255 g)] [10.9 fl oz (322.8 mL)] [12.3 oz (349 g)] [14.9 fl oz (441.8 mL)]

**(END OF FRONT PANEL)** 

BACK PANEL

Sergeant's Fipronil + Etofenprox + Methoprene BOV Spray for Dogs

READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON [DOGS AND PUPPIES][AND][CATS AND KITTENS] OVER 12
WEEKS OF AGE.

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. [Avoid breathing spray mist.] Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Persons applying this product must wear rubber gloves.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Causes moderate eye irritation. Take care not to spray in the [dog's][cat's][dog's or cat's] eyes or facial area. Do not use on [puppies][or][kittens] under 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals.

### PHYSICAL OR CHEMICAL HAZARDS

**EXTREMELY FLAMMABLE:** Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID			
<ul> <li>Call a poison control center or doctor immediately for treatment advices.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>			
	Do not give anything to an unconscious person.		
If in eyes:	• Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.		
	Call a poison control center or doctor for treatment advice.		
If inhaled:	• If person is not breathing, call 911 or an ambulance, then give artificial		
	respiration, preferably mouth-to-mouth if possible.  • Call a poison control center or doctor for further treatment advice.		

16 June 2014 Application Revised per EPA DER/reviews.

Version 14.1 Page 7 of 10 EPA Reg. No. 2517-RAU

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

### HOT LINE NUMBER

**NOTE TO PHYSICIAN:** Treat patient symptomatically.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4783 for emergency medical treatment information.

[Brand Name] [This product] controls infestations by killing fleas and ticks for at least [30 days] [4 weeks] [1 month]. [May protect dogs against fleas for up to 90 days.] Stops and prevents infestation of fleas and ticks (brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may transmit Lyme disease)). Follow Directions for Use to apply [Brand Name] [this product] to [dogs and puppies] [and] [cats and kittens] (12 weeks or older) as follows.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, **READ ENTIRE LABEL AND ATTACHED DIRECTIONS BEFORE EACH USE.** Follow all directions and precautionary statements carefully. Use only on [dogs][and][or][cats]. Do not use on rabbits or any other animals.

- 1. Wear rubber gloves.
- 2. Hold canister in any position. Ruffle the [dog's][or][cat's] hair with one gloved hand while applying spray to the [dog's][or][cat's] back, sides, abdomen, legs, shoulders and neck.
- 3. For head and eye area, spray [Brand Name][this product] on a gloved hand and rub gently into [dog's][or][cat's] hair.

Do not get this product in your [dog's][or][cat's] eyes or mouth. Apply spray until [dog's][or][cat's] hair is damp to thoroughly wet.

For use on dogs: Spray 2 seconds per pound of the dog's body weight.

For use on cats: Spray 1 to 2 seconds per pound of the cat's body weight. Cats with long or dense hair will require the higher rate.

[Replace cap securely after each use.]

As with any flea control product, wash hands and exposed skin thoroughly with soap and water after use. Dispose of gloves after use.

Apply [Brand Name][this product] monthly. Application directly to ticks is not required for control. Do not reapply spray for 30 days.

[Brand Name] [This product] remains effective after bathing and exposure to water and sunlight.

9/12

16 June 2014 Application Revised per EPA DER/reviews.

Version 14.1 Page 8 of 10 EPA Reg. No. 2517-RAU


### [Optional label graphics]



Wear protective rubber gloves.



Pinch N'Pull™




Hold canister in any position. Ruffle the dog's hair with one gloved hand while applying spray to the dog's back, sides, abdomen, legs, shoulders and neck.



For head and eye area, spray [Brand Name] on a gloved hand and rub gently into dog's hair.



Wear protective rubber gloves.



Pinch N'Pull™



Hold canister in any position. Ruffle the cat's hair with one gloved hand while applying spray to the cat's back, sides, abdomen, legs, shoulders and neck.



For head and eye area, spray [Brand Name] on a gloved hand and rub gently into cat's hair.

16 June 2014 Application Revised per EPA DER/reviews.

Version 14.1 Page 9 of 10 EPA Reg. No. 2517-RAU

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store in original container. Keep away from fire, sparks and heated surfaces. Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate! Non-refillable container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

### **[WARRANTY**

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387)


[Coupon(s) inside or on outside of box] [Made in USA] [Patent(s) Pending]

[Distributed by:][Manufactured by:] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710

[BAR CODE AREA] EPA Reg. No. 2517-RAU EPA Est. No. XXXXX-XXX

[How to remove cap: Refer to top of cap]

[Note to Reviewer: CRP graphic on top of cap, graphic is not optional]



Dinch N' Pull

## Sergeant's Master Label EPA Reg. No. 2517-RAU

16 June 2014 Application Revised per EPA DER/reviews.

Version 14.1

Page 10 of 10

[Graphics below may or may not appear anywhere on final label printing]



The	Fleas	
The	Adult Flea	
J.C.	Flea eggs	<b>&amp;</b>
つ	Flea Larvae	3
	Flea Pupae	
	Ticks	
*	Brown Dog Tick	<b>(A)</b>
*	Deer Tick	<b>(S)</b>
*	American Dog Tick	<b>®</b>
*	Lone Star Tick	