

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

February 28, 2025

Prince M. Bamaze Regulatory Affairs Sergeant's Pet Care Products, LLC 10077 South 134th Street Omaha, NE 68138-3710

Subject: Label Amendment - Registration Review Mitigation for Etofenprox and

Pyriproxyfen

Product Name: SERGEANT'S FIPRONIL + ETOFENPROX + PYRIPROXYFEN BOV

SPRAY FOR DOGS AND CATS

EPA Registration Number: 2517-165

Application Date: 4/15/24

Decision Numbers: 595643, 596698

Dear Prince M. Bamaze:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Etofenprox and Pyriproxyfen Interim Decisions, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Page 2 of 2 EPA Reg. No. 2517-165 Decision No. 595643, 596698

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact DeMariah Cotton by phone at (202)-566-2288 or via email at cotton.demariah@epa.gov.

Sincerely,

Linda Arrington, Branch Chief Risk Management and Implementation Branch 4 Pesticide Re-Evaluation Division Office of Pesticide Programs

ENCLOSURE: Stamped label

06 Feb 2025 - Amendment Version 25.1 EPA Reg. No. 2517-165 Per Re-evaluation ID Page 1 of 10 Supersedes EPA SAL 06/19/2014

[Optional text appears in brackets – the final label may include some or all of the optional text, which may or may not be capitalized]

FRONT PANEL

Segeant's Fipronil + Etofenprox + Pyriproxyfen BOV **Spray for Dogs and Cats**

Sergeant's Fipronil + Etofenprox + Pyriproxyfen BOV Spray for Dogs and Cats

Pyriproxyfen	Group	7C	INSECTICIDE
Etofenprox	Group	3A	INSECTICIDE

[Alternate Brand Names:]

[SENTRY® Vet II Tick and Flea Spray]

[SENTRY® FIPROGUARD® MAX II Flea & Tick Spray for Small Dogs & Puppies]

[SENTRY® FIPROGUARD® MAX II Flea & Tick Spray for Toy Breed Dogs & & Puppies]

[SENTRY® FIPROGUARD® MAX II Flea & Tick Spray for Small & Toy Breed Dogs & Puppies]

[SENTRY® FIPROGUARD® MAX 2 Flea & Tick Spray for Small Dogs & Puppies]

[SENTRY® FIPROGUARD® MAX 2 Flea & Tick Spray for Toy Breed Dogs & Puppies]

[SENTRY® FIPROGUARD® MAX 2 Flea & Tick Spray for Small & Toy Breed Dogs & Puppies]

[PETARMOR®PRO ADVANCED TICKS II Flea & Tick Spray for Dogs & Puppies]

[PETARMOR®PRO ADVANCED TICKS II Flea and Tick Spray for Dogs and Puppies]

[PETARMOR®PRO ADVANCED TICKS 2 Flea & Tick Spray for Dogs & Puppies]

[PETARMOR®PRO ADVANCED TICKS 2 Flea and Tick Spray for Dogs and Puppies]

[SENTRY® FIPROGUARD® MAX II Flea & Tick Spray for Cats & Kittens]

[SENTRY® FIPROGUARD® MAX II Flea and Tick Spray for Cats and Kittens]

[SENTRY® FIPROGUARD® MAX 2 Flea & Tick Spray for Cats & Kittens]

[SENTRY® FIPROGUARD® MAX 2 Flea and Tick Spray for Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS II Flea & Tick Spray for Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS II Flea and Tick Spray for Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS 2 Flea & Tick Spray for Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS 2 Flea and Tick Spray for Cats and Kittensl

[PETARMOR® Tick and Flea Spray for Cats]

[PETARMOR® Tick and Flea Spray for Cats]

[SENTRY® FIPROGUARD® Plus Flea and Tick Spray for Cats]

[SENTRY® FIPROGUARD® Plus Flea & Tick Spray for Cats]

[SENTRY® FIPROGUARD® MAX II Flea and Tick Spray for Small Dogs and Puppies and Cats and Kittensl

[SENTRY® FIPROGUARD® MAX II Flea & Tick Spray for Small Dogs & Puppies & Cats & **Kittens**]

[SENTRY® FIPROGUARD® MAX II Flea and Tick Spray for Toy Breed Dogs and Puppies and Cats and Kittensl

[SENTRY® FIPROGUARD® MAX II Flea & Tick Spray for Toy Breed Dogs & Puppies & Cats & **Kittensl**

[SENTRY® FIPROGUARD® MAX II Flea and Tick Spray for Small and Toy Breed Dogs and **Puppies and Cats and Kittens**]

[SENTRY® FIPROGUARD® MAX II Flea & Tick Spray for Small & Toy Breed Dogs & Puppies & Cats & Kittens

[SENTRY® FIPROGUARD® MAX 2 Flea and Tick Spray for Small Dogs and Puppies and Cats and Kittensl

[SENTRY® FIPROGUARD® MAX 2 Flea & Tick Spray for Small Dogs & Puppies & Cats & **Kittens**

ACCEPTED

Feb 28, 2025

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 2517-165

06 Feb 2025 - Amendment Version 25.1 EPA Reg. No. 2517-165 Per Re-evaluation ID Page 2 of 10 Supersedes EPA SAL 06/19/2014

[SENTRY® FIPROGUARD® MAX 2 Flea and Tick Spray for Toy Breed Dogs and Puppies and Cats and Kittens]

[SENTRY® FIPROGUARD® MAX 2 Flea & Tick Spray for Toy Breed Dogs & Puppies & Cats & Kittens]

[SENTRY® FIPROGUARD® MAX 2 Flea and Tick Spray for Small and Toy Breed Dogs and Puppies and Cats and Kittens]

[SENTRY® FIPROGUARD® MAX 2 Flea & Tick Spray for Small & Toy Breed Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS II Flea and Tick Spray for Small Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS II Flea & Tick Spray for Small Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS II Flea and Tick Spray for Toy Breed Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS II Flea & Tick Spray for Toy Breed Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS II Flea and Tick Spray for Small and Toy Breed Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS II Flea & Tick Spray for Small & Toy Breed Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS 2 Flea and Tick Spray for Small Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS 2 Flea & Tick Spray for Small Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS 2 Flea and Tick Spray for Toy Breed Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS 2 Flea & Tick Spray for Toy Breed Dogs & Puppies & Cats & Kittens]

[PETARMOR®PRO ADVANCED TICKS 2 Flea and Tick Spray for Small and Toy Breed Dogs and Puppies and Cats and Kittens]

[PETARMOR®PRO ADVANCED TICKS 2 Flea & Tick Spray for Small & Toy Breed Dogs & Puppies & Cats & Kittens]

[For Dogs [and][&] [Puppies]] [12 weeks or older] [over 12 weeks old][over 12 weeks of age]] [For Cats [and][&] [Kittens]] [12 weeks or older] [over 12 weeks old][over 12 weeks of age]] [Apply to puppies][Apply to kittens] [12 weeks or older][over 12 weeks old][over 12 weeks of age]] [Apply to puppies and kittens [12 weeks or older] [over 12 weeks old][over 12 weeks of age]] [For use on dogs, cats, puppies, [and][&] kittens] [12 weeks or older] [over 12 weeks old][over 12 weeks of age]]. [[Brand Name][This product] provides [spray][treatment] [and][&]control of fleas and ticks on [dogs] [including puppies][and][cats][including kittens] [12 weeks or older] [over 12 weeks old][over 12 weeks of age]]

[Fleas]

[Kills adult fleas]

[Kills fleas]

[Controls fleas]

[Prevents new flea infestations]

[Halts existing flea infestations]

[If [your] [dog][or][cat] is at high risk for flea reinfestation, apply once a month]

[Stops [existing infestations] and prevents establishment of new infestations]

[Kills fleas for up to [4 weeks] [1 month] [30 days]!]

06 Feb 2025 - Amendment Version 25.1 EPA Reg. No. 2517-165
Per Re-evaluation ID Page 3 of 10 Supersedes EPA SAL 06/19/2014

[Kills [newly emerged] adult fleas [before they lay eggs]]

[[Brand Name][This product] may protect dogs from fleas for up to 90 days]

[Kills fleas which may cause flea allergy dermatitis [and anemia]]

[Kills fleas [which may be a source of flea allergy dermatitis]]

[Starts killing fleas on dogs in [just] [5 minutes][15 minutes][1 hour] [after application]]

[Starts to kill fleas on dogs in [just] [5 minutes][15 minutes][1 hour] [after application]]

[Quickly kills fleas]

[Starts killing existing fleas on dogs in [5 minutes][15 minutes]]

[Starts killing new fleas on dogs in [5 minutes][15 minutes]]

[Provides control of existing flea infestations on dogs in 24 hours]

[Provides control of new flea infestations on dogs in 24 hours]

[Flea Eggs and Larvae]

[Kills flea eggs]

[Kills flea larvae]

[[Brand name][This product] prevents development of all flea stages for up to [63 days] [9 weeks].]

[Prevents all flea stages (adult fleas, flea eggs, and flea larvae)]

[Kills flea eggs [and][larvae] [and][prevents pupae development] for up to [63 days][9 weeks]]

[With Pyriproxyfen [Insect Growth Regulator] [IGR] which Breaks the Flea Life Cycle]

[With Pyriproxyfen to Break Flea Life Cycle]

[With [Insect Growth Regulator][IGR] to Break Flea Life Cycle]

[Triple Action [!]: Fipronil and Etofenprox with Pyriproxyfen IGR Effectively Breaks the Flea Life Cycle]

[Triple Action [!]: Effectively Breaks the Flea Life Cycle[!]]

[Prevents Flea Eggs From Developing Into Biting Adults]

[Ticks]

[Kill ticks]

[Controls ticks]

[Prevents new tick infestations]

[Halts existing tick infestations]

[If [your] [dog][or][cat] is at high risk for tick reinfestation, apply once a month]

[Kills ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills ticks (including deer ticks) for up to [4 weeks] [1 month] [30 days]]

[Kills [all stages of] deer ticks [including those that may transmit Lyme disease,] [for up to [4 weeks] [1 month] [30 days]]

[Kills American dog ticks [(Dermacentor variabilis)] for up to [4 weeks] [1 month] [30 days]!]

[Kills [brown dog ticks] [(Rhipicephalus sanguineus)], [American dog ticks] [Dermacentor variabilis]

[and] [lone star ticks][Amblyomma americanum][,][and] [deer ticks][Ixodes scapularis] [for up to [4 weeks] [1 month] [30 days]]

[Kill ticks including those that may transmit Lyme disease]

[Kills ticks that may transmit [Lyme disease] [Rocky Mountain spotted fever] [ehrlichiosis] [babesiosis] [anaplasmosis] [haemobartonellosis]]

[Starts killing ticks on dogs in [just] [15 minutes] [1 hour] [after application]

[Starts to kill ticks on dogs in [just][15 minutes][1 hour] [after application]

[Quickly kills ticks]

[Starts killing existing ticks on dogs in 15 minutes]

[Starts killing new ticks on dogs in 15 minutes]

[Provides control of existing tick infestations on dogs in 24 hours]

[Provides control of new tick infestation on dogs in 24 hours]

06 Feb 2025 - Amendment Version 25.1 EPA Reg. No. 2517-165 Per Re-evaluation ID Page 4 of 10 Supersedes EPA SAL 06/19/2014

[Multiple Infestations]

[Kills fleas [and][&] ticks]

[Starts killing fleas and ticks on dogs in [just] [15 minutes][1 hour] [after application] [and continues to kill for a month] !]]

[Starts to kill fleas and ticks on dogs in [just] [15 minutes][1 hour] [after application] [and continues to kill for a month]!]

[Quickly kills fleas and ticks]

[Controls fleas [and][&] ticks]

[Prevents new flea [and][&] tick infestations]

[Halts existing flea [and][&] tick infestations]

[Kills fleas [and][&] ticks for up to [4 weeks] [1 month] [30 days]!]

[If [your] [dog][or][cat] is at high risk for flea [and][&] tick reinfestation, apply once a month]

[Prevents and controls reinfestations of listed pests [for 30 days]

[All Others]

[with aloe] [vera]]

[specific fragrance noted here][fragrance][scent][fragrance icon]

[Patented Odor Control Formula]

[Controls odors]

[[Patented] Extreme Odor Control]

[Odor [eliminator][control]]

[Eliminate[s] odors]

[Extreme Deodorizing formula]

[[Insecticide] [Insecticidal] Spray [for [Dogs and Puppies] [and][Cats and Kittens]]

[Quiet Spray]

[No hiss sprayer]

[Continuous spray]

[Convenient spray treatment]

[Even Coverage][Even spray pattern]

[Uniform and Complete Coverage]

[Continuous spray for complete coverage of your [dog][and][or][cat]]

[Quiet applicator]

[Easy to [Use] [Apply]]

[No pumping needed]

[Even works upside down]

[Sprays in any direction]

[Sprays [at] [from] all angles [, even upside down!]]

[Quiet applicator [can be sprayed from any angle for hard to reach places]

[Recyclable]

[Contains no CFCs]

[Apply monthly]

[4 Week Protection]

[Use [Brand Name] [this product] monthly]

[Apply once every [4 weeks] [month] [30 days]!]

[Best if used year round!]

[Waterproof]

[Effective after bathing and exposure to water and sunlight]

[Fast Acting] [Long Lasting]

[Fast-acting, Long-lasting, waterproof treatment and control of fleas [and][&] ticks]

[Each bottle of [Brand Name] [this product] provides multiple monthly applications for your

[dog][and][or][cat]]

06 Feb 2025 - Amendment Version 25.1 EPA Reg. No. 2517-165 Per Re-evaluation ID Page 5 of 10 Supersedes EPA SAL 06/19/2014

[Each bottle of [Brand Name][this product] protects multiple dogs for [4 weeks][30 days][1 month]]

[Each bottle of [Brand Name][this product] protects multiple cats for [4 weeks][30 days][1 month]]

[[Contains] 13 [Treatments] [Applications][†] ([†]Cats weighing 10 lbs) [6.5 oz can]]

[[Contains] 18 [Treatments] [Applications][†] ([†]Cats weighing 10 lbs) [9.0 oz can]]

[[Contains] 25 [Treatments] [Applications][†] ([†]Cats weighing 10 lbs) [12.3 oz can]]

[[Contains] 5 [Treatments] [Applications][†] ([†]Dogs weighing 15 lbs) [6.5 oz can]]

[[Contains] 5 [Treatments] [Applications][†] (†Dogs weighing 20 lbs) [9.0 oz can]]

[[Contains] 5 [Treatments] [Applications][†] ([†]Dogs weighing 25 lbs) [12.3 oz can]]

[[Stops][and][prevents] infestation of listed pests by killing [fleas] [and] [ticks] for [4 weeks][1 month][30 days]]

[Fipronil (0.29%) + Etofenprox (0.50%) + Pyriproxyfen (0.125%)]

[[BrandName] is a trademark of [Company Name]]

[Meets NCWM section 10.3.1]

[Satisfaction Guaranteed]

[If you are not satisfied, we will make it right with a replacement or refund.]

ACTIVE INGREDIENTS:

TOTAL:	
OTHER INGREDIENTS:	99.085%
Pyriproxyfen	
Etofenprox	0.500%
Fipronil	0.290%

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

NET WEIGHT: [6.5 oz (184 g)] [7.9 fl oz (232.9 mL)]

[9.0 oz (255 g)] [10.9 fl oz (322.8 mL)] [12.3 oz (349 g)] [14.9 fl oz (441.8 mL)]

{END OF FRONT PANEL}

06 Feb 2025 - Amendment Version 25.1 EPA Reg. No. 2517-165 Per Re-evaluation ID Page 6 of 10 Supersedes EPA SAL 06/19/2014

BACK PANEL Sergeant's Fipronil + Etofenprox + Pyriproxyfen BOV Spray for Dogs

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON [DOGS AND PUPPIES][AND][CATS AND KITTENS] OVER 12 WEEKS OF AGE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. [Avoid breathing spray mist.] Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with eyes or clothing. Persons applying this product must wear chemical-resistant gloves made of (Butyl, Nitrile, Neoprene, Viton or Barrier®).

HAZARDS TO DOMESTIC ANIMALS. For external use only. Causes moderate eye irritation. Take care not to spray in the [dog's][cat's][dog's or cat's] eyes or facial area. Do not use on [puppies] [or] [kittens] under 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE: Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID		
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person. 	
If in eyes:	 Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 	
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
HOT LINE NUMBER		
NOTE TO PHYSICIAN: Treat patient symptomatically. Have the product container or label with		

[Brand Name] [This product] controls infestations by killing fleas and ticks for at least [30 days][4 weeks][1 month]. [May protect dogs against fleas for up to 90 days] Stops and prevents infestation of

781-4783 for emergency medical treatment information.

you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-

06 Feb 2025 - Amendment Version 25.1 EPA Reg. No. 2517-165 Per Re-evaluation ID Page 7 of 10 Supersedes EPA SAL 06/19/2014

fleas and ticks (brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may transmit Lyme disease)). Follow Directions for Use to apply [Brand Name][this product] to [dogs and puppies] [and] [cats and kittens] (12 weeks or older).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For indoor use only. Do not allow children to apply product. To prevent harm to you and your dog, read entire label and attached directions before each use. Follow all directions and precautionary statements carefully. Use only on [dogs][and][or][cats]. Do not use on rabbits or any other animals. Application of product on pets must only be done indoors.

- 1. Wear chemical-resistant gloves made of (Butyl, Nitrile, Neoprene, Viton or Barrier®).
- 2. Hold canister in any position. Ruffle the [dog's][or][cat's] hair with one gloved hand while applying spray to the [dog's][or][cat's] back, sides, abdomen, legs, shoulders and neck.
- 3. For head and eye area, spray [Brand Name][this product] on a gloved hand and rub gently into [dog's][or][cat's] hair.

Do not get this product in your [dog's][or][cat's] eyes or mouth. Apply spray until [your] [dog's] [or] [cat's] hair is damp to thoroughly wet.

For use on dogs: Spray 2 seconds per pound of the dog's body weight. {and/or}

For use on cats: Spray 1 to 2 seconds per pound of the cat's body weight. Cats with long or dense hair will require the higher rate.

[Replace cap securely after each use.]

As with any flea control product, wash hands and exposed skin thoroughly with soap and water after use. Dispose of gloves after use.

Apply [Brand Name][this product]monthly. Application directly to ticks is not required for control. Do not reapply spray for 30 days.

[Brand Name][This product] remains effective after bathing and exposure to water and sunlight.

[Optional label graphics]

06 Feb 2025 - Amendment Per Re-evaluation ID Version 25.1 Page 8 of 10 EPA Reg. No. 2517-165 Supersedes EPA SAL 06/19/2014



Wear protective rubber gloves.



Pinch N'Pull'



Hold canister in any position. Ruffle the dog's hair with one gloved hand while applying spray to the dog's back, sides, abdomen, legs, shoulders and neck.



For head and eye area, spray [Brand Name] on a gloved hand and rub gently into dog's hair.



Wear protective rubber gloves.



Pinch N'Pull™



Hold canister in any position. Ruffle the cat's hair with one gloved hand while applying spray to the cat's back, sides, abdomen, legs, shoulders and neck.



For head and eye area, spray [Brand Name] on a gloved hand and rub gently into cat's hair.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container. Keep away from fire, sparks and heated surfaces. Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate! Non-refillable container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down the drain or sewer. Call your local solid waste agency for local disposal options.

[WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's] [SENTRY] Consumer Response, PO Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387)

[Coupon(s) inside or on outside of box] [Made in USA] [Patent(s) Pending]

06 Feb 2025 - Amendment Version 25.1 EPA Reg. No. 2517-165 Per Re-evaluation ID Page 9 of 10 Supersedes EPA SAL 06/19/2014

[Distributed by:][Manufactured by:] Sergeant's Pet Care Products, LLC PO Box 540399, Omaha, NE 68154-0399

[BAR CODE AREA] EPA Reg. No. 2517-165 EPA Est. No. XXXXX-XX-XXX

[How to remove cap: Refer to top of cap]


[Note to Reviewer: CRP graphic on top of cap, graphic is not optional]



Pinch N' Pull™

[Graphics below may or may not appear anywhere on final label printing]





Sergeant's Master Label Version 25.1

06 Feb 2025 - Amendment Per Re-evaluation ID

Page 10 of 10

EPA Reg. No. 2517-165 Supersedes EPA SAL 06/19/2014

Total	Fleas	
Tolin	Adult Flea	
Sec.	Flea eggs	
つ	Flea Larvae	
	Flea Pupae	
*	Ticks	
*	Brown Dog Tick	<u> </u>
*	Deer Tick	8
*	American Dog Tick	
*	Lone Star Tick	%