

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 30, 2017

Kelly Hoskins Manger of Regulatory Affairs Sergeant's Pet Care Products, Inc. dba Perrigo Animal Health 10077 South 134<sup>th</sup> Street Omaha, NE 68138-3710

Subject: Label Amendment – Revising label language to reflect changes due to 6(a)2 primary eye irritation study results Product Name: Sergeant's Imidacloprid + Pyriproxyfen Spot On for Cats EPA Registration Number: 2517-175 Application Date: 1/24/2017 Decision Number: 526725

Dear Mr. Hoskins:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 2517-175 Decision No. 526725

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Marianne Lewis by phone at (703) 308-8043 or via email at <u>lewis.marianne@epa.gov</u>.

Sincerely,

Euges anold

Elyssa Arnold, Acting Product Manager 01 Invertebrate & Vertebrate Branch 3 Registration Division (7505P) Office of Pesticide Programs

Enclosure

20 Mar 2017 Information in [] is optional. Information in {} is note to reviewer. Version 17.1

Page 1 of 13

EPA Reg. No. 2517-175

FRONT PANEL

EPA SAL 03/10/2016

Cats Spot On Imidacloprid + Pyriproxyfen

[Optional text appears in brackets/parenthesis – the final label may include some or all of the optional text on front, back or side label panels]

#### Sergeant's<sup>®</sup> Imidacloprid + Pyriproxyfen Spot On for Cats

{Market Label-the word Cat will be at least 40-75% in height of the largest letter in the primary brand name.}

{Market Label-a large clear picture of a cat in the respective weight range will be on the front panel of the label.}

# {One of the following statements will appear on appropriate weight band market label on front panel as required per Agency's pet spot-on mitigation measures:}

For use ONLY on cats [[&][and] kittens] [weighing] 2 [-][to] 5 lbs. and over 8 weeks [old][of age] {0.23 ml size package}

For use ONLY on cats [[&][and] kittens] [weighing] 2 [-][to] 5 lbs. and 8 weeks [of age] or older {0.23 ml size package}

For use ONLY on cats [[&][and] kittens] [weighing] 5 [-][to] 9 lbs. and over 8 weeks [old][of age] {0.40 ml size package}

For use ONLY on cats [[&][and] kittens] [weighing] 5 [-][to] 9 lbs. and 8 weeks [of age] or older {0.40 ml size package}

For use ONLY on cats [[&][and] kittens] [weighing] [more than][over][>] 9 lbs. and over 8 weeks [old][of age] {0.80 ml size package}

For use ONLY on cats [[&][and] kittens] [weighing] [more than][over][>] 9 lbs. and 8 weeks [of age] or older {0.80 ml size package}

ONLY for cats [[&][and] kittens] over 8 weeks [old][of age] and [weighing] 2 [-][to] 5 lbs {0.23 ml size package}.

ONLY for cats [[&][and] kittens] 8 weeks [of age] or older and [weighing] 2 [-][to] 5 lbs {0.23 ml size package}.

ONLY for cats [[&][and] kittens] over 8 weeks [old][of age] and [weighing] 5 [-][to] 9 lbs {0.40 ml size package}.

ONLY for cats [[&][and] kittens] 8 weeks [of age] or older and [weighing] 5 [-][to] 9 lbs {0.40 ml size package}.

ONLY for cats [[&][and] kittens] over 8 weeks [old][of age] and [weighing] [more than] [over][>] 9 lbs {0.80 ml size package}.

ONLY for cats [[&][and] kittens] 8 weeks [of age] or older and [weighing] [more than] [over][>] 9 lbs {0.80 ml size package}.

{following text will be in addition to the above required language}

Small Cats {only for use on label for 2-5 lbs and 8 weeks or older product} Medium Cats {only for use on label for 5-9 lbs and 8 weeks or older product} Large Cats {only for use on label for >9 lbs and 8 weeks or older product}

#### **ACTIVE INGREDIENTS:**

	EDA D N
Imidacloprid	
Pyriproxyfen	0.46%
OTHER INGREDIENTS:	
[TOTAL	$1\overline{00.00\%}$ ]



and Rodenticide Act as amended, for the

2517-175

pesticide registered under

20 Mar 2017 Information in [] is optional. Information in {} is note to reviewer. Version 17.1

Sergeant's<sup>®</sup> Master Label

EPA Reg. No. 2517-175

# wer. Page 2 of 13 EPA SAL 03/10/2016 KEEP OUT OF REACH OF CHILDREN WARNING

See [Back][Side][Label[s]][Panel[s]] for Additional Precautionary Statements

**NET CONTENT:** X fl oz [Y – X fl oz applicators]

[0.0078 fl oz (0.23 mL) [tubes][vials][applicators][pipettes]] [0.014 fl oz (0.4 mL) [tubes][vials][applicators][pipettes]] [0.027 fl oz (0.8 mL) [tubes][vials][applicators][pipettes]]

#### [ABNs]

[SENTRY<sup>®</sup> Vet for Cats Imidacloprid + Pyriproxyfen] [SENTRY<sup>®</sup> Advanced for Cats Imidacloprid + Pyriproxyfen] [SENTRY<sup>®</sup> Advanced VetSpot for Cats] [PetArmor<sup>®</sup> II for Cats] [PetArmor<sup>®</sup> Vet II for Cats] [SENTRY<sup>®</sup> VantaGuard II for Cats] [SENTRY<sup>®</sup> Advanced FleaGuard II for Cats] [SENTRY<sup>®</sup> Advanced II for Cats] [SENTRY<sup>®</sup> FleaGuard II for Cats] [PetArmor<sup>®</sup> Advanced II for Cats] [PetArmor<sup>®</sup> FleaGuard II for Cats] [VantaGuard II for Cats] [Advanced FleaGuard II for Cats] [Advanced II for Cats] [FleaGuard II for Cats] [SENTRY® VantaGuard 2 for Cats] [SENTRY® VantaGuard 2 Flea Treatment for Cats] [SENTRY® VantaGuard 2 Flea Remedy for Cats] [SENTRY® Advance Guard2 for Cats] [PetArmor® Advanced 2 for Cats] [PetArmor® Advanced 2 Flea Treatment for Cats] [PetArmor® Advanced 2 Flea Remedy for Cats] [PetArmor® Advanced 2 Flea Guard for Cats]

#### [Begin Optional Active Ingredient Reference Statements]

{Note to Reviewer – the following is an example statement: Contains imidacloprid and pyriproxyfen, the active ingredients used in Advantage<sup>®</sup> II\* \*[This product is not manufactured by Bayer Healthcare LLC, the makers of Advantage<sup>®</sup> II ] [OR] [Advantage<sup>®</sup> II is a registered trademark of Bayer Healthcare LLC]}

# [\*[Brand Name] [This product] contains [imidacloprid and pyriproxyfen], the active ingredients used in

[Advantage<sup>®</sup> II] [Advantage<sup>®</sup> II Kitten] [Advantage<sup>®</sup> II Small Cat] [Advantage<sup>®</sup> II Large Cat]\*

{Note to reviewer: Text for footnote statement one} [\*[Brand Name] [This product] is not manufactured or distributed by Bayer Healthcare LLC, the makers of

20 Mar 2017 Information in [] is optional. Information in {} is note to reviewer.

Version 17.1

EPA Reg. No. 2517-175

Page 3 of 13

EPA SAL 03/10/2016

[Advantage<sup>®</sup> II] [Advantage<sup>®</sup> II Kitten] [Advantage<sup>®</sup> II Small Cat] [Advantage<sup>®</sup> II Large Cat]

{Note to reviewer: Text for footnote statement two} [Advantage<sup>®</sup> II] [Advantage<sup>®</sup> II Kitten] [Advantage<sup>®</sup> II Small Cat] [Advantage<sup>®</sup> II Large Cat] is a registered trademark of Bayer Healthcare LLC.]

#### [End Optional Active Ingredient Reference Statements]

#### [Flea Marketing Claims]

[Prevents further flea infestation for up to [[four][4] weeks][1 month] with [just] one treatment] [Prevents further flea infestation for up to [[four][4] weeks][1 month] with [just] one application] [One treatment prevents further flea infestation for a month] [Prevents flea re-infestations for 30 days [1 month]] [For the prevention and treatment of Flea Infestations] [[Brand Name] Prevents further flea infestation for [[four][4] weeks][1 month]] [Kills fleas within 12 hours on cats [and prevents further infestations for up to [[4][four]] weeks][[1][one][a] month]] [Kills fleas within 12 hours [of application][on cats]] [Kills reinfesting fleas within 2 hours] [Kills [adult] fleas before they lay eggs] [Brand Name][This product] kills fleas and may reduce the incidence of a hypersensitivity skin disorder called flea allergy dermatitis (FAD), which may be caused by the feeding activity of fleas on cats] [Contact with treated cat kills flea larvae] [Apply monthly [for effective flea control]] [Apply monthly [to control and prevent fleas]] [Apply monthly treatments for optimal control and prevention of fleas] [Kills fleas] [Kill fleas within 12 hours, continues to kill for up to 4 weeks] [Kills fleas that may cause flea allergy dermatitis, flea bite anemia, and tapeworm infestation] [Kills fleas, which may be a source of flea allergy dermatitis, within 12 hours]] [Controls existing flea infestation by killing adult fleas] [Active against fleas] [Kills fleas on cats and kittens over 8 weeks [old][of age] and 2-5 or 5-9 or over 9 lbs[pounds]] {weight range depends upon appropriate ml/fl oz package size} [Kills fleas on cats] {weight range depends upon appropriate ml/fl oz package size} [(Begins/Starts) working through contact] [[Brand Name] Offers protection against fleas] [Flea control for cats] [Flea control for cats and kittens over 8 weeks [old][of age] and 2-5 or 5-9 or over 9 lbs[pounds]] {weight range depends upon appropriate ml/fl oz package size} [Once per month topical flea treatment for cats] [Monthly topical flea treatment for cats] [Once-a-month topical treatment for cats] [Flea control for cats and kittens over 8 weeks [old][of age] and 2-5 or 5-9 or over 9 lbs[pounds]] {weight range depends upon appropriate ml/fl oz package size} [Flea control for cats and kittens 8 weeks [of age] or older and 2-5 or 5-9 or over 9 lbs[pounds]] {weight range depends upon appropriate ml/fl oz package size}

Sergeant's <sup>®</sup> Master Label			
20 Mar 2017	Version 17.1	EPA Reg. No. 2517-175	
Information in [ ] is optional.			
Information in { } is note to reviewer.	Page 4 of 13	EPA SAL 03/10/2016	
[[Once per month][Monthly] topical f 9 or over 9 lbs[pounds]] {weight range [[Once per month][Monthly] topical f or over 9 lbs[pounds]] {weight range [Once-a-month topical [treatment] [fc older and 2-5 or 5-9 or over 9 lbs[pour package size} [[Brand Name][This product] is for th [old][of age] and 2-5 or 5-9 or over 9 package size} [[Brand Name][This product] is for th older and 2-5 or 5-9 or over 9 lbs[pour package size} [[Brand Name][This product] is for th older and 2-5 or 5-9 or over 9 lbs[pour package size} [Prevents and treats flea[s] [infestatio [Kills reinfesting fleas on cats within [For the prevention and treatment of I [[Brand Name] Prevents further flea i [Controls existing infestations by killi [Controls existing flea infestations on [Use [of Brand Name][of this product] hypersensitivity [and][or] [flea allerg] [Use [of Brand Name][of this product] hypersensitivity] [and][or] flea allerg] [Monthly treatment [with Brand Namo of [flea bite hypersensitivity] [and][or	flea treatment for cats of ge depends upon approp flea treatment for cats & depends upon appropr or] flea prevention and unds]] {weight range de ne treatment and preven lbs[pounds]] {weight n ne treatment and preven unds]] {weight range de ns]] 2 hours] Flea Infestations] infestation for up to [[fe ing adult fleas for 30 de a cats and protects again t]] kills fleas and may re y dermatitis] [FAD]] t] kills fleas and may re y dermatitis [FAD]]	over 8 weeks [old][of age] and 2-5 or 5- priate ml/fl oz package size } 8 weeks [of age] or older and 2-5 or 5-9 iate ml/fl oz package size } treatment for cats 8 weeks [of age] or epends upon appropriate ml/fl oz ntion of fleas on cats over 8 weeks range depends upon appropriate ml/fl oz ntion of fleas on cats 8 weeks [of age] or epends upon appropriate ml/fl oz ntion of fleas on cats 8 weeks [of age] or epends upon appropriate ml/fl oz pur][4] weeks]][[1][one][a] month]] ays] nst further infestations] reduce the incidence of flea bite educe incidence of [flea bite ills fleas and may reduce the incidence	
[Kills fleas before they lay eggs] [IGR Marketing Claims]			
[Prevents flea eggs from hatching] [Prevents flea eggs from developing into [biting] adult fleas] [Prevents the development of flea eggs into [biting] adult fleas] [Prevents the development of flea larvae into [biting] adult fleas] [Controls existing flea eggs] [Kills flea eggs]			
[[Brand Name][This product] contains Pyriproxyfen [PPF] [an insect growth regulator (IGR)] to kill flea eggs [and protect against reinfestation]] [Targets multi-stages of the flea lifecycle] [Controls multi-stages of flea lifecycle]			
[[Brand Name][This product] is a flea [Provides multi-stage flea control] [Kills [flea eggs and] flea larvae]			

[Breaks the flea life cycle]

[Prevents multi-stages of the flea life cycle from developing]

[Provides comprehensive flea prevention]

[Provides comprehensive flea control]

[[Brand Name][This product] inhibits the immature flea life stages (except pupae) from developing, preventing them from becoming [biting] adult[s] [fleas]]

[Controls existing flea eggs and fleas and prevents future infestations for 4 weeks [1 month] [30

Serge	eant's <sup>®</sup> Master	Label
20 Mar 2017	Version 17.1	EPA Reg. No. 2517-175
Information in [] is optional.		
Information in { } is note to reviewer.	Page 5 of 13	EPA SAL 03/10/2016
days]] [Monthly treatment controls existing [1 month] [30 days]]	flea eggs and fleas and p	prevents future infestations for 4 weeks
[COMBO Marketing Claims]		
[3-way flea protection kills adults, la	rvae and eggs]	
[Kills flea eggs, larvae, and [adult] fl		
[Kills [adult] fleas, flea eggs, and fle	a larvae]	
[Kills [adult] fleas, flea eggs and flea	larvae for up to four [4]	weeks][1 month]]
[Kills [adult] fleas, larvae, and eggs	, providing three-way pr	otection]]
[All Other Marketing Claims]		
[Apply to [cats and] kittens over 8 w		r over 9 lbs[pounds]] {weight range
depends upon appropriate ml/fl oz pa		
[Apply to [cats and] kittens 8 weeks		r over 9 lbs[pounds]] {weight range
depends upon appropriate ml/fl oz pa	ickage size }	
[From the makers of PetArmor <sup>®</sup> ]	10.001	
[[Sergeant's] Caring For Your Pets S		1 125 50 0
[[Formulated for] Cats and Kittens C		
lbs[pounds]] {weight range depends		
	•	r and 2-5 or 5-9 or over 9 lbs[pounds]]
{weight range depends upon appropri [Can be used on kittens over 8 weeks	1 0	
over 9 lbs[pounds] {weight range der	-	•
[The Only Flea Protection You Need		
[Convenient] [Convenient, easy to ap		applied Monuly : J
[Easy application] [Easy to apply pro		
[Easy to Use [Application]]	ductj	
[One Step Hassle Free Protection!]		
[Waterproof]		
[Kills fleas even if your cat gets wet]		
		immersion, or exposure to [sunlight]
[and][or] rain]		
[Fragrance[-]free]		
[Once a month treatment]		
[Apply once every [4 weeks] [month	] [30 days]!]	
[4 Week Dose!] [1 Month Dose!] [30	•	
[For year-round protection, apply [B	•	[monthly]
[One tube [vial][pipette]]	[1 Month Supply]	
[Two tube [vials][pipettes]]	[2 Month Supply]	
[Three tube [vials][pipettes]]	[3 Month Supply]	
[Four tube [vials][pipettes]]	[4 Month Supply]	
[Five tube [vials][ninettes]]	[5 Month Supply]	

[5 Month Supply]

[6 Month Supply]

[9 Month Supply]

[12 Month Supply]

[24 Month Supply]

[Five tube [vials][pipettes]]

[Six tube [vials][pipettes]]

[9 tube [vials][pipettes]]

[12 tube [vials][pipettes]]

[24 tube [vials][pipettes]]

[Direct to skin [tube][vial][applicator][pipette]] [Easy to Use] [tube][vial][applicator][pipette]

Sergeant's <sup>®</sup> Master Label		
20 Mar 2017	Version 17.1	EPA Reg. No. 2517-175
Information in [] is optional.		
Information in { } is note to reviewer.	Page 6 of 13	EPA SAL 03/10/2016
[No-mess [open] [tube][vial][applicator][pipette]]		

൭

[No-mess [open] [tube][vial][applicator][pipette]] [Clip-tip design [tube][vial][applicator][pipette][!]]

#### [Consumer Value Marketing Claims]

[Coupon Inside] [Save Now!] [Value Size] [Club Size] [Bonus Size] [Club Pack] [Great Value] [Better Value] [Bonus Pack] [Bonus Buy] [[1][2][4][6][7][8][9][X] pack] [Twin Pack] [Try Now, Save Later!] [(x) + (x) bonus pack!][Buy more and save!] [Buy X Get Y Free] [Buy 3 get 1 free] [(x)% (More) (Free)!][33% more free] [(x) Dose(s) Free!] [(x) Day(s) (Free)!][(x) Month(s) Free!] [(x) Day(s) of treatment- Free!] [(x) Tube(s) Free!] [(x) Applicator(s) Free!] [(x) Application(s) Free!] [[New!] {only for use for 6 months from date of registration}

#### {END – FRONT PANEL}

#### BACK PANEL/SIDE PANEL

Cats Spot On Imidacloprid + Pyriproxyfen

[The active ingredients in [Brand Name][this product] are imidacloprid and pyriproxyfen. This product is formulated for control of fleas [, flea eggs, and flea larvae] on cats. [[Brand Name][This product] kills fleas within 12 hours and prevents further flea infestations for [up to] [[4][four]weeks][1][one] month][30 days].]

#### **READ ENTIRE LABEL BEFORE EACH USE.**

20 Mar 2017 Information in [] is optional. Information in { } is note to reviewer.

Version 17.1

EPA Reg. No. 2517-175

EPA SAL 03/10/2016

Page 7 of 13 USE ONLY ON CATS AND KITTENS 8 WEEKS OF AGE OR OLDER.

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING. Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes or on clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing cats.

FIRST AID		
If Swallowed	Call a poison control center or doctor immediately for treatment advice.	
	• Have person sip a glass of water if able to swallow.	
	• Do not induce vomiting unless told to do so by the poison control center or	
	doctor.	
	• Do not give anything by mouth to an unconscious person.	
If In Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue	
	rinsing eye.	
	• Call a poison control center or doctor for treatment advice.	
If on Skin or	Take off contaminated clothing.	
Clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.	
	• Call a poison control center or doctor for treatment advice.	
HOT LINE NUMBER		
Have the product	container or label with you when calling a poison control center or doctor or	
going for treatme	ent. You may also contact 1-800-781-4738 for emergency medical treatment	
information.		
	NOTE TO PHYSICIAN	
Treat the patient	symptometically	

Treat the patient symptomatically.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

#### **Restrictions:**

- DO NOT ALLOW CHILDREN TO APPLY PRODUCT.
- Do not use on animals other than cats.
- Do not allow your cat to ingest this product.
- Do not get in cat's eyes
- Do not reapply for [[four] [4] weeds][30days].
- Do not use on kittens under 8 weeks of age. Do not apply to cats weighing less than 2 [5][9] lbs.
- Use entire contents of tube [vial][applicator][pipette] on each cat. Do not split one tube [vial][applicator][pipette] between two cats. Do not use multiple tube [vial][applicator]

Sergeant's <sup>®</sup> Master Label		
20 Mar 2017	Version 17.1	EPA Reg. No. 2517-175
Information in [] is optional.		-
Information in { } is note to reviewer.	Page 8 of 13	EPA SAL 03/10/2016
[pipette]s on one cat.		

- Weigh your cat to be sure you are applying the right dose formulated for the weight of your cat.
- Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.
- Do not have contact or allow children to have contact with the treated area until completely dry.

**Side Effects**: Monitor your cat after application. [Some cats may experience temporary startle effects when any product is applied.] Cats may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your cat for the next 24 hours.

#### {OUTER PACKAGING}

#### How to Open:

- **1.** Remove product tube[s] [vial[s]][applicator[s]][pipette[s]] from the package.
- 2. Separate one tube [vial][applicator][pipette] from the others. Hold the tube [vial][applicator][pipette] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

#### How to Apply:

- 1. Hold cat with one hand and use the other hand to apply the solution.
- 2. Invert the tube [vial][applicator][pipette] and use the narrow end to par the cat's hair.
- **3.** Squeeze tube [vial][applicator][pipette] firmly to apply all of the solution [on] [to] the cat's skin as a spot between the shoulder blades.

#### {For cartons containing 0.23 mL (0.0078 fl oz) applicator tubes}

#### Only For Cats Weighing 2 [-][to] 5 lbs. Do not apply to Cats weighing less than 2 lbs.

**[including small cats or kittens, only 8 weeks or older]** Apply one tube [vial][applicator] [pipette] 0.23 mL (0.0078 fl oz) directly to skin as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat.

#### {For cartons containing 0.4 mL (0.014 fl oz) applicator tube}

Only For Cats Weighing 5 [-][to] 9 lbs. Do not apply to Cats weighing less than 5 lbs.

**[including small cats or kittens, only 8 weeks or older]** Apply one tube [vial][applicator] [pipette] 0.4 mL (0.014 fl oz) directly to skin as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat.

#### {For cartons containing 0.8 mL (0.027 fl oz) applicator tube}

**Only For Cats Weighing Over 9 lbs. Do not apply to cats weighing less than 9 lbs. Do not use more than one tube [vial][applicator][pipette] on cats greater than 9 lbs.** Apply one tube [vial][applicator][pipette] 0.8 mL (0.027 fl oz) directly to skin as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat.

# Sergeant's® Master Label 20 Mar 2017 Version 17.1 EPA Reg. No. 2517-175 Information in [] is optional. Information in [] is note to reviewer. Page 9 of 13 EPA SAL 03/10/2016

#### FREQUENCY OF APPLICATION

[Use [Brand Name {or} this product] monthly for control of flea[s] [infestations].]

[[Studies show that] [Brand Name {or} This product] kills fleas within 12 hours of application and [lasts {or} protects] for [up to] [[four][4] weeks][30 days][one month].]

[[Brand Name {or} This product] kills reinfesting fleas within [2][two] hours and prevents further infestations of fleas [for [up to] [[four][4] weeks][30 days][one month]].]

[[Brand Name {or}This product] [targets multiple flea life stages] [and] [kills flea eggs and larvae before they develop into biting adults].]

[[Brand Name][This product] breaks the flea life cycle by killing flea eggs, flea larvae, and adult fleas.]

[If your cat is at high risk for flea reinfestation [,or in a highly infested environment], apply monthly.]

[Apply monthly for effective flea control.]

[[Brand Name{or}This product] is waterproof and remains effective, even after water immersion or exposure to sunlight [and][or] [rain].]

[Allow treated area to dry thoroughly.]

[How to Apply – May contain graphics illustrating product use, e.g., cat with a drop falling onto its neck from a tube/vial on front, side, or back carton label and/or applicator labeling. Please refer to the following optional graphics.]







#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove [tube][vial][applicator][pipette] from pack until ready to use. Store in a cool (below 77°F[/][25°C]), dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**CONTAINER DISPOSAL: If empty:** Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### [WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer,

20 Mar 2017 Information in [ ] is optional. Information in { } is note to reviewer.

Version 17.1

EPA Reg. No. 2517-175

Page 10 of 13

EPA SAL 03/10/2016

or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's<sup>®</sup>][SENTRY<sup>®</sup>] [PetArmor<sup>®</sup>]Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.] [Satisfaction Guaranteed.] [If you are not satisfied, we will make it right with a replacement or refund.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387)

[Distributed by:] [Manufactured by:] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710 [Coupon(s) inside or on outside of box] [Made in USA With Global Materials]

EPA Reg. No. 2517-RTL EPA Est. No. XXXXX-XX-XX [BAR CODE AREA]

#### {END - BACK/SIDE PANEL}

# **(START – ADDITIONAL OPTIONAL PACKAGE COPY OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE OR INSERT)**

#### [Clip. Part. Squeeze.]

[Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting proven flea protection where it needs to be.]

### [Application Instructions]

#### How to Open:

- **1.** Remove product tube[s] [vial[s]][applicator[s]][pipette[s]] from the package.
- **2.** Separate one tube [vial][applicator][pipette] from the others. Hold the [tube][vial][applicator][pipette] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

#### How to Apply:

- 1. Hold cat with one hand and use the other hand to apply the solution.
- 2. Invert the tube [vial][applicator][pipette] and use the narrow end to par the cat's hair.
- **3.** Squeeze tube [vial][applicator][pipette] firmly to apply all of the solution [on] [to] the cat's skin as a spot between the shoulder blades.

Sergeant's <sup>®</sup> Master Label			
20 Mar 2017	Version 17.1	EPA Reg. No. 2517-175	
Information in [] is optional.			
Information in { } is note to reviewer.	Page 11 of 13	EPA SAL 03/10/2016	
Look at the Label [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist			
• [1] Read the label completely and follow directions			

- [2] Weigh your cat
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after [treatment {or} application] to avoid chance of ingestion
- [6] Do NOT split [tube][vial][applicator][pipette] between cats][and use the ENTIRE [tube][vial][applicator][pipette] contents]

[Brand Name][This product]

[Monthly reminder card] [1][2][3][4][5][6][12][24][Month [Treatment] [Application] Tracker][Carecard]

[For year round protection apply [Brand Name][this product] monthly.]

[Cat's Name (Empty blank for owner to fill in name)]

[Cat's Weight (Empty blank for owner to fill in name)]

[First][1st] [Second][2nd] [Third][3rd] [Fourth][4<sup>th</sup>] [Fifth][5<sup>th</sup>] [Sixth][6<sup>th</sup>] [Seventh][7<sup>th</sup>]

[Eighth][8<sup>th</sup>] [Ninth][9<sup>th</sup>] [Tenth][10<sup>th</sup>] [Eleventh][11<sup>th</sup>] [Twelfth][12<sup>th</sup>]

[Dose] [Treatment] [Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)]

[Application Date] [Date of Application]

[Calendar stickers with Brand Name]

[Place stickers on your calendar as a reminder to reapply [Brand Name][this product] in 30 days.] [Monthly Application Reminder Magnet (image of reminder magnet)]

[Place sticker on your calendar [or refrigerator] to remind yourself to apply [Brand Name][this product] to your cat]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days, the reminder light will blink, reminding you to reapply [Brand Name][this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

#### [Each optional graphic below may or may not appear anywhere on the finished label]

Toto	Adult Flea	
Tom	Fleas	
-764	Flea eggs	8
っ	Flea Larvae	3





[Flea life cycle diagram] [Flea Life Cycle]

{END – ADDITIONAL OPTIONAL PACKAGE COPY OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE OR INSERT}

20 Mar 2017 Information in [ ] is optional. Version 17.1

EPA Reg. No. 2517-175

Information in [ ] is optional. Information in { } is note to reviewer. Page 13 of 13

EPA SAL 03/10/2016

TUBE/VIAL LABEL

Cats Spot On Imidacloprid + Pyriproxyfen

{Front Label}	{Back Label}
Brand Name {for Cats}	KEEP OUT OF REACH OF CHILDREN
2-5 [5-9][>9] lbs. ≥8 wks	WARNING Read directions and precautions
Imidacloprid 9.10%, Pyriproxyfen 0.46%	on package. Use scissors to open.
0.0078 fl oz { <b>or</b> } 0.014 fl oz { <b>or</b> } 0.027 fl oz	EPA REG. No. 2517-RTL {label code}
{label code}	

{EPA REG No may be on either the front or back label}

{label code refers to Sergeant's product code number assigned to each product}

{END - TUBE/VIAL LABEL}