



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 17, 2023

Mary Hunt
Managing Regulatory Consultant at Exponent, Inc.
c/o Sergeant's Pet Care Products, LLC
10077 South 134th Street
Omaha, NE 68138-3710

Subject: Label Amendment – Added IGR and mosquito efficacy claims and registration review language for deltamethrin and pyriproxyfen
Product Name: SPCP4 Plus 1
EPA Registration Number: 2517-177
Application Date: 07/30/2020; 01/14/2021
Decision Number: 565037; 569656

Dear Ms. Hunt:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 2517-177
Decision No. 565037; 569656

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the deltamethrin and pyriproxyfen Interim Decisions, and has concluded that your submission is acceptable.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, you may contact Robert Mitchell at 202-566-2842 or via email at mitchell.robert@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "J. Herrick".

Jacquelyn Herrick, Product Manager 03
Invertebrate & Vertebrate Branch 1
Registration Division (7505T)
Office of Pesticide Programs

Enclosure

Sergeant's Master Label

28 JULY 2020 Amendment
Information in [] is optional.
Text in { } is informational/note to reviewer

Version 23.1
Page 1 of 21

EPA Reg. No. 2517-177
Supersedes EPA SAL 10/03/2019

FRONT LABEL PANEL

SPCP4 Plus 1 (DOG)

SPCP4 Plus 1

ONLY For Dogs [and puppies] 12 weeks of age and older

{A statement of purpose of the product (flea and tick control for dogs) and the duration of protection per collar, indicated in the optional claims section will be included on the front panel}

ACTIVE INGREDIENTS:

Deltamethrin	4.00%
Pyriproxyfen	1.00%
OTHER INGREDIENTS	<u>95.00%</u>
Total	100.00%

This product contains the toxic inert ingredient Bis (2-ethylhexyl) adipate (DEHA) at 24.49%

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR

CAUTION

{Configuration 1:}

See Insert for First Aid, Directions for Use and [Additional] Precautionary Statements

{Configuration 2:}

See Back Label Panel(s) for First Aid, Directions for Use and [Additional] Precautionary Statements


{-For both extruded and molded collars the following net weight information, corresponding to the appropriate package will be used. Multi Packs contains 2 same size collars. Statement of net weight will include individual collar weight as well as total weight for 2 collars}

Net Weight:

Small:	0.65oz. (18.4g) [Collar] - Fits neck up to 15"
Medium:	0.85oz. (24.1g) [Collar] - Fits neck up to 20"
Large:	0.97oz. (27.5g) [Collar] - Fits neck up to 23"
One Size Fits All:	0.97oz. (27.5g) [Collar]

{Multi Pack total} Two [XX] oz ([YY]) g Collars

{END - FRONT LABEL PANEL}



Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 2 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

BACK LABEL PANEL

SPCP4 Plus 1 (DOG)

CONFIGURATION 1

{LIMITED BACK LABEL PANEL - WITH AN INSERT}

{Product Name}

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON [DOGS] [LARGE DOGS] [MEDIUM DOGS] [SMALL DOGS]
[SMALL BREED DOGS] [PUPPIES] 12 WEEKS OF AGE AND OLDER
DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR
DO NOT USE ON CATS

[[[SPCP4 Plus 1 {or} Alternate Brand Name] keeps your dog protected against fleas[, flea eggs *] and ticks [and mosquitoes *].] [As a bonus, it also prevents new flea infestations by preventing fleas from developing into biting adults.] [As a bonus, it does more to prevent new flea infestations, [killing fleas so they can't multiply and] [by] preventing new fleas from developing into biting adults.] [[Each] collar provides continuous protection for 6 months and is [simple] [easy] to use on [any] [small] [medium] [large] [size] dog 12 weeks of age and older: just slide and lock into place, then cut off the excess length.]]

*excluding California

If you have questions or comments about this product, please write:
Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399

For Emergency[?] [,] call: 1-800-781-4738 / Non-Emergency[?] [,] call 1-800-224-7387
{or}

Questions or medical emergency: 1-800-224-7387

[[Text [xxxxx] to [xxxxx]] [or] [visit] [website] [website address] [to sign up for] [for access to] [to access] [tips] [how to apply videos] [reminders] [application reminders] [coupons] [special offers] [and more]].
[Facebook icon] [Twitter icon] [YouTube icon] [Instagram] [QR code]

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in a cool, dry place away from children and pets.

Pesticide Disposal and Container Handling: Do not reuse container or used collar. Dispose of in trash.

Distributed by:

Sergeant's Pet Care Products, LLC

P.O. Box 540399

Omaha, NE 68154-0399

{Lot, date & label code}

[BAR CODE AREA]

EPA Reg. No. 2517-177

EPA Est. No. XXXXX

{END – LIMITED BACK LABEL PANEL}

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 3 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

{INSERT - (USED FOR COMPLETE LABELING INFORMATION WHEN USING CONFIGURATION 1 - LIMITED BACK PANEL OPTION)}

{Product Name}

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON [DOGS] [LARGE DOGS] [MEDIUM DOGS] [SMALL DOGS]

[SMALL BREED DOGS] [PUPPIES] 12 WEEKS OF AGE AND OLDER.

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR

DO NOT USE ON CATS

ACTIVE INGREDIENTS:

Deltamethrin 4.00%

Pyriproxyfen..... 1.00%

OTHER INGREDIENTS 95.00%

Total 100.00%

This product contains the toxic inert ingredient Bis (2-ethylhexyl) adipate (DEHA) at 24.49%

[PRODUCT INFORMATION]

[[SPCP4 Plus 1 {or} Alternate Brand Name] [This collar] kills fleas, ticks for 6 [six] months] [Product Name] Collar is a [double layer] sustained release system [containing deltamethrin and pyriproxyfen]. This collar has the effect of simultaneous control of fleas and ticks, including ticks that may transmit Rocky Mountain spotted fever]. Use [Product Name] year round for most effective control. To protect continuously against adult fleas and ticks, replace collar every 6 [six] months.]

[[Product Name], containing deltamethrin insecticide and pyriproxyfen an insect growth regulator (IGR), has been specially formulated using [features] insecticide-release technology. Collar will also kill ticks for 6 months. Collar will kill ticks including brown dog tick (*Rhipicephalus sanguineus*), American dog tick (*Dermacentor variabilis*), and deer ticks (*Ixodes scapularis* and *Ixodes pacificus*) which may transmit Lyme disease. The collar will sterilize adult fleas and will sterilize [and kill] flea eggs *. [This collar should be worn for continuous protection for 6 months.] [Replace a new collar every 6 [six] months.]

*excluding California

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Do not open protective [wrapper {or} pouch {or} package] until ready to use. Do not let children play with this collar. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Do not use on puppies under 12 weeks. Do not use on cats. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing dogs. Sensitivities may occur after using ANY pesticide products for dogs. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. [Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or [Sergeant's Pet Care Products, LLC at 1-800-224-7387].]

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 4 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

This collar is for use only as an insecticide and is not to be taken internally by humans or animals.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222. You may also call 1-XXX-XXX-XXXX for emergency medical treatment information.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

{DIRECTIONS FOR USE OPTIONS: One of the options below will be used with appropriate collar type; for Multi-Packs the statement: "Use only one collar per dog at a time" will be included}

{Option #1 – FOR EXTRUDED COLLARS}

Do not open [wrapper{or}pouch {or} package] until ready to use. Do not let children play with collar. Dust [will][may] form on collar during storage. Do not get dust in mouth or eyes. Use only one collar per dog at a time. Place collar around dog's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Generally, a properly fitted collar is one that when fastened, will snugly slide over dog's head. Two fingers should fit between the collar and neck. Leave 2 or 3 inches for extra adjustment. Cut off excess length, wrap in newspaper and dispose of in trash. Wash hands after placing collar on dog. Replace collar every 6 [six] months.

{Option #2A – FOR INJECTION MOLDED COLLARS}

Do not open [wrapper {or} pouch {or} package] until ready to use. Do not let children play with collar. Dust [will][may] form on collar during storage. Do not get dust in mouth or eyes. Use only one collar per dog at a time. Separate the collar from the pull tab strip and discard the pull tab strip in the trash. Place collar around dog's neck; adjust for fit, and buckle in place [with the main clasp]. Feed excess collar through the remaining two clasps for extra hold and a clean fit. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Generally, a properly fitted collar is one that when fastened, will snugly slide over dog's head. Two fingers should fit between the collar and neck. Leave 2 or 3 inches for extra adjustment. Cut off excess length, wrap in newspaper and dispose in the trash. Wash hands after placing collar on dog. Replace collar every 6 [six]months.

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 5 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

{Option #2B – FOR INJECTION MOLDED COLLARS}

Do not open [wrapper {or} pouch {or} package] until ready to use. Do not let children play with collar. Dust [will][may] form on collar during storage. Do not get dust in mouth or eyes. Use only one collar per dog at a time.

1. Unroll the collar.
2. Separate the collar from the pull tab strip. Start at either end by slowly pulling the strip away from the collar. Pull on any remaining strip to remove it. Discard the pull tab strip in the trash.
3. Place the collar around dog's neck. Pinch the buckle, [and] [then] insert the end of the collar through the buckle and slide to adjust for fit. Two fingers should fit between the collar and neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck.
4. Once fitted comfortably, feed the excess collar through the loops.
5. Any excess length of the collar beyond 2-3 inches past the loops should be cut off, wrapped in newspaper and placed in the trash. [(Depending on the size of your dog it may be easier to cut off the excess length before feeding through the loops.)]
6. Wash hands after placing collar on dog. Replace collar every 6 [six] months.

{Optional graphics below may or may not appear on the market label}



{Option #3 – FOR INJECTION MOLDED COLLARS}

1. Do not open [wrapper {or} pouch {or} package] until ready to use. Do not let children play with collar. Dust [will][may] form on collar during storage. Do not get dust in mouth or eyes. Use only one collar per dog at a time. Take the collar out of the packaging and stretch to full length. The tabs that held the collar in place [should][will] fall off when stretching; pull on any remaining tabs to remove them.

Sergeant's Master Label

28 JULY 2020 Amendment

Information in [] is optional.


Text in { } is informational/note to reviewer

Version 23.1

Page 6 of 21

EPA Reg. No. 2517-177

Supersedes EPA SAL 10/03/2019



2. Bend the buckle in half between the holes in the buckle, so that you can easily pass the end of the collar through both holes.



3. Place the collar around your dog's neck. Feed the collar through both holes, [ridges] [notches] facing out. Fit to the neck of the dog. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Generally, a properly fitted collar is one that, when fastened, will snugly slide over dog's head [, and two fingers can be placed between the collar and dog's neck]. Leave [2 or 3] [1 or 2] extra inches for collar adjustment, cut off remaining excess collar, wrap in newspaper and dispose of in the trash.

Sergeant's Master Label

28 JULY 2020 Amendment

Information in [] is optional.

Text in { } is informational/note to reviewer

Version 23.1

Page 7 of 21

EPA Reg. No. 2517-177

Supersedes EPA SAL 10/03/2019



[4.] Wash hands after placing collar on dog. Replace collar every 6 [six] months.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in a cool, dry place away from children and pets.

Pesticide Disposal and Container Handling: Do not reuse container or used collar. Dispose of in trash.

[WARRANTY: Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Satisfaction guaranteed. If you are not satisfied, we will make it right with a replacement or refund.]

[If you are not satisfied, we will make it right with a replacement or refund.]

If you have questions or comments about this product, please write:

Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.

In Case of Emergency, call: 1-800-781-4738 / Non-Emergency, call: 1-800-224-PETS (7387)

[Coupon(s) inside or on outside of box]

[Manufactured for the USA]

Distributed by:

Sergeant's Pet Care Products, LLC

Omaha, NE 68138-3710

[BAR CODE AREA] {lot, date & label code}

EPA Reg. No. 2517-177

EPA Est. No. XXX-XX-XXX

{END – INSERT FOR LIMITED BACK LABEL OPTION}

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 8 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

CONFIGURATION 2

{MULTI-FOLDED BACK LABEL PANELS – INSERT IS OPTIONAL}

{Text visible to consumer matches the text on the back panel of Configuration 1}

{Product Name}

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON [DOGS] [LARGE DOGS] [MEDIUM DOGS] [SMALL DOGS]

[SMALL BREED DOGS] [PUPPIES] 12 WEEKS OF AGE AND OLDER

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR

DO NOT USE ON CATS

[[[SPCP4 Plus 1 {or} Alternate Brand Name] keeps your dog protected against fleas[, flea eggs, *] and ticks[, and mosquitoes*].] [As a bonus, it also prevents new flea infestations by preventing fleas from developing into biting adults.] [As a bonus, it does more to prevent new flea infestations, [killing fleas so they can't multiply and] [by] preventing new fleas from developing into biting adults.] [[Each] collar provides continuous protection for 6 months and is [simple] [easy] to use on [any] [small] [medium] [large] [size] dog 12 weeks of age and older: just slide and lock into place, then cut off the excess length.]]

*excluding California

If you have questions or comments about this product, please write:

Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399

For Emergency[?] [,] call: 1-800-781-4738 / Non-Emergency[?] [?] [,] call 1-800-224-7387

{or}

Questions or medical emergency: 1-800-224-7387

[[Text [xxxxxx] to [xxxxxx]] [or] [visit] [website] [website address] [to sign up for] [for access to] [to access] [tips] [how to apply video] [reminders] [application reminders] [coupons] [special offers] [and more]]. [Facebook icon] [Twitter icon] [YouTube icon] [Instagram] [QR code]

Distributed by:

Sergeant's Pet Care Products, LLC

P.O. Box 540399

Omaha, NE 68154-0399

{Lot, date & label code}

[BAR CODE AREA]

EPA Reg. No. 2517-177

EPA Est. No. XXXX-XX-XXX

[Manufactured for the USA]

[PRODUCT INFORMATION]

[[SPCP4 Plus 1 {or} Alternate Brand Name] [This collar] kills fleas, ticks for 6 [six] months] [Product Name] Collar is a [double layer] sustained release system [containing deltamethrin and pyriproxyfen]. This, collar has the effect of simultaneous control of fleas and ticks, including ticks that may transmit Rocky

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 9 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

Mountain spotted fever]. Use **[Product Name]** year round for most effective control. To protect continuously against adult fleas and ticks, replace collar every 6 [six] months.]

[[Product Name], containing deltamethrin insecticide and pyriproxyfen an insect growth regulator (IGR), has been specially formulated using [features] insecticide-release technology. Collar will also kill ticks for 6 months. Collar will kill ticks including brown dog tick (*Rhipicephalus sanguineus*), American dog tick (*Dermacentor variabilis*), and deer ticks (*Ixodes scapularis* and *Ixodes pacificus*) which may carry Lyme disease. The collar will sterilize adult fleas and will sterilize [and kill] flea eggs *. This collar should be worn for continuous protection for 6 months.] [Replace a new collar every 6 [six] months.]

*excluding California

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Do not open protective [wrapper {or} pouch {or} package] until ready to use. Do not let children play with this collar. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Do not use on puppies under 12 weeks. Do not use on cats. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing dogs. Sensitivities may occur after using ANY pesticide products for dogs. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. [Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or [Sergeant's Pet Care Products, LLC at 1-800-224-7387].]

This collar is for use only as an insecticide and is not to be taken internally by humans or animals.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222. You may also call 1-XXX-XXX-XXXX for emergency medical treatment information.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 10 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

{DIRECTIONS FOR USE OPTIONS: One of the options below will be used with appropriate collar type; for Multi-Packs the statement: "Use only one collar per dog at a time" will be included}

{Option #1 – FOR EXTRUDED COLLARS}

Do not open [wrapper{or}pouch {or} package] until ready to use. Do not let children play with collar. Dust [will][may] form on collar during storage. Do not get dust in mouth or eyes. Use only one collar per dog at a time. Place collar around dog's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Generally, a properly fitted collar is one that when fastened, will snugly slide over dog's head. Two fingers should fit between the collar and neck. Leave 2 or 3 inches for extra adjustment. Cut off excess length, wrap in newspaper and dispose of in trash. Wash hands after placing collar on dog. Replace collar every 6 [six] months.

{Option #2A – FOR INJECTION MOLDED COLLARS}

Do not open [wrapper {or} pouch {or} package] until ready to use. Do not let children play with collar. Dust [will][may] form on collar during storage. Do not get dust in mouth or eyes. Use only one collar per dog at a time. Separate the collar from the pull tab strip and discard the pull tab strip in the trash. Place collar around dog's neck; adjust for fit, and buckle in place [with the main clasp]. Feed excess collar through the remaining two clasps for extra hold and a clean fit. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Generally, a properly fitted collar is one that when fastened, will snugly slide over dog's head. Two fingers should fit between the collar and neck. Leave 2 or 3 inches for extra adjustment. Cut off excess length, wrap in newspaper and dispose in the trash. Wash hands after placing collar on dog. Replace collar every 6 [six] months.

{Option #2B – FOR INJECTION MOLDED COLLARS}

Do not open [wrapper {or} pouch {or} package] until ready to use. Do not let children play with collar. Dust [will][may] form on collar during storage. Do not get dust in mouth or eyes. Use only one collar per dog at a time.

1. Unroll the collar.
2. Separate the collar from the pull tab strip. Start at either end by slowly pulling the strip away from the collar. Pull on any remaining strip to remove it. Discard the pull tab strip in the trash.
3. Place the collar around dog's neck. Pinch the buckle, [and] [then] insert the end of the collar through the buckle and slide to adjust for fit. Two fingers should fit between the collar and neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck.
4. Once fitted comfortably, feed the excess collar through the loops.
5. Any excess length of the collar beyond 2-3 inches past the loops should be cut off, wrapped in newspaper and placed in the trash. [(Depending on the size of your dog it may be easier to cut off the excess length before feeding through the loops.)]
6. Wash hands after placing collar on dog. Replace collar every 6 [six] months.

Sergeant's Master Label

28 JULY 2020 Amendment

Information in [] is optional.

Text in { } is informational/note to reviewer

Version 23.1

Page 11 of 21

EPA Reg. No. 2517-177


Supersedes EPA SAL 10/03/2019

{Optional graphics below may or may not appear on the market label}



{Option #3 – FOR INJECTION MOLDED COLLARS}

1. Do not open [wrapper {or} pouch {or} package] until ready to use. Do not let children play with collar. Dust [will][may] form on collar during storage. Do not get dust in mouth or eyes. Use only one collar per dog at a time. Take the collar out of the packaging and stretch to full length. [The tabs that held the collar in place [should][will] fall off when stretching; pull on any remaining tabs to remove them.



2. Bend the buckle in half between the holes in the buckle, so that you can easily pass the end of the collar through both holes.



Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 12 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

3. Place the collar around your dog's neck. Feed the collar through both holes, [ridges] [notches] facing out. Fit to the neck of the dog. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Generally, a properly fitted collar is one that, when fastened, will snugly slide over dog's head [, and two fingers can be placed between the collar and dog's neck]. Leave [2 or 3] [1 or 2] extra inches for collar adjustment, cut off remaining excess collar, wrap in newspaper and dispose of in the trash.



4. Wash hands after placing collar on dog. Replace collar every 6 [six] months.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in a cool, dry place away from children and pets.

Pesticide Disposal and Container Handling: Do not reuse container or used collar. Dispose of in trash.

[WARRANTY Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Satisfaction guaranteed. If you are not satisfied, we will make it right with a replacement or refund.]

[If you are not satisfied, we will make it right with a replacement or refund.]

{END - BACK LABEL PANEL}

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 13 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

Alternate Brand Names

{ ABN } [Bansect Flea & Tick Collar for Dogs]
{ ABN } [Bansect Flea & Tick Plus Collar for Dogs]
{ ABN } [Sergeant's Dual Action Flea & Tick Plus Collar for Small Dogs & Puppies]
{ ABN } [Sergeant's Dual Action Flea & Tick Plus Collar for Dogs]
{ ABN } [Sergeant's Dual Action Flea & Tick Plus Collar for Large Dogs]
{ ABN } [Sergeant's Flea & Tick Collar Plus for Small Dogs & Puppies]
{ ABN } [Sergeant's Flea & Tick Plus Collar for Dogs]
{ ABN } [Sergeant's Flea & Tick Plus Collar for Large Dogs]
{ ABN } [Sergeant's Silver Flea & Tick Collar for Small Dogs & Puppies]
{ ABN } [Sergeant's Silver Flea & Tick Plus Collar for Small Dogs & Puppies]
{ ABN } [Sergeant's Silver Flea & Tick Collar for Dogs]
{ ABN } [Sergeant's Silver Flea & Tick Plus Collar for Dogs]
{ ABN } [Sergeant's Silver Flea & Tick Collar for Large Dogs]
{ ABN } [Sergeant's Silver Flea & Tick Plus Collar for Large Dogs]
{ ABN } [SENTRY Dual Action Flea & Tick Plus Collar for Small Dogs & Puppies]
{ ABN } [SENTRY Dual Action Flea & Tick Plus Collar for Dogs]
{ ABN } [SENTRY Dual Action Flea & Tick Plus Collar for Dogs and Puppies]
{ ABN } [SENTRY Dual Action Flea & Tick Plus Collar for Large Dogs]
{ ABN } [SENTRY Flea & Tick Plus Collar for Dogs]
{ ABN } [PetArmor Plus Flea & Tick Dog Collar]
{ ABN } [PetArmor Plus Flea & Tick Collar Dogs]
{ ABN } [PetArmor Plus Flea & Tick Collar for Dogs]
{ ABN } [PetArmor Plus Flea & Tick Collar for Dogs & Puppies]
{ ABN } [PetArmor Plus Flea & Tick Collar for Small Dogs & Puppies]
{ ABN } [Sergeant's Double Duty Flea & Tick Collar for Dogs]
{ ABN } [Sergeant's Double Duty Flea & Tick Collar for Dogs & Puppies]
{ ABN } [Sergeant's Double Duty Flea & Tick Collar for Small Dogs & Puppies]
{ ABN } [Sergeant's Gold Flea & Tick Collar for Dogs]
{ ABN } [Sergeant's Gold Flea & Tick Collar for Dogs & Puppies]
{ ABN } [Sergeant's Gold Flea & Tick Collar for Small Dogs & Puppies]
{ ABN } [Sergeant's Gold Advance Flea & Tick Collar for Dogs]
{ ABN } [Sergeant's Gold Advance Flea & Tick Collar for Dogs & Puppies]
{ ABN } [Sergeant's Gold Advance Flea & Tick Collar for Small Dogs & Puppies]
{ ABN } [Sergeant's Evolve Flea & Tick Collar for Dogs]
{ ABN } [Sergeant's Evolve Flea & Tick Collar for Dogs & Puppies]
{ ABN } [Sergeant's Evolve Flea & Tick Collar for Small Dogs & Puppies]
{ ABN } [SENTRY PRO Flea & Tick Dog Collar]
{ ABN } [SENTRY PRO Flea & Tick Collar Dogs]
{ ABN } [SENTRY PRO Flea & Tick Collar for Dogs]
{ ABN } [SENTRY PRO Flea & Tick Collar for Dogs & Puppies]
{ ABN } [SENTRY PRO Flea & Tick Collar for Small Dogs & Puppies]
{ ABN } [SENTRY PRO XFT Flea & Tick Collar for Dogs]
{ ABN } [SENTRY PRO XFT Flea & Tick Collar for Dogs & Puppies]
{ ABN } [SENTRY PRO XFT Flea & Tick Collar for Small Dogs & Puppies]
{ ABN } [Sergeant's PROPYL OTC Flea & Tick Collar for Dogs]
{ ABN } [Sergeant's PROPYL OTC Flea & Tick Collar for Dogs & Puppies]
{ ABN } [Sergeant's PROPYL OTC Flea & Tick Collar for Small Dogs & Puppies]

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 14 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

{ABN} [Sergeant's PROPYL OTC Plus Flea & Tick Collar for Dogs]

{ABN} [Sergeant's PROPYL OTC Plus Flea & Tick Collar for Dogs & Puppies]

{ABN} [Sergeant's PROPYL OTC Plus Flea & Tick Collar for Small Dogs & Puppies]

{OPTIONAL MARKETING STATEMENTS AND GRAPHICS – MAY APPEAR ANYWHERE ON LABELING FOR SINGLE COLLAR OR MULTI-PACK PACKAGING}

Fleas and Flea Eggs

- Kills fleas that may cause anemia
 - Kills fleas that may cause bartonellosis
 - Kills fleas that may transmit tapeworms
 - Kills [adult] fleas that may cause [Flea Allergy Dermatitis (FAD)][and][flea bite dermatitis]
 - Kills fleas
 - Kills fleas that may cause anaplasmosis
 - Kills [adult] fleas which may cause flea bite anemia
 - Kills [adult] fleas which may transmit tapeworms
 - Kills fleas which may be a source of Flea Allergy Dermatitis [FAD] [and] [flea bite anemia] [and] [tapeworm]
 - Prevents new flea infestations
 - Prevents reoccurrence of flea infestation
 - [Controls][kills] [adult] fleas so they can't multiply
 - Prevents new fleas from developing into biting adults
 - Kills adult fleas (before they lay eggs)
 - Flea [control] [prevention] for dogs [& puppies 12 weeks of age and older]
 - Sterilizes adult fleas for [6[six] months][180 days] *
 - Sterilizes [and kills] flea eggs for [6[six] months][180 days] *
 - Kills flea eggs for [6[six] months][180 days] *
 - Kills Fleas and Flea Eggs for [6[six] months][180 days] *
 - Plus Pyriproxyfen
 - Pyriproxyfen added
 - Includes an IGR
 - Breaks the flea life cycle *
- *excluding California

Ticks

- Kills the ticks that may transmit Rocky Mountain spotted fever
- Kills ticks that may cause babesiosis
- Kills ticks for 6 months, including Deer ticks (which may transmit Lyme disease and anaplasmosis), American dog ticks (which may transmit Rocky Mountain spotted fever and ehrlichiosis), and Brown dog ticks (which may transmit ehrlichiosis, anaplasmosis, bartonellosis, canine hemoplasmosis, babesiosis)
- Tick [control] [prevention] for dogs [& puppies 12 weeks and older]
- Kills ticks (including deer ticks which may transmit Lyme disease)
- Provides [long lasting] [6 month] protection against ticks

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 15 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

Mosquitoes*

- Repels mosquitoes for [6[six] months][180 days] *
- Reduces mosquito bites for [6[six] months][180 days] *
- Reduces blood feeding by mosquitoes for [6[six] months][180 days] *
- Protects against mosquito bites for [6[six] months][180 days] *

*excluding California

Multiple Pests

- Kills Fleas [and][&] Ticks
- Flea [and][&] Tick Collar for Dogs
- Dog Collar for Flea and Tick Control
- Collar will kill ticks for 6 months including: Lone Star tick (*Amblyomma americanum*), Brown dog tick (*Rhipicephalus sanguineus*), American dog tick (*Dermacentor variabilis*), and deer ticks (*Ixodes scapularis* and *Ixodes pacificus*) which may transmit Lyme disease.
- Flea [and] [&] Tick Collar for Dogs
- Contains an Insect Growth Regulator (IGR) [Long Lasting Protection against fleas and ticks for 6 [six] months!]
- Provides [6[six] months][180 days] control [of fleas [and] [&] ticks][and] [repels mosquitoes*]
- Provides full season, [6[six] months][180 days] protection against fleas [and] ticks [and] [repels mosquitoes*]
- Kills fleas[,][flea eggs*][,][ticks][,][and][repels mosquitoes*] for 6 [six]months[180 days]

*excluding California

Single Collar Package Claims

- 6 [six] months protection – [1] [one] collar
- Kills [Adult] Fleas for 180 days[!]
- Kills [Adult] Fleas for 6 [six] months[!]
- Provides [long lasting] 180 days[s] protection against fleas
- Provides [long lasting] 6 [six] month[s] protection against fleas

- Kills Ticks for 180 days[!]
- Kills Ticks for 6 [six] months[!]
- Provides [long lasting] 180 days[s] protection against ticks
- Provides [long lasting] 6 [six] month[s] protection against ticks

- Kills Fleas and Ticks for 6 [six] Months]
- Provides 6 months control [of fleas and ticks]
- Protects your dog from fleas and ticks for 6 [six] Months]
- Kills [fleas] [and] [ticks] for 6 [six] [months] [180 days] [!]
- Continuous 6 [six] months Protection against fleas and ticks
- 6[six] months Protection [against Fleas & Ticks]
- [6[Six] months][180 days] protection [against fleas & ticks][fleas, flea eggs*, ticks & mosquitoes*]

*excluding California

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 16 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

Two Collars Package Claims {Same size collars in one container}

- Each Collar = [6[Six] months][180 days] protection [against fleas & ticks][against fleas, flea eggs*, ticks [and mosquitoes*]]
- Two [2] Collars, worn [one at a time][consecutively] [provide][=] 12[twelve] months protection [against fleas & ticks] fleas [and] ticks [and] [mosquitoes*]
*excluding California
- [2] [Two] Collars | each collar 6 [six] months protection; Total protection 12 [twelve] months^[**]
- 2 [Two] Collars provides 12 [twelve] consecutive months protection against fleas and ticks^{[*]/[**]}
- 12 [twelve] months protection [against fleas and ticks] with 2 [Two] collars used consecutively^{[*]/[**]}
- Each collar provides 6 [six] months of protection
- Two collars provide 12 [twelve] consecutive months of protection^{[*]/[**]}
- Two collars, worn one at a time = 12 [twelve] months of protection^[**]
- Two collars, worn one at a time, provides 12 [twelve] consecutive months of protection^[**]
- Two collars = 12 [twelve] consecutive months of protection^{[*]/[**]}
- 6 [six] months protection each collar – [2] [two] collars^[*]
- 2 [Two] Collars; One collar = 6 [six] months of protection^[**]

{One or both statements below will appear in the same font size, in close proximity to the claim above on same label panel, indicated with */**}

- ^[*] Use one collar per dog at a time
- ^[**] One collar provides 6 months of protection.

Collar Fit Claims

- Lock and Stay Design
- Click and Stay Design
- Click to Fit Design
- Fits Just Right [Design]
- Comfort Fit [Design]
- Designed for Comfort
- Rugged [and] weatherproof
- Time Release formula
- Modern Click- to- Fit Design
- Pull and Click
- Stay in Place Design
- Clicks into place
- Slides into place
- Won't slide and stretch
- Won't be too loose or too tight [...fits just right [!]]
- Fits Just Right [Design]
- Fits just right ... won't be too loose or too tight
- Right Size Collar [Design]
- Slide [to] [and] Fit [Design]
- Fits securely
- Stays in place
- Fit [-] [and] Stay [Design]

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 17 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

- Slide Fit [and] Stay Design
- Right Fit [Design]
- Just Right Fit [Design]
- [Adjustable] [Fits all size dogs over 12 weeks of age]
- [Adjust to fit] [Easy to adjust]
- Cut to size] [Size to fit] [Fit to size]

{The following claims will be used only when the age requirement is visible on the front and back panels and included on the insert}

- One size fits all dogs
- Notched to fit securely on [any] [small] [medium] [large] [size] dog
- Fits securely on [any] [small] [medium] [large] [size] dog
- [Great] For multiple dog [and puppy 12 weeks of age and older] households

All Other

- Sergeant's collar technology
- From the makers of PetArmor®
- Continuous protection for 6 [six] months
- Protection wherever you go for 6 [six] months
- [Long [-] Lasting] [Continuous] for 6 [six] months
- Protection built to last for 6 [six] months
- Long [-] Lasting} 6 months [Collar for Dogs]]
- Lasting 6 months protection against fleas and ticks
- Long Lasting Protection against fleas for 6 [six] months
- 6 [six] months protection
- 6 [six] months
- Long lasting flea protection for 6 [six] [months] [180 days] [!]
- For [Dogs], [Large Dogs], [Medium Dogs] [Small Dogs & Puppies] [Small Breeds Dogs]
- [Fresh] [Powdery] [Clean] Scent
- {Specific fragrance noted here} [Scent][Fragrance]
- Odorless
- Fits Neck to [15"] [20"] [23"]
- [Features] insecticide-release technology
- [All Weather Collar] [All seasons protection] for 6 [six] months
- Set it and forget it for 6 [six] months
- Protection made easy
- Adventure appropriate
- Perfect for any adventure
- [Not affected by water] [Water resistant]
- Wetting will not impair the collar's effectiveness or the dog's protection
- Convenient
- Fits right over existing dog tag collar
- Easy to [use] [apply] [attach]
- Cut off excess length
- Replace new collar every 6 months
- For dog [and puppies 12 weeks of age and older]

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 18 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

- For year round protection, replace [SPCP4 Plus 1 {or} Alternate Brand name] [New Collar] every 6 [six] months.
- {Dog's Name/Weight (Empty blank for owner to fill in name and/or weight)}
- Treatment:][Treatment[X][Date:][First][Next] Treatment Date:] {Empty blank for owner to fill in date}
- [Date of] Application [Date]] {Calendar sticker with Brand Name}
- Place sticker on your calendar as a reminder to replace [SPCP4 Plus 1 {or} Alternate Brand Name] [New Collar] in 6 [six] months
- Place reminder sticker on your calendar now
- Place sticker on your calendar (or refrigerator) to remind yourself to replace [SPCP4 Plus 1 {or} Alternate Brand Name] [New Collar] on your dog
- [Plan ahead] [Don't miss a treatment]
- It's important to protect your dog from fleas and ticks consistently
- [(Deltamethrin 4% + IGR Collar) (alternate brand name) kills fleas that may cause Flea Allergy Dermatitis (FAD)]
- [Deltamethrin 4% + IGR Collar] [alternate brand name] kills fleas that may cause flea bite anemia.
- [Deltamethrin 4% + IGR Collar] [alternate brand name] kills fleas that may transmit bartonellosis.
- [Deltamethrin 4% + IGR Collar] [alternate brand name] kills fleas that may transmit tapeworms.
- [Deltamethrin 4% + IGR Collar] [alternate brand name] kills ticks that may transmit babesiosis.
- [Deltamethrin 4% + IGR Collar] [alternate brand name] kills ticks that may transmit anaplasmosis.
- Over 12 weeks of age and older
- For dog(s) [and puppies 12 weeks of age and older]
- For [Dogs], [Large Dogs], [Medium Dogs] [Small Breed Dogs] [Small Dogs & Puppies 12 weeks of age and older]
- Proprietary Triple Clasp System

{X & Y are based on number of collars in packaging. Total number is reflected in Net Content/Weight. When provided, coupon will not obscure or distract from required text}

- [Save Now!] [Buy More and Save] [Buy [X] and Save]
- [Great Value] [Better Value]
- [Value Pack] [Club Pack] [Club Pack] [Bonus Pack] [Multi [-] Pack]
- [Value Size] [Club Size]
- [X+X=X Bonus Pack!]
- [[X]% Free] [(X) Month(s) Free!] [Buy [X] Get [X] Free]
- [Buy [X] and Save] [Buy More and Save]
- [Coupon Inside!] [Product Coupons inside or outside package]

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 19 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

{ADDITIONAL OPTIONAL MARKETING STATEMENTS AND GRAPHICS – MAY APPEAR ON INSERT LABELING FOR SINGLE OR MULTI-PACK PACKAGING}

Here are a few reminders. If you need additional help we're here!

How does this product work? The collar uses sustained release technology releasing the active ingredients at a steady rate for 6 [six] months. The dog's natural oils help to distribute the product through your dog's skin and coat providing full body protection. The active ingredient, Deltamethrin, kills fleas and ticks by direct contact or if the fleas and ticks ingest it.

How quickly will it start to work? It should start working soon after application, but maximum effectiveness may not occur for 2 to 3 weeks after placement.

Should my dog wear the collar all the time? Yes, the [product name] must be worn continuously to remain effective, and a new one should be replaced every 6 [six] months.

How often do I need to replace the collar? Replace the [product name] every 6 [six] months.

What should I do with the piece of collar that I cut off? After removing the extra length of [product name] wrap it in newspaper and place it in the trash.

Do I need to remove the collar when my dog goes out in the rain? No. Wetting the collar will not impair its effectiveness, and it is not necessary to remove the collar if the dog is out in the rain.

Can I place 2 collars on my dog at the same time? No, do not place 2 collars on your dog at the same time. You have two, 6 [six]-month collars to be used sequentially (one after the other) or use one collar for each dog in your household.

My dog wears a standard collar. If I add this collar as a second collar, will the standard fabric collar rub the active ingredients off this collar and reduce its effectiveness?

No, a standard collar should not rub the ingredients off the flea and tick collar. The active ingredients in the collar migrate to the surface at a certain rate. Friction will not affect the rate of release for the actives.

Can I use a flea and tick topical, shampoo or spray on my dog while the flea and tick collar is still on?

We do not recommend treating with another topical pesticide product. Other forms of flea and tick treatments contain different active ingredients, and we do not recommend mixing treatments in the event of an adverse reaction.

What should I do if my dog shows signs of irritation from the collar? Sensitivities may occur after using ANY pesticide products for dogs. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. .[Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or [Sergeant's Pet Care Products, LLC at 1-800-224-7387].]

Things to consider if still seeing fleas on your dog: Did you have a lapse in treatment?

It's possible you had fleas in your home or yard that were present BEFORE you started using [SPCP4 Plus 1 {or} Alternate brand name]. Adult fleas represent only 5% of the flea population. What you don't see

Sergeant's Master Label

28 JULY 2020 Amendment

Version 23.1

EPA Reg. No. 2517-177

Information in [] is optional.

Page 20 of 21

Supersedes EPA SAL 10/03/2019

Text in { } is informational/note to reviewer

are the other life stages (eggs, larvae, pupae) which could be lurking on your dog or in your home. Break the cycle by regularly using this collar on your dog. This product is for treating fleas and ticks on your dog. For home and outdoor pests please use the appropriate product as needed.

What To Look For

Fleas: Signs your dog may have fleas can include flea dirt (small dark flakes), excessive itching or scratching. You may also see adult fleas on your dog's coat and skin.

Ticks: Adult ticks are often visible to the naked eye, so you may spot them on short-haired dogs. But with longer-haired dogs, it's best to do a thorough inspection with a flea comb.










Why Protect your Dog?

Both fleas and ticks are small but harmful.

- Some dogs may have sensitivity to flea saliva and can have allergic reactions, leading to painful and intense itching. Fleas can also transmit parasites such as tapeworms.
- Tick bites may also trigger allergic reactions, but even more serious are the diseases they can transmit like Lyme disease.

{Each optional graphic below may or may not appear anywhere on the finished label}



	Fleas	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Flea eggs	
	Mosquitoes*	



[Water Resistant]

*This product only repels mosquitoes

Sergeant's Master Label

28 JULY 2020 Amendment

Information in [] is optional.


Text in { } is informational/note to reviewer

Version 23.1

Page 21 of 21

EPA Reg. No. 2517-177

Supersedes EPA SAL 10/03/2019



[Flea life cycle diagram] [Flea Life Cycle] [Breaks the flea lifecycle]

[Our company heritage dates back over 150 years. Polk Miller, a pharmacist and pet lover, started by formulating pet health products for his own dogs in 1868. We continue that tradition today by providing products and services that help take the guesswork out of pet parenting.]

[Packaged with care by dog lovers [in Omaha, Neb.]]

[Need help? We are your [flea and tick] experts!]

[SPCP4 Plus1 {or} Alternate Brand Name] cares [about your experience]] [!]

[We care about your experience, please contact us with any questions]

[If you're not satisfied with [SPCP4 Plus1 {or} Brand Name], let's talk! We'll gladly provide you with a refund]

{END – OPTIONAL MARKETING STATEMENTS AND GRAPHICS}

{COLLAR WRAPPER/POUCH LABEL WITHIN PRIMARY PACKAGING}

{PRODUCT NAME}

4% Deltamethrin, 1% Pyriproxyfen

CAUTION

Do not allow children to play with collar

For use ONLY on dogs

[See insert for complete label information]

Do not open until ready to use.

This unit not for retail sale

[Sergeant's Pet Care Products, LLC]

EPA Reg. No. 2517-177

EPA Est. No. XXXXX-XX-XXX

Lot Number

{END – COLLAR WRAPER/POUCH LABEL}

Revised 4/17/2023