

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

May 16, 2024

Prince M. Bamaze Regulatory Affairs Sergeant's Pet Care Products, LLC 10077 South 134th Street Omaha, NE 68138-3710

Subject: Notification per PRN 98-10 – Add graphics previously approved on label

stamped 3/9/2023

Product Name: Sergeant's Imidacloprid + Permethrin + Pyriproxyfen Squeeze On

For Dogs

EPA Registration Number: 2517-178

Application Date: 4/12/2024

Case Number: 606655

Dear Prince Bamaze:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "NOTIFICATION" and placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 2517-178 Case No. 606655

If you have any questions, please contact Kaitlin Saunders at 202-566-2890 or at <u>Saunders.Kaitlin@epa.gov</u>.

Sincerely,

Kaitlin Saunders for

Elizabeth Fertich Product Manager 4 Invertebrate-Vertebrate Branch 1 Registration Division Office of Pesticide Programs

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 1 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

Front Panel Dogs Squeeze On (Permethrin + Imidacloprid + Pyriproxyfen)

{Text within brackets [] is optional / Text within parenthesis () will appear on the label / Text within braces {} is a note to reviewer}

Sergeant's Imidacloprid + Permethrin + Pyriproxyfen Squeeze On for Dogs

{Market Label-the word Dog will be at least 40-75% in height of the largest letter in the primary brand name.} {Market Label-a large clear picture of a dog in the respective weight range will be on the front panel of the label for the product as packaged.}

{One of the following statements will appear prominently on appropriate weight band market label on front panel in a box as required per Agency's pet spot-on mitigation measures:}

For use ONLY on dogs [[&] [and] puppies]] [weighing] [4 [-][to] 10 lbs.] [11 [-][to] 20 lbs.] [21 [-][to]55 lbs.] [[more than] [over] [>] 55 lbs.] [&] [and] 7 weeks [of age] or older

{The appropriate weight class of dog will correspond to the appropriate applicator size}

{OR}

ONLY for dogs [[&] [and] puppies]] 7 weeks [of age] or older [&] [and] [weighing] [4 [-][to] 10 lbs.] [11 [-][to] 20 lbs.] [21 [-][to] 55 lbs.] [[more than][over][>] 55 lbs.]

{The appropriate weight class of dog will correspond to the appropriate applicator size}

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right hand corner of the front panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}



{following text will be in addition to the above required language}

Small Dogs 4-10 lbs {only for use on label for 4-10 lbs and 7 weeks or older product}
Medium Dogs 11-20 lbs {only for use on label for 11-20 lbs and 7 weeks or older product}
Large Dogs 21-55 lbs {only for use on label for 21-55 lbs and 7 weeks or older product}
Extra Large Dogs >55 lbs {only for use on label for >55 lbs and 7 weeks or older product}
[Small][Medium][large][Extra Large]

ACTIVE INGREDIENTS:

Imidacloprid	8.80%
Permethrin*	44.00%
Pyriproxyfen	0.44%
OTHER INGREDIENTS:	
TOTAL	$1\overline{00.00\%}$

^{*}cis/trans ratio: Max 55% (\pm) cis and min 45% (\pm) trans

NOTIFICATION

2517-178

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

05/16/2024

KEEP OUT OF REACH OF CHILDREN WARNING

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 2 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

NET CONTENTS:

{The word "tube", "vial" or "applicator" will be used consistently throughout the label.}

{For Dog Weighing 4-10 lbs.}

```
1 - 0.014 fl oz (0.4 mL) [tube] [vial] [applicator]
0.028 fl oz (0.8 mL), 2 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.042 fl oz (1.2 mL), 3 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.056 fl oz (1.6 mL), 4 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.070 fl oz (2.0 mL), 5 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.084 fl oz (2.4 mL), 6 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.098 fl oz (2.8 mL), 7 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.112 fl oz (3.2 mL), 8 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.126 fl oz (3.6 mL), 9 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.140 fl oz (4.0 mL), 10 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.154 fl oz (4.4 mL), 11 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.168 fl oz (4.8 mL), 12 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
0.336 fl oz (9.6 mL), 24 - 0.014 fl oz (0.4 mL) [tubes] [vials] [applicators]
```

For Dog Weighing 11-20 lbs.

```
1 - 0.034 fl oz (1.0 mL) [tube] [vial] [applicator] 0.068 fl oz (2.0 mL), 2 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.102 fl oz (3.0 mL), 3 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.136 fl oz (4.0 mL), 4 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.170 fl oz (5.0 mL), 5 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.204 fl oz (6.0 mL), 6 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.238 fl oz (7.0 mL), 7 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.272 fl oz (8.0 mL), 8 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.306 fl oz (9.0 mL), 9 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.340 fl oz (10.0 mL), 10 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.374 fl oz (11.0 mL), 11 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.408 fl oz (12.0 mL), 12 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators] 0.816 fl oz (24.0 mL), 24 - 0.034 fl oz (1.0 mL) [tubes] [vials] [applicators]
```

{For Dog Weighing 21-55 lbs.}

```
1 - 0.085 fl oz (2.5 mL) [tube] [vial] [applicator]
0.170 fl oz (5.0 mL), 2 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
0.255 fl oz (7.5 mL), 3 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
0.340 fl oz (10.0 mL), 4 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
0.425 fl oz (12.5 mL), 5 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
0.510 fl oz (15.0 mL), 6 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
0.595 fl oz (17.5 mL), 7 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
0.680 fl oz (20.0 mL), 8 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
0.765 fl oz (22.5 mL), 9 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
0.850 fl oz (25.0 mL), 10 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
0.935 fl oz (27.5 mL), 11 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
1.020 fl oz (30.0 mL), 12 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
2.040 fl oz (60.0 mL), 24 - 0.085 fl oz (2.5 mL) [tubes] [vials] [applicators]
```

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 3 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

(For Dog Weighing over 55 lbs.)

```
1 - 0.135 fl oz (4.0 mL) [tube] [vial] [applicator]
0.270 fl oz (8.0 mL), 2 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
0.405 fl oz (12.0 mL), 3 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
0.540 fl oz (16.0 mL), 4 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
0.675 fl oz (20.0 mL), 5 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
0.810 fl oz (24.0 mL), 6 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
0.945 fl oz (28.0 mL), 7 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
1.080 fl oz (32.0 mL), 8 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
1.215 fl oz (36.0 mL), 9 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
1.350 fl oz (40.0 mL), 10 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
1.485 fl oz (44.0 mL), 11 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
1.620 fl oz (48.0 mL), 12 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
3.240 fl oz (96.0 mL), 24 - 0.135 fl oz (4.0 mL) [tubes] [vials] [applicators]
```

{Begin Optional Active Ingredient Reference Statements}

[[Brand Name] [This product] contains [the] [same] [the] [active] ingredients [Imidacloprid, pyriproxyfen and permethrin,] used in

[K9 Advantix® II][K9 Advantix® II Small Dog] [K9 Advantix® II Medium Dog] [K9 Advantix® II Large Dog] [K9 Advantix® II Extra Large Dog]*]

[[Brand Name] [This product] contains Imidacloprid, pyriproxyfen and permethrin, the active ingredients used in

[K9 Advantix® II][K9 Advantix® II Small Dog] [K9 Advantix® II Medium Dog] [K9 Advantix® II Large Dog] [K9 Advantix® II Extra Large Dog]*]

{Note to reviewer: Text for footnote statement one}

[*[Brand Name] [This product] is not manufactured or distributed by Bayer Healthcare LLC, the makers of

[K9 Advantix® II][K9 Advantix® II Small Dog] [K9 Advantix® II Medium Dog] [K9 Advantix® II Large Dog] [K9 Advantix® II Extra Large Dog]]

{Note to reviewer: Text for footnote statement two}

*[K9 Advantix® II][K9 Advantix® II Small Dog] [K9 Advantix® II Medium Dog] [K9 Advantix® II Large Dog] [K9 Advantix® II Extra Large Dog]

is a registered trademark of Bayer Healthcare LLC.

{End Optional Active Ingredient Reference Statements}

[ABNs]

[AdvanceGuard Ticks2 for Dogs]
[SENTRY® AdvanceGuard Ticks2 for Dogs]
[Advanced Ticks 2 for Dogs]
[PetArmor® Advanced Ticks 2 for Dogs]
[DogMD Maximum Defense™ Advanced Ticks 2 for Dogs]
[DogMD Advanced Ticks 2 for Dogs]
[PetLock Ultra for Dogs]

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 4 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

BACK PANEL/SIDE/INSERT PANEL

Dogs Squeeze On (Permethrin + Imidacloprid + Pyriproxyfen)

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES 7 WEEKS [OF AGE] OR OLDER
AND [WEIGHING] [4-10] [11-20] [21-55] [OVER 55] lbs.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. As with any product, consult your veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing dogs. Individual sensitivities, while rare, may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product. This product is not a substitute for prescribed heartworm preventative.

{Side Effects box to be located immediately above the cat warning box on the back-label panel}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting, or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-800-781-4738.

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right-hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

FIRST AID			
If In Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
If on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.			

NOTE TO PHYSICIAN

Treat the patient symptomatically.

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 5 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS:

Do not allow children to apply product

Do not use on animals other than dogs

Do not use on puppies under 7 weeks of age or [weighing] less than [4] [11] [21] [55] lbs

Do not bathe or allow dog to swim for 24 hours after application

Do not get this product in dogs' eyes or mouth

Do not treat with more than one pesticide product at a time

Do not allow your dog to ingest this product

Do not apply more than one [tube] [vial] [applicator] per treatment for one dog regardless of the dog's weight Do not split [tube] [vial] [applicator] between dogs and, use the entire contents of [tube] [vial] [applicator] on each dog. Dog must be dry at time of application and remain dry for 24 hours after application.

Do not have contact or allow children to have contact with the treated area until completely dry

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog

Separate treated dogs from one another and other animals to avoid chance of ingestion

Do not reapply for [[four][4] weeks] [30 days] [[1][a] month]

Application of product on pets must only be done indoors.

How to Open:

- 1. Remove product [tube] [vial] [applicator] [s] from the package.
- 2. Separate one [tube] [vial] [applicator] from the others. Hold the [tube] [vial] [applicator] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

- 1. Invert [tube] [vial] [applicator] over dog and use open end to part dog's hair.
- 2. Squeeze [tube] [vial] [applicator] firmly to apply all of the solution to the dog's skin [as a spot to the dog's back between the shoulder blades] {or} [as a [stripe] [line] starting from the back of the neck to a point midway between the neck and tail.]


{How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling. Refer to following optional graphics.}











FREQUENCY OF APPLICATION

[Use [Brand Name {or} this product] monthly for control of flea[s] [infestations].] [[Studies show that] [Brand Name {or} This product] kills fleas within 12 hours of application and [lasts {or} protects for [[four][4] weeks] [30 days] [[1][a] month].]

[[Brand Name {or} This product] kills reinfesting fleas within [2][two] hours][two hours] and prevents further infestations of fleas for [[four][4] weeks] [30 days] [1][a] month]].]

[[Brand Name {or} This product] [targets multiple flea life stages] [and] [kills flea eggs and larvae before they develop into biting adults].]

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 6 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

[[Brand Name {or} This product] breaks the flea life cycle by killing flea eggs, flea larvae, and adult fleas.] [Apply monthly for flea control.]

[[Brand Name {or} This product] is waterproof and remains effective, even after bathing, swimming, or exposure to sunlight [and][or] [rain].] [Allow treated area to dry thoroughly before touching.]

[PRODUCT INFORMATION]

[The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with [Brand Name] [this product] kills fleas that may be a source of FAD.]

[[Brand Name] [This product] kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting [[four] [4] weeks.] [[1][a] month] [30 days]. [Brand Name] [This product] is waterproof and remains effective following a shampoo bath, swimming or after exposure to rain or sunlight.]

[Monthly treatments are required for optimal control and prevention of fleas and ticks.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: store in a cool, dry place. Protect from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: [Sergeant's, LLC] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

[Satisfaction Guaranteed. If you are not satisfied, we will make it right with a replacement or refund.]

In Case of Emergency, call: 1-800-781-4738 [Made in USA With Global Materials]

Non-Emergency, call: 1-800-224-PETS (7387) [Patent Number: 10172359]

[Coupon(s) inside or on outside of box]

Note to reviewer: When outside the box, coupon will not cover or distract consumer from required text.

[Distributed by:] [Manufactured by:] EPA Reg. No. 2517-178

Sergeant's Pet Care Products, LLC EPA Est. No. XXXXX-XXX

P.O. Box 540399

Omaha, NE 68154-0399 [BAR CODE AREA]

{END - BACK/SIDE PANEL}

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 7 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

{START – ADDITIONAL OPTIONAL PACKAGE COPY OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE OR INSERT}

Clip. Part. Squeeze.

Easier-than-ever applicator lets you *clip* the tip, *part* the fur and *apply* directly to the skin – putting protection from fleas where it needs to be.

Application Instructions

How to Open:

- 1. Remove product [tube] [vial] [applicator] [s] from the package.
- 2. Separate one [tube] [vial] [applicator] from the others. Hold the [tube] [vial] [applicator] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to Apply:

- 1. Invert [tube] [vial] [applicator] over dog and use open end to part dog's hair.
- 2. Squeeze [tube] [vial] [applicator] firmly to apply all of the solution to the dog's skin [as a spot to the dog's back between the shoulder blades] {or} [as a [stripe] [line] starting from the back of the neck to a point midway between the neck and tail.]

Application of product on pets must only be done indoors.

[Brand Name] [This product]

[Monthly reminder card]

[1][2][3][4][5][6] [12][24][Month [Treatment] [Application] Tracker][Carecard]

[For year-round protection, apply [Brand Name][this product] monthly.]

[Dog's Name (Empty blank for owner to fill in name)]

[Dog's Weight (Empty blank for owner to fill in name)]

[First][1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth]

[8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th]

[Dose] [Treatment] [Application] (Empty blank for owner to fill in date) (Date: MM/DD/YY)]

[Application Date][Date of Application]

[Calendar stickers with Brand Name]

[Place stickers on your calendar as a reminder to reapply [Brand Name][this product] [in 30 days.]

[Monthly Application Reminder Magnet (image of reminder magnet)]

[Place sticker on your calendar [or refrigerator] to remind yourself to apply [Brand Name][this product] to your dog]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply [Brand Name][this product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.]

{Each optional graphic below may or may not appear anywhere on the finished label}

THE	Adult Flea	
THE	Fleas	
,35°	Flea Eggs	€

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 8 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

つ	Flea Larvae	3
*	Ticks	(S)
*	Deer Ticks	
*	Brown Dog Ticks	
*	Lone Star Ticks	%
*	American Dog Ticks	%
*	Lice	
*	Biting Lice	
*	Chewing Lice	
7	Mosquitoes	
*	Biting Flies	






























[Flea life cycle diagram] [Flea Life Cycle]

12 April 2024 - Notification Information in { } is note to reviewer. Version 24.1 Page 9 of 14

EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

*Refund or replacement of product {text footnote to satisfaction guaranteed graphic}



{END – ADDITIONAL OPTIONAL PACKAGE COPY OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE OR INSERT

TUBE/VIAL LABEL **Dogs Squeeze On** (Imidacloprid + Pyriproxyfen + Permethrin)

{Front Label}

Brand Name {for dogs}

[4-10][11-20][21-55][>55] lbs. ≥ 7 wks Imidacloprid 8.8%, Permethrin 44%, Pyriproxyfen 0.44%

0.014 fl oz {or} 0.034 fl oz {or} 0.085 fl oz

{or} 0.135 fl oz {label code}

{Back Label}

KEEP OUT OF REACH OF CHILDREN WARNING Read directions and precautions on package. Use scissors to open. EPA REG. No. 2517-178

{label

code}

{Lot No. is engraved on the crimp portion of the tube} {EPA REG No may be on either the front or back label} {Label code refers to Sergeant's product code number assignment to each product}

{END – TUBE/VIAL LABEL}

{Optional marketing statements below may or may not appear anywhere on the finished label}

Flea/Flies Marketing Claims

- {1} Kills fleas
- {2} Repels and kills Fleas
- {3} Kills fleas on dogs
- {4} Active against fleas
- **{5}** Treats Fleas
- {6} Prevents Fleas
- {7} Repels biting flies
- {8} Controls against [irritating] flea bites
- {9} [Brand Name] [this product] Offers protection against fleas
- {10} Prevents and treats flea[s] [infestations]



12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 10 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

- {11} Controls existing infestations by killing adult fleas
- {12} Controls existing flea infestation by killing adult fleas
- {13} Repels and kills fleas before they lay eggs
- {14} For the prevention and treatment of Flea Infestations
- {15} Prevents reinfestations by killing adult fleas before they lay eggs
- {16} Kills fleas even if your dog gets wet
- {17} Use monthly for control of fleas
- {18} Controls fleas, which can serve as an intermediate tapeworm host
- {19} Repels, and [inhibits] [prevents] blood-feeding by biting flies
- {20} [prevents] [inhibits] blood-feeding by biting flies
- {21} Repels [annoying] [bothersome] [nuisance] biting flies
- {22} Inhibits [annoying] [bothersome] [nuisance] biting flies
- {23} Kills reinfesting fleas within 2 hours [and protects against further infestation]
- {24} Kills fleas within 12 hours [of application] [on dogs]
- {25} Kills fleas within 12 hours, continues to kill for 4 weeks
- {26} Kills fleas on dogs within 12 hours and continues to prevent infestations for [[1][a] month] [[four] [4] weeks] [30 days]
- {27} Kills fleas within 12 hours on dogs [and prevents further infestations for [[4][four] weeks] [[1][a] month] [30 days]
- {28} One treatment prevents further flea infestations for [[1][a] month] [[four] [4] weeks] [30 days]
- {29} Prevents further flea infestation for [[four][4] weeks] [[1] [a] month] [30 days] with one [treatment] [application].
- {30} [Brand Name] [this product] Prevents further flea infestation for [[four][4] weeks] [[1][a] month] [30 days]
- {31} Once per month topical flea treatment for dogs
- {32} Once-a-month topical treatment for fleas on dogs
- {33} Prevents flea reinfestations for [30 days] [[1][a] month] [[four][4] weeks]
- {34} Prevents further flea infestations on dogs for [30 days] [[1][a] month] [[four][4] weeks]
- {35} Apply monthly [for effective flea control]
- {36} Apply monthly [to control and prevent fleas]
- {37} Monthly topical flea treatment for dogs
- {38} Monthly treatments are required for optimal control and prevention of fleas
- {39} The Protection From Fleas You Need For Your Dog [s] When Applied Monthly!
- [40] [Once per month] [Monthly] topical flea treatment for dogs 7 weeks [of age] or older and [4-10] [11-
- 20] [21-55] [over 55] [lbs] [pounds] {weight range depends upon appropriate ml/fl oz package size}
- [41] Once-a-month topical treatment for fleas on dogs 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55] [lbs] [pounds] {weight range depends upon appropriate ml/fl oz package size}
- {42} Kills fleas on dogs and puppies 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55] [pounds]
- [lbs] {weight range depends upon appropriate ml/fl oz package size}
- [43] [Brand Name] [This product] is for the treatment and prevention of fleas on dogs
- {44} Flea control for puppies and dogs 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55]
- [lbs][pounds] {weight range depends upon appropriate ml/fl oz package size}
- {45} Flea control for puppies and dog 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55]
- [lbs][pounds]] {weight range depends upon appropriate ml/fl oz package size}
- {46} [Brand Name] [This product] is for the treatment and prevention of fleas on dogs 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55] [lbs][pounds] {weight range depends upon appropriate ml/fl oz package size}
- {47} Kills fleas, which may be a source of flea allergy dermatitis within 12 hours
- {48} Kills fleas that may cause flea allergy dermatitis, flea bite anemia, and tapeworm infestation
- {49} Use of [Brand Name] [this product] kills fleas that may cause flea bite hypersensitivity [and] [or] [flea allergy dermatitis] [FAD]
- {50} Monthly treatment with [Brand Name] [this product] kills fleas that may cause [flea bite hypersensitivity] [and][or] flea allergy dermatitis [FAD]

12 April 2024 - Notification Version 24.1 EPA Reg. No. 2517-178
Information in { } is note to reviewer. Page 11 of 14 Supersedes EPA SAL 04/11/2024

- {51} Monthly treatment with [Brand Name] [this product] kills fleas that may cause flea bite hypersensitivity [and][or] [flea allergy dermatitis] [FAD]
- {52} Treatment with [Brand Name] [this product] kills fleas that may cause Flea Allergic Dermatitis [FAD]
- {53} [Brand Name] [This product] kills fleas that may cause a hypersensitivity skin disorder called flea allergy dermatitis (FAD), which may be caused by the feeding activity of fleas on dogs.]

Ticks Marketing Claims

- {54} Kills Ticks
- {55} Treats Ticks
- **{56}** Prevents Ticks
- {59} Repels and kills Ticks
- {60} Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis), for four weeks

Mosquitoes Marketing Claims

- {61} Repels and kills Mosquitos
- {62} Repels and kills mosquitoes [for four weeks]
- {63} Repels and kills mosquitoes often before they have a chance to take a blood meal
- {64} Reduces blood-feeding by mosquitoes
- {65} Kills and repels mosquitoes

Lice Marketing Claims

- {66} Kills Lice
- {67} Kills [biting] [chewing] lice
- {68} Controls existing [biting] [chewing] lice infestations
- {69} Kills [biting] [chewing] lice and prevents further infestations
- {70} Provides effective control of [biting] [chewing] lice [infestations]
- {71} Treats, prevents and controls [biting] [chewing] lice [infestations]
- {72} For treatment and prevention of [biting] [chewing] lice [infestations]
- {73} For treatment and prevention of infestations with [biting] [chewing] lice

IGR Marketing Claims

- {74} Kills flea eggs
- {75} Controls existing flea eggs
- {76} Prevents flea eggs from hatching
- {77} Prevents flea eggs from developing into [biting] adult fleas
- {78} Prevents the development of flea eggs into [biting] adult fleas
- {79} [Brand Name] [This product] contains Pyriproxyfen [PPF] [an insect growth regulator (IGR)] to kill flea eggs [and protect against reinfestation]
- {80} Prevents flea eggs [and flea larvae] from developing into [biting] adult fleas
- {81} Prevents development of fleas, flea eggs, pupae and larvae for [[1] [a] month] [[four] [4] weeks] [30days]
- {82} Kills [flea eggs and] flea larvae
- {83} Kills flea eggs and flea larvae for [[four] [4] weeks] [[1][a] month] [30 days]
- {84} Controls existing flea eggs and fleas and prevents future infestations for [[four] [4] weeks] [[1][a] month] [30 days]
- {85} Monthly treatment controls existing flea eggs and fleas and prevents future infestations
- {86} Kills multi-stages of fleas
- {87} Kills multiple flea life stages
- {88} Breaks the flea life cycle
- {89} Effectively breaks the flea life cycle
- {90} Targets multi-stages of flea lifecycle

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 12 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

- {91} Controls multi-stages of flea lifecycle
- {92} Repels and kills all [life] stages of fleas
- {93} Prevents development of all flea stages [for [1][a] month] [[four] [4] weeks] [30 days]
- {94} Provides multi-stage flea control
- {95} Prevents multi-stages of the flea life cycle from developing
- {96} Effectively targets all [life] stages of flea
- {97} Effectively targets all [life] stages of ticks
- {98} [Brand Name] [this product] contains [an][the] [insect growth regulator] [IGR] [, Pyriproxyfen], in addition to Imidacloprid, and permethrin
- {99} [Brand Name] [this product] contains [Imidacloprid], [permethrin] and [an/the] [insect growth regulator] [IGR] [Pyriproxyfen]

COMBO Marketing Claims

- {100} Kills fleas before eggs can be laid
- {101} Treats ticks, fleas [and mosquitoes]
- {102} Prevents ticks, fleas [and mosquitoes]
- {103} Repels and kills ticks, fleas [and mosquitoes]
- {104} Flea Adulticide, larvicide and ovicide
- {105} [Brand Name] [This product] is a flea ovicide, larvicide, and adulticide
- {106} Kills flea eggs, larvae, and [adult] fleas
- {107} Kills [adult] fleas, flea eggs, and flea larvae
- {108} Kills [adult] fleas, flea eggs and flea larvae for [[four] [4] weeks] [[1][a] month] [30 days]
- {109} Kills [adult] fleas, larvae, and eggs [, providing three-way protection]
- {110} 3-way protection from fleas [!] Kills adults, larvae and eggs
- {111} 3-way protection from fleas [!] [Kills] [controls] adults, larvae, and eggs
- {112} 5-way protection against fleas, ticks, biting flies, mosquitoes, and lice
- {113} Topical prevention and treatment of ticks, fleas, mosquitoes, biting flies, and lice for monthly use
- {114} [Brand Name] [This product is indicated for the prevention and treatment of fleas, ticks, biting flies, mosquitoes, and lice on dogs 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55] [lbs][pounds]

All Other Marketing Claims

- {115} [Begins] [Starts] working through contact
- {116} For use on dogs and puppies 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55] [lbs][pounds]
- {117} Apply to dogs [and puppies] 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55] lbs[pounds] {weight range depends upon appropriate ml/fl oz package size}
- {118} Formulated for Dogs and Puppies 7 Weeks [of Age] or older and [4-10] [11-20] [21-55] [over 55] lbs[pounds] {weight range depends upon appropriate ml/fl oz package size}
- {119} Dogs and Puppies 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55] lbs[pounds] {weight range depends upon appropriate ml/fl oz package size}
- {120} Can be used on puppies 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55] lbs[pounds]] {weight range depends upon appropriate ml/fl oz package size}
- {121} Convenient
- {122} Easy application
- {123} Easy to apply product
- {124} Easy to Use [Application]
- {125} One Step Hassle Free Protection!
- {126} Convenient, easy to apply topical solution
- {127} Fragrance free
- {128} Waterproof
- {129} Remains effective even after the dog swims

12 April 2024 - Notification Version 24.1 EPA Reg. No. 2517-178
Information in { } is note to reviewer. Page 13 of 14 Supersedes EPA SAL 04/11/2024

- {130} Remains effective after bathing and/or swimming
- {131} Remains effective following swimming and/or shampooing
- {132} Remains effective after exposure to rain or sunlight
- {133} Remains effective, even after [bathing,][shampooing,] water immersion, or exposure to [sunlight [and][or] rain]
- {134} Once a month treatment
- {135} Apply once every [[four] [4] weeks] [[1] month]] [30 days] [!]
- {136} [[four][4] Week] [[1] Month] [30 Day] Dose [!]
- {137} Once a month topical flea treatment for dogs 7 weeks [of age] or older and [4-10] [11-20] [21-55] [over 55] [lbs][pounds]
- {138} A single topical application remains effective for [[1][a] month] [[four] [4] weeks] [30 days]

One [tube] [vials] [applicators]
Two [tube] [vials] [applicators] pack
Three [tube] [vials] [applicators] pack
Four [tube] [vials] [applicators] pack
Five [tube] [vials] [applicators] pack
Six [tube] [vials] [applicators] pack
9 [tube] [vials] [applicators] pack
12 [tube] [vials] [applicators] pack
24 [tube] [vials] [applicators] pack
Direct to skin [tube] [vial] [applicator]
Easy to Use [tube] [vial] [applicator]
No-mess [open] [tube] [vial] [applicator]
Clip-tip design [tube] [vial] [applicator] [!]

[1 Month Supply] [2 Month Supply] [3 Month Supply] [4 Month Supply] [5 Month Supply] [6 Month Supply] [9 Month Supply] [12 Month Supply] [24 Month Supply]

{Consumer Value Marketing Claims}

{Note to Reviewer: Buying a larger pack reduces the price, therefore the cost effective without the addition of extra applicators; Combinations of "x" and "y" will correspond to the Net Contents; All applicators will be included inside the carton.}

[Sample size]		
[Sample-Not for (re)sale]		
[Buy more and save!]		
[Buy X Get Y Free]		
[Buy 3[4] get 1 free]		
[(x)% (More) (Free)!]		
[25 [33]% more free]		
[(x) Dose(s) Free!]		
[(x) Month(s) Free!]		
[(x) Tube(s) Free!]		
[(x) Applicator(s) Free!]		
[(x) Application(s) Free!]		
[33% More Free]		

12 April 2024 - Notification Information in { } is note to reviewer.

Version 24.1 Page 14 of 14 EPA Reg. No. 2517-178 Supersedes EPA SAL 04/11/2024

[Topical prevention and treatment of ticks, fleas, mosquitoes, biting flies, and lice for monthly use.] [For the prevention and treatment of ticks, fleas, mosquitoes, biting flies, and lice on dogs.] [The active ingredients in [Brand name][this product] are imidacloprid and pyriproxyfen. This product is formulated to control fleas [and flea eggs] on dogs.] [[Brand Name] [This product] kills fleas within 12 hours and prevents further flea infestations for [[4][four]weeks] [[1][one] month] [30 days].]