[2527-21]

DIRECTIONS

Remove protective cap from top of can Hold can upright, point opening in valve in desired direction for spray. To release spray, press valve downward.

FLIES, MOSQUITOS, GNATS: Spray upwards into four corners of closed room, about 4 to 6 seconds for each 1000 cu. ft. About 6 to 8 seconds for average room. Close windows and doors for about 15 minutes after treatment.

FLYING MOTHS, WASPS, HORNETS: Spray 20 to 25 seconds per 1000 cu. ft. Spray liberally into cracks or woodwork, walls, hiding and breeding places; directly on insects when possible. Repeat as necessary.

ROACHES, ANTS, FLEAS, SILVERFISH: Spilly liberally into cracks of woodwork, walls, floors, hiding and breeding places; directly on insects when possible. Thoroughly spray sleeping quarters of animal pets. Repeat as necessary.

BEDBUGS: Spray bed frame, springs, mattress tufts, seams, and all cracks and hiding places about bedroom.


MOTH WORMS, CARPET BEETLES: Clean, air and brush clothing, rugs, carpets and fabrics. Spray thoroughly from 3 ft. distances especially seams, folds, under collars and lapeis. Clean and spray closets and drawers. Repeat approximately every 30 days.

me had to a d






INSECT SPRAY



CAUTION: KEEP OUT OF REACH OF CHILDREN. See side panel for additional cautions.

NET WT. 14 OZ.



FORMULATED FOR

• HOSPITAL • SCHOOL

• HOTEL • OFFICE

MOTELRESTAURANT

LOCKER AND REST ROOM
 FACTORY O INSTITUTION

CAUTION

Do not spray on or near open flame or store at abnormally high temperatures. Do not puncture container or throw empty can in fire. Do not spray on plastic, tile or varnished surfaces.

Avoid contact with exposed food cooking utensils, and remove bird cages and fish bowls from rooms being sprayed.

When used in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

When using the product as a space spray in these areas, apply only when the plant is not in operation.

ACTIVE INGREDIENTS:

lated compounds.

Petroleum Solvent 18.80%
Technical Piperonyl Butoxide* 1.00%
Pyrethrins 0.20%

*Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) Ether and 0.20% of re-

USDA Reg. No. 2527 21

21/2/2