·	6.06.741	
US ENVIRONMENTAL PRO TION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	2528-41	22 SEP 1988
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE PROP SX-3 Liquid Bac	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Г	コ	
Frhrich Products Company, Inc.		
1120 East 32nd Street	_	
P.O. Box 55107	••	
Indianapolis, IN 46205		,
L	7	
NOTE: Changes in labeling formula differing in substant submitted to and accepted by the Registration Division p product always refer to the above U.S. EPA registration in	orior to use of the label in communication.	erce. In any correspondence on this
On the basis of information furnished by the registrant, the Federal Insecticide, Fungicide, and Rodenticide Act		reby Registered/Reregistered under
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsen health ad the environment, the Administrator, on his moicide in accordance with the Act. The acceptance of any Act is not to be construed as giving the registrant a right by others.	tion, may at any time suspend of name in Connection with the re	or cancel the registration of a pest- gistration of a product under this
This product is conditionally	registered in accorda	moe with FIFPA
section P(c)(7)(A) Provided that you:		
1. Sob if/citc all data required for registration/reregistration		
of your product under FIFFA section 3(c)(5) when the Agency requires all		
registrants of similar products to submit such data. 2. Add the phrase "EPA Registration Ro. 2528-41" to your label before		
2. Add the phrase "EPA Registration Ro. 2520-41" to your tabel below you release the product for shipment.		
3. Submit five (5) copies of your final printed labeling before you		
release the product for shipment. Refer to the A-70 enclosure for a further		
description of final printed labeli		
If these conditions are not complied with, the registration will be subject to carrellation in accordance with FIFRA section 6(g). Your release		
subject to cancellation in accordance with FIFRA section 6(e). Your release for shippent of the product constitutes acceptance of these conditions.		
t stamped copy of the label, is enclosed for your records.		
(Leg .)		
LIV.		
1 / Cample		
//Jefl/Kompter Product Manager (32)		
Anticipalal Program Branch		
	Folistration Division	
Chelesiaec		
ATTACHMENT IS APPLICABLE		

EPA Form 8570-6 (Rev. 5-76)

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

DATE

53641:I:Pringle:K-4:KENCO:9/19/88:11/1/88:CL:jh:rw

DIRECTIONS FOR USE
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A
MANNER INCONSISTENT WITH ITS LABELING

EMERGENCY WATER DISINFECTION FOR FARM, INSTITUTION, CAMPS AND HOME WATER Supplies — To disinfect water from unprotected supplies, such as wells, springs, lakes, and when boiling water for 1 minute is not practical, water can be made potable by using SX-3. Prior to the addition of the sanitizer, remove all suspended material by filtration or by allowing it to settle to the bottom. Decant the clarified contaminated water to a clean container and add lirop of SX-3 to each gallon of water. Allow the treated water to stand for 30 minutes. Properly treated water should have a slight chlorine odor, if not, repeat dosage and allow the water to stand an additional 15 minutes. The treated water can then be made palatable by pouring it between clean containers for several times.

AUTOMATIC CHLORINATORS—The use of SX-3 in the new automatic water supply chlorinators will insure non-clogging trouble free operation and absolutely uniform disinfection.

FARM DAIRY UTENSILS—Just before using, rinse all utensils including can covers with a mixture of 1 oz SX-3 to each 2 gallons of water. This solution contains 200 PPM available chlorine.

MILK PLANT EQUIPMENT—FLOW METHOD—Mix 1 oz. SX-3 to each 4 gallons of water. This solution contains 100 PPM available chlorine. Pump the solution from weigh vat through to filler, draining solution through valves. A starting concentration of 100 PPM available chlorine can be used if testing facilities are available, test solution frequently with a chlorine test kit to prevent the concentration from falling below 50 PPM. If no test kit is available a starting concentration of 200 PPM is recommended. SPRAY METHOD—Spray all surfaces with a mixture of 2 ozs. SX-3 to each 4 gallons of water. Solution contains 200 PPM available chlorine.

CLEANED-IN-PLACE MILK I.INES—Mix 1 oz. SX-3 to each 4 gallons of water, solution is 100 PPM available chlorine. Circulate for at least 5 minutes through properly cleaned lines before use. Use enough solution to completely fill all pipe lines in the system.

DO NOT REUSE SANITIZING SOLUTIONS. PREPARE FRESH SOLUTION AT LEAST DAILY OR MORE OFTEN IF THE SOLUTION BECOMES DILUTED OR SOILED.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 2 2 1988

Under the Pederal Insecticide, Fungacide, and Rodonta de Act as anumided, for the pesticide registered under EPA Reg. No. PM32

FRONT PANEL

SX-3 LIQUID-BACTERICIDE

DISINFECTANT and SANITIZER

ACTIVE INGREDIENTS: SODIUM HYPOCHLORITE 5.25% INERT INGREDIENTS: 94.75%

DANGER

PRST AID - EXTERNAL—Ficod with water, then wash with vineger. EYES—Flood with water, cell physicien. INTER-NAL—Drink mucliage, raw egg-white, milk, or rice gruel; tollow with emetic (tablespoonful of mustard in a tumbler of warm water); cell physicien.

KEEP OUT OF REACH OF CHILDREN
SEE ADDITIONAL PRECAUTIONS ON BACK PANEL

1 U.S. GALLON (3.78 L)

RESTAURANTS AND TAVERNS

GLASSES, DISHES AND BEER MUGS—Wash, then immerse in a mixture of 1 oz. SX-3 to each 2 gallons of water for 2 minutes. Solution contains 200 PPM available chlorine. Remove from the solution and drain dry.

SWIMMING POOL WATER DISINFECTION — For a new pool or spring start-up, superchlorinate with 128 to 256 oz. of SX-3 for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 25 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 128 to 256 oz.

of SX-3 for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit.

Do not reenter the pool until the chlorine residual is between 1.0 to 3.0 ppm.

FOR LAUNDERING, BLEACHING AND SANITIZING WHITE AND COLORFAST COTTON AND LINEN

Add 1 cup SX-3 with detergent before immersing clothes. Front Loading Machines ... add SX-3 to water, pour in at wash cycle.

For Removing Stains... Remove starch by soaking in cold water. Add 2 tablespoons SX-3 to each quart of water. Soak 10-15 minutes, Rinse. Repeat if necessary.

For brightening Nylon, Rayon, Dacron, Orlon, etc.: Add 2 tablespoons SX-3 to one gallon warm water. Soak 15 minutes. Rinse. Repeat if necessary.



IMPORTANT

All utensils or equipment must be clean in order for this bactericide to be completely effective.

CAUTION DANGER KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS - HAZAROS TO HUNNIS AND CONESTIC ANIHALS

OANCER: Corrosive, may cause sewere skin and eye irritation or chemical burns to broken skin. Causes eye damage. Whar safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissloated.

ENTRONENTAL HAZARDS

This product is toxic to fish, to not discharge into takes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency,

PHYSICAL OR CHINICAL HAZARDS

STRONG CKIDIZING AGENT: Hix only with water according to label directions. Hixing this product with chemicals (e.g. amonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and succus membranes.

STOPAGE AND DISPOSAL

Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water, Product or rirectes that cannot be used should be diluted with water before disposal in a senitary sever. Do not reuse container but place in trash collection. Do not containable food or feed by storage, disposal or cleaning of equipment.

PACKED BY ERBRICH PRODUCTS COMPANY INDIANAPOLIS, INDIANA 46205

EPA REG. NO. 2528-39

EPA EST. 2528-IN-1

.