

Reg No: 2548-4

PM-17

181

ACCEPTED
JUN 7 1990
Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. **MAX KILL**

2548-4

MAX KILL

Contacta-Cide® 1

Odorless Contact Space Spray 5 Gallons
Quick Knockdown Ready To Use

PRECAUTIONARY STATEMENTS Hazards To Humans (and Domestic Animals)

irritating to skin and eyes
Do not get in the eyes
Avoid skin contact
Wash thoroughly with soap and water after using
Avoid inhalation of spray mist
Do not remain in treated areas. Ventilate the area after treatment is completed
Avoid contamination of cooking utensils, food, ingredients, feed and water supplies
Remove fish and birds and other domestic pets from room during spraying and keep out of room until spray is dry
Do not spray directly on pets, domestic livestock, especially dairy animals
Do not give as inter- or treatment to animals
Do not use in milk houses or dairy barns
Do not spray directly to food
Do not apply as a space spray while food processing is underway. Foods should be removed or covered before treatment. After spraying, wash all surfaces which will contact food with a suitable detergent and rinse with potable water
With the exception of federally inspected meat and poultry plants, food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions indicated
Destroy any contaminated food, feed or raw ingredients

This product is toxic to fish. Keep out of any body of water. Do not contaminate water when disposing of equipment wash waters. Apply this product only as directed on this label.

Keep containers closed when not in use
Keep away from heat and open flame

STORAGE AND DISPOSAL

1. PROHIBITIONS
Do not contaminate water, food, or feed by storage or disposal
2. PESTICIDE DISPOSAL
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility
3. CONTAINER DISPOSAL
Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities
4. GENERAL
Consult federal, state and local disposal authorities for approved procedures other than those given above. Approved procedures vary considerably by shipment types and quantities
5. EQUIVALENT METHOD TO TRIPLE RINSING
Empty drums completely if possible. Remove the bungs and place the drums upside down until hard hatting is started

Non Warranty

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use under handling of this material when such use and/or handling is contrary to label instructions.

KILLS THE ACCESSIBLE STAGES ON CONTACT:

Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drug Store Beetle, Lesser Grain Borer, Flies, Cockroaches, Silverfish, Spiders, Ants, Crickets, Gnats, Mosquitoes, Hornets, Wasps, Mites.

ACTIVE INGREDIENTS
Pyrethrins 0.106%
*Piperonyl Butoxide, Technical 1.0%
INERT INGREDIENTS 98.894%
TOTAL 100%
*Equivalent to .8% of (Butylcarbityl) (6-Propylpiperonyl) Ether and .2% of related compounds.

EPA REG. NO. 2548-4
EPA EST. NO. 2548-KS-1

KEEP OUT OF THE REACH OF CHILDREN CAUTION

Statement of Practical Treatment
IF SWALLOWED DO NOT INDUCE VOMITING. Seek medical aid. Aspiration of product into lungs due to vomiting can cause chemical pneumonia which can be fatal. Contains petroleum distillates.
IF BREATHED If inhaled in heavy concentrations or if symptoms appear due to inhalation, remove to fresh air. Administer artificial respiration, oxygen, or cardiopulmonary resuscitation if needed.
IF ON SKIN Remove contaminated clothing. Wash with mild soap and water. Launder contaminated clothing. If irritation occurs seek medical aid.
IF IN EYES Flush with large amounts of water for at least 15 minutes. If irritation persists, seek medical attention.
See side panel for additional precautions.

NET CONTENTS GALLONS



MANUFACTURED BY
Research Products Company
Div. of McShares, Inc.
SALINA, KANSAS 67401

DIRECTIONS

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

MAX KILL® Contacta-Cide® 1 is a contact READY-TO-USE insecticide designed for use in flour mills, feed mills, feed and food processing plants, cereal grain processing plants, grain elevators, granaries, ship holds, barges, empty railcars, grain trucks, warehouses, feed and seed stores, grocery stores, restaurants and hotels.

WHEN USED AS A SPRAY in mills, cereal grain processing plants, grain handling facilities (granaries, elevators) for the control of accessible stages of the granary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer and other listed crawling insects, spray floors, walls, and other surfaces of bins, storage and handling areas thoroughly with particular attention to cracks, crevices, and similar protected locations. Waste grain, dust, dirt and debris should be removed and destroyed, and storage areas thoroughly cleaned before spraying. Treat unloading, handling and processing areas, as well as EMPTY conveying, processing and handling equipment for damage the sides of rear chutes, purifier conveyors, sifters, roll housings and roller & tick up conveyors, etc. Spray thoroughly around the bases of heavy machinery and equipment. Let sprayed surfaces thoroughly dry before using. One gallon will cover 750 square feet of non-absorbent surface.

AS A PROTECTANT in empty boxcars, grain trucks, barges and shipholds for the control of accessible stages of the granary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer and other listed crawling insects, spray the floors, walls, beams, cracks, crevices and other protected harborage points where surfaces are wet. A tank-type sprayer may be used utilizing low pressures. Allow for complete drying before loading. One gallon will cover 750 square feet of non-absorbent surface.

WHEN USED AS A SPRAY in food plants, grocery stores, hotels, feed and seed stores and restaurants for the control of accessible stages of cockroaches, silverfish, spiders, ants, crickets, and listed cereal grain insects, use a sprayer which can operate at a low pressure and which will produce a coarse non-misting spray pattern. Avoid contamination of food or foodstuffs as well as utensils or other food containers. Spray the floors, mold boards, cracks, crevices, and other areas where insects are known to hide. (See other precautions on side panel.) Apply spray until areas are wet but not to point of run-off. One gallon will cover 750 square feet of non-absorbent surface.

WHEN USED AS A FOG for Indian meal moth, angoumois grain moth, hornets, wasps, gnats, mosquitoes, and accessible stages of house insects in mills, food processing plants, elevators and empty granaries or grain bins, use a mechanical or air operator fogging apparatus and **MAX KILL® Contacta-Cide® 1** at the rate of one quart per 5,000 cubic feet. Close all doors and windows before application and leave closed for 30 minutes after total dosage has been applied to allow for settling.

WHEN USED AS A FOG in empty boxcars, tank type grain trucks, barges and ship holds for the control of accessible stages of the granary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer and listed flying insects, use a mechanical or air operator fogging apparatus and **MAX KILL® Contacta-Cide® 1** at the rate of one quart per 5,000 cubic feet. Close all doors and hatches before applying and leave closed for 30 minutes after total dosage has been applied to allow for settling.

WHEN USED AS A FOG in boxcars or tank type trucks containing bagged flour or feed for the control of house flying insects and accessible stages of listed cereal grain insects, cover the bags with other paper or plastic bags and apply at the rate of 8 ounces (1/3 gallon) per 1,000 cubic feet of unoccupied space. Close all doors before applying and leave closed for 30 minutes after total dosage has been applied.

BEST AVAILABLE COPY