

**PRECAUTIONARY STATEMENTS**  
**Hazards To Humans**  
**(and Domestic Animals)**

**CAUTION**

Do not breathe dust or spray directly into face. Avoid contact with skin and eyes. Wash hands thoroughly with soap and water after using. Do not eat, drink, or smoke while using. Avoid contamination of food, feed, or feed ingredients. Do not use in areas where food, feed, or feed ingredients are stored.

Do not use in areas where food, feed, or feed ingredients are stored. Do not use in areas where food, feed, or feed ingredients are stored.

Do not use in areas where food, feed, or feed ingredients are stored. Do not use in areas where food, feed, or feed ingredients are stored.

Do not use in areas where food, feed, or feed ingredients are stored. Do not use in areas where food, feed, or feed ingredients are stored.

Do not use in areas where food, feed, or feed ingredients are stored. Do not use in areas where food, feed, or feed ingredients are stored.

Do not use in areas where food, feed, or feed ingredients are stored. Do not use in areas where food, feed, or feed ingredients are stored.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**DIRECTIONS FOR USE**

See label for Federal law to use this product in a manner consistent with its labeling.

**STORAGE AND DISPOSAL**

**STORAGE:**

Keep containers closed when not in use. Keep away from heat and open flame.

**DISPOSAL:**

**PESTICIDE DISPOSAL:** This product may be disposed of in a sanitary landfill or follow other approved federal, state, or local procedures.

**CONTAINER DISPOSAL:**

Do not reuse for equivalent. Then offer for recycling or reconditioning or for incineration and disposal in a sanitary landfill or follow other approved federal, state, or local procedures.

**GENERAL:**

Follow all federal, state, or local authorities for approved alternative procedures.

**Non Warranty**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**MAX** *KILL* MARCH 1 1982

**CONTACTICIDE 3** 2548-39

**Odorless Contact Space Spray Stainless**  
**Quick Knockdown Ready To Use**

**FORMULATED ESPECIALLY FOR**  
**Food Processing Plants and Food Handling Plants**

**KILLS THE ACCESSIBLE STAGES ON CONTACT**

Cockroaches, Silverfish, Spiders, Ants, Crickets, Gnats, Mites, Granary Weevil, Rice Weevil, Cadella, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, India Meal Moth, Cigarette Beetle, Drug Store Beetle, Lesser Grain Borer, Hornets, Wasps, Mosquitoes

**ACTIVE INGREDIENTS: . . . 100%**

Pyrethrins . . . . . 0.3%  
 Technical Piperonyl Butoxide . . . . . 2.5%  
 Petroleum Distillate . . . . . 97.2%

\*Equivalent to 2.0% (Butylcarbityl) (6-propylpiperonyl) ether and 0.5% of related compounds.

**EPA REG. NO. 2548-39**  
**EPA EST. NO. 2548-K5-1**

In respect to the hazard MAX KILL CONTACTICIDE 3 is rated by Underwriters Laboratories Inc. 29 to 25 according to schedule in which:

Ether is rated	100
Alcohol ethyl	60-70
Kerosene	36-40
Paraffin Oil	10-20

**CAUTION**

**Keep Out Of The Reach Of Children**

See additional warnings and antidote on side panels

**NET CONTENTS**

**GALLONS**

**MANUFACTURED BY**



*Research Products Company*  
**SALINA, KANSAS 67401**

**DIRECTIONS**

**MAX KILL CONTACTICIDE 3** is a contact spray ready to use insecticide especially for use in food processing plants, food handling plants, warehouses, canneries, restaurants, grocery stores, mills, feed mills, rice mills, grain elevators, boxcars, grain trucks, and cereal grain processing plants.

**WHEN USED AS A SPRAY IN FOOD HANDLING PLANTS:** Bakeries, bread restaurants, grocery stores, hotels, motels, mills, grain elevators, cereal grain processing plants, accessible stages of cockroaches, silverfish, stored cereal grain insects. Use a spray nozzle and apply under pressure and with pressure and will produce a coarse non-contaminating fog of foodstuffs as in containers. Spray the floors, mold board areas where insects are known to hide (panels). Apply spray until areas are wet. One gallon will cover 750 square feet of non-absorbent surface.

**WHEN USED AS A FOG:** All foods, ingredients and other food containers and handling equipment covered during treatment. All food products covered during treatment or thoroughly cleaned the product in these areas. Apply or operate on. Apply MAX KILL CONTACTICIDE 3 at the rate of one quart per 500 cubic feet for control of listed flying cockroaches, silverfish, spiders, ants, etc.

**WHEN USED AS A SPRAY** in grain handling plants, barges, empty boxcars, grain elevators, accessible stages of the granary weevil, flour beetle, saw-toothed grain beetle, stored cereal grain insects. Spray floors, walls, storage and handling areas thoroughly. Cracks, crevices and similar protected locations and debris should be removed and thoroughly cleaned before spraying. Treat inaccessible areas as well as EMPTY conveyer equipment, for example the inside of rollers, rollers, housings and hopper's platform. Thoroughly around the base of heavy sprayed surface thoroughly dry before use. One gallon will cover 750 square feet of non-absorbent surface.

**WHEN USED AS A FOG** for Indian meal moths, wasps, gnats, mosquitoes, all cereal grain insects in mills, elevators, or use a mechanical or air-operated fogging machine. Apply MAX KILL CONTACTICIDE 3 at the rate of one quart per 500 cubic feet and windows before application and total dosage has been applied to allow for evaporation.

**WHEN USED AS A FOG** in empty boxcars, barges and ship holds for the control of granary weevil, rice weevil, cadella, con gran beetle, lesser grain borer and mechanical or air-operated fogging machine. Apply MAX KILL CONTACTICIDE 3 at the rate of one quart per 500 cubic feet and windows before application and total dosage has been applied to allow for evaporation.

**WHEN USED AS A FOG** in boxcars, barges and ship holds for the control of granary weevil, rice weevil, cadella, con gran beetle, lesser grain borer and listed flying insect paper or plastic tarp and apply at the rate of one quart per 500 cubic feet of unoccupied space. Close doors and cover for 30 minutes after total dosage has been applied.

## STATEMENTS

Humans  
: Animals)

Do not breathe vapors from  
this spray. In case of contact  
with water, get medical attention  
immediately.

Do not use in areas where  
children play.

Do not use in areas where  
children play.

Do not use in areas where  
children play. Do not use in  
areas where children play. Do  
not use in areas where children  
play. Do not use in areas where  
children play.

Do not use in areas where  
children play.

Do not use in areas where  
children play.

Do not use in areas where  
children play.

Do not use in areas where  
children play.

## ALL HAZARDS

Do not use in areas where  
children play.

## FOR USE

Do not use in areas where  
children play.

## DISPOSAL

Do not use in areas where  
children play.

Do not use in areas where  
children play.

Do not use in areas where  
children play.

Do not use in areas where  
children play.

## WARRANTY

Do not use in areas where  
children play.

# MAX KILL

## CONTACTICIDE 3

2548-39

Odorless Contact Space Spray Stainless  
Quick Knockdown Ready To Use

### FORMULATED ESPECIALLY FOR Food Processing Plants and Food Handling Plants

KILLS THE ACCESSIBLE STAGES  
ON CONTACT

Cockroaches, Silverfish, spiders,  
Ants, crickets, Gnats, Mites,  
Grainy Weevil, Rice Weevil,  
Cigarette Confused Flour Beetle,  
Saw-Toothed Grain Beetle, Angoumois  
Grain Moth, Indian Meal  
Moth, Cigarette Beetle, Drug  
Store Beetle, Lesser Grain Borer,  
 Hornets, Wasps, Mosquitoes

ACTIVE INGREDIENTS . . . 100

Pyrethrins . . . . . 0.3%  
Technical Piperonyl  
Isotolide . . . . . 2.5  
Petroleum Distillate . . . . 97.2%

\*Equivalent to 2.0% (Butylcarbityl,  
(6-propyl)peronyl) ether and 0.5%  
of related compounds.

EPA REG. NO. 2548-39  
EPA EST. NO. 2548-KS-1

Do not use in areas where  
children play.

## CAUTION

Keep Out Of The Reach Of Children

See additional warnings and antidote on side panel

NET CONTENTS

GALLONS

MANUFACTURED BY



*Research Products Company*  
SALINA, KANSAS 67401

## DIRECTIONS

MAX KILL CONTACTICIDE 3 is a combination protective surface and contact ready to use insecticide especially compounded for use in food processing plants, food handling plants, bakeries, breweries, warehouses, canneries, restaurants, grocery stores, hotels, motels, flour mills, feed mills, rice mills, grain elevators, sulphur, barges, empty boxcars, grain trucks, and cereal grain processing plants.

WHEN USED AS A SPRAY IN FOOD PROCESSING AND FOOD HANDLING PLANTS: bakeries, breweries, warehouses, canneries, restaurants, grocery stores, hotels, motels, flour mills, feed mills, rice mills, grain elevators, cereal grain processing plants, for the control of accessible stages of cockroaches, silverfish, spiders, ants, crickets, and listed cereal grain insects, use a sprayer which can operate at a low pressure and will produce a coarse non-misting spray pattern. Avoid contamination of feed or foodstuffs as well as utensils or other food containers. Spray the floors, mold boards, cracks, crevices, and other areas where insects are known to hide. (See other precautions on side panel.) Apply spray until areas are wet but not to point of runoff. One gallon will cover 750 square feet of non-absorbent surface.

WHEN USED AS A FOG: All foods, ingredients as well as all utensils and other food containers and handling equipment should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Apply MAX KILL CONTACTICIDE 3 at the rate of one quart per 5,000 cubic feet for control of listed flying insects, accessible stages of cockroaches, silverfish, spiders, ants, crickets, and listed cereal grain insects.

WHEN USED AS A SPRAY in grain handling facilities, mills, elevators, sulphur, barges, empty boxcars, grain trucks, granaries for the control of accessible stages of the grainy weevil, rice weevil, cigarette confused flour beetle, saw-toothed grain beetle, lesser grain borer, and listed crawling insects, spray floors, walls, and other surfaces of bins, storage, and handling areas thoroughly with particular attention to cracks, crevices and similar protected locations. Waste grain, dust, dirt, and debris should be removed and destroyed and storage areas thoroughly cleaned before spraying. Treat unloading, handling and processing areas as well as EMPTY conveying, processing, and handling equipment, for example the inside of reel sifters, purifier conveyors, sifters, roll housings and hoppers, pick-up conveyors, etc. Spray thoroughly around the base of heavy machinery and equipment. Let sprayed surface thoroughly dry before using. One gallon will cover 750 square feet of non-absorbent surface.

WHEN USED AS A FOG for Indian meal moth, angoumois grain moth, hornets, wasps, gnats, mosquitoes, and accessible stages of listed cereal grain insects in mills, elevators, and empty granaries or grain bins, use a mechanical or air-operated fogging apparatus and MAX KILL CONTACTICIDE 3 at the rate of one quart per 5,000 cubic feet. Close all doors and windows before application and leave closed for 30 minutes after total dosage has been applied to allow for settling.

WHEN USED AS A FOG in empty boxcars, van type grain trucks, barges, and ship holds for the control of accessible stages of the grainy weevil, rice weevil, cigarette confused flour beetle, saw-toothed grain beetle, lesser grain borer and listed flying insects, use a mechanical or air-operated fogging apparatus and MAX KILL CONTACTICIDE 3 at the rate of one quart per 5,000 cubic feet. Close all doors and hatches before applying and leave closed for 30 minutes after total dosage has been applied to allow for settling.

WHEN USED AS A FOG in boxcars or van type trucks containing bagged flour or feed for the control of accessible stages of grainy weevil, rice weevil, cigarette confused flour beetle, saw-toothed grain beetle, lesser grain borer and listed flying insects, cover the bags with other paper or plastic tarp and apply at the rate of 8 ounces (1/2 pint) per 1,000 cubic feet of unoccupied space. Close all doors before applying and leave closed for 30 minutes after total dosage has been applied.