

EPA REG. NO. 2548-39 171

**PRECAUTIONARY STATEMENTS  
Hazards To Humans  
(and Domestic Animals)**

**CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed do not induce vomiting. Call a physician immediately.

Wash thoroughly with soap and water after using.

Do not remain in treated areas. Ventilate the area after treatment is completed.

Avoid contamination of cooking utensils, food, ingredients, feed and water supplies.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Destroy any contaminated food, feed or raw ingredients.

Do not give as internal treatment to animals.

Do not use in milk houses or dairy barns.

Remove pets, birds and cover fish aquariums before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**1. PROHIBITIONS**  
Do not contaminate water, food, or feed by storage or disposal.

**2. PESTICIDE DISPOSAL**  
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**3. CONTAINER DISPOSAL**  
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**4. GENERAL**  
Consult federal, state and local disposal authorities for approved procedures other than those given above. Approved procedures vary considerably for different types of generators.

**5. EQUIVALENT METHOD TO TRIPLE RINSING**  
Empty drums as completely as possible. Remove the bungs and place the drums upside down until liquid has evaporated.

**Non Warranty**

Seller makes no warranty, expressed or implied, concerning the use of this product. Buyer assumes all risk of use. Buyer's use of this product in any manner not specified on the label is contrary to the label instructions.

ACCEPTED

MAR 20 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2548-39

# CONTACTICIDE 3

## FORMULATED ESPECIALLY FOR Food Processing Plants and Food Handling Plants

### KILLS THE ACCESSIBLE STAGES ON CONTACT:

Cockroaches, Silverfish, Spiders, Ants, Crickets, Gnats, Mites, Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drug Store Beetle, Lesser Grain Borer, Hornets, Wasps, Mosquitoes

ACTIVE INGREDIENTS . . . 100%  
Pyrethrins . . . . . 0.3%  
Technical Piperonyl . . . . .  
Butoxide . . . . . 2.5%  
Petroleum Distillate . . . . . 97.2%

\*Equivalent to 2.0% (Bulbocarbonyl) (6-propylpiperonyl) ether and 0.5% of related compounds.

In respect to fire hazard MAX KILL CONTACTICIDE 3 is rated by Underwriters Laboratories Inc. 20 to 25 according to schedule in which:  
Ether rated . . . . . 100  
Alcohol (ethyl) . . . . . 80-70  
Xerosene . . . . . 30-40  
Paraffin Oil . . . . . 10-20

EPA REG. NO. 2548-39  
EPA EST. NO. 2548-KS-1

## CAUTION

Keep Out Of The Reach Of Children

See additional warnings and antidote on side panels

NET CONTENTS

GALLONS

MANUFACTURED BY



*Research Products Company*

SALINA, KANSAS 67401

RPC 3 82

## DIRECTIONS

MAX KILL CONTACTICIDE 3 is a contact insecticide for use in food processing plants, food handling plants, bakeries, restaurants, canneries, restaurants, grocery stores, hotels, grain elevators, mills, food mills, rice mills, grain elevators, sheepshears, barges, empty boxcars, grain trucks, and cereal grain processing plants.

**WHEN USED AS A SPRAY IN FOOD PROCESSING AND FOOD HANDLING PLANTS:** bakeries, breweries, sheepshears, canneries, restaurants, grocery stores, hotels, mills, flour mills, food mills, rice mills, grain elevators, cereal grain processing plants, for the control of accessible stages of cockroaches, silverfish, spiders, ants, crickets, and listed cereal grain insects, use a sprayer which can operate at a low pressure and will produce a coarse non-misting spray pattern. Avoid contamination of food or foodstuffs as well as utensils or other food containers. Spray the floors, mold boards, cracks, crevices, and other areas where insects are known to hide. (See other precautions on side panel.) Apply spray until areas are wet but not to point of run-off. One gallon will cover 750 square feet of non-absorbent surface.

**WHEN USED AS A FOG:** All foods, ingredients as well as all utensils and other food containers and handling equipment should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Apply MAX KILL CONTACTICIDE 3 at the rate of one quart per 5,000 cubic feet for control of listed flying insects, accessible stages of cockroaches, silverfish, spiders, ants, crickets, and listed cereal grain insects.

**WHEN USED AS A SPRAY in grain handling facilities:** mills, elevators, sheepshears, barges, empty boxcars, grain trucks, granaries for the control of accessible stages of the granary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer, and other listed crawling insects, spray floors, walls and other surfaces of bins, storage and handling areas thoroughly with particular attention to cracks, crevices and similar protected locations. Waste grain dust, dirt, and debris should be removed and destroyed and storage areas thoroughly cleaned before spraying. Treat unloading, handling and processing areas as well as EMPTY conveying, processing, and handling equipment, for example the inside of rest sitters, pulper conveyors, sifters, rest housings and hoppers, pick-up conveyors, etc. Spray thoroughly around the base of heavy machinery and equipment. Let sprayed surface thoroughly dry before using. One gallon will cover 750 square feet of non-absorbent surface.

**WHEN USED AS A FOG for Indian meal moth, angoumois grain moth, hornets, wasps, gnats, mosquitoes and accessible stages of listed cereal grain insects in mills, elevators and empty granaries of grain bins:** use a mechanical or air-operated fogging apparatus and MAX KILL CONTACTICIDE 3 at the rate of one quart per 5,000 cubic feet. Close all doors and windows before application and leave closed for 30 minutes after total dosage has been applied to allow for settling.

**WHEN USED AS A FOG in empty boxcars, van type grain trucks, barges, and ship holds for the control of accessible stages of the granary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain borer, beetle, lesser grain borer and listed flying insects:** use a mechanical or air-operated fogging apparatus and MAX KILL CONTACTICIDE 3 at the rate of one quart per 5,000 cubic feet. Close all doors and hatches before spraying and leave closed for 30 minutes after total dosage has been applied to allow for settling.

**WHEN USED AS A FOG in boxcars or van type trucks containing bagged feed or feed for the control of accessible stages of granary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer and listed flying insects:** cover the bags with ether paper or plastic large and apply at the rate of one ounce (8 fl. oz.) per 1,000 cubic feet of unoccupied space. Close all doors before spraying and leave closed for 30 minutes after total dosage has been applied.