

RECEIVED
JUN 1 1987

2548-54

MAX/KILL®

Contacta-Cide® 5

**Odorless Contact Space Spray Stainless
Quick Knockdown Ready To Use**

PRECAUTIONARY STATEMENTS

**Hazards To Humans
(and Domestic Animals)**

Irritating to skin and eyes
Do not get in the eyes
Avoid skin contact
Wash thoroughly with soap and water after using
Avoid inhalation of spray mist
Do not remain in treated areas. Ventilate the area after treatment is completed
Avoid contamination of cooking utensils, food ingredients, feed and water supplies
Remove fish and birds and other domestic pets from room during spraying and keep out of room until spray is dry
Do not spray directly on pets, domestic livestock, especially dairy animals
Do not give as internal treatment to animals
Do not use in milk houses or dairy barns
Do not apply directly to food
Do not apply as a space spray while food processing is underway. Foods should be removed or covered before treatment. After spraying, wash all surfaces which will contact food with suitable detergent and rinse with potable water
With the exception of federally inspected meat and poultry plants, food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions indicated
Destroy any contaminated food, feed or raw ingredients

This product is toxic to fish. Keep out of any body of water. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

Keep containers closed when not in use
Keep away from heat and open flame

STORAGE AND DISPOSAL

1. PROHIBITIONS
Do not contaminate water, food or feed by storage or disposal
2. PESTICIDE DISPOSAL
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility
3. CONTAINER DISPOSAL
Triple rinse or equivalent. Then offer for recycling or reconditioning or pour into and dispose of in a sanitary landfill or by other procedures approved by state and local authorities
4. Comments
Consult federal, state and local disposal authorities for approved procedures other than those given above. Approved procedures vary considerably for different types of containers
5. EQUIVALENT METRIC TO IMPERIAL CONVERSION
Empty drums as completely as possible. Turn in the bung and place the drums upside down until liquid has evaporated.

Non Warranty

No other warranty is expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of loss as a result of this material when such use and handling is not in accordance with the label instructions.

DIRECTIONS

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

MAX KILL® Contacta-Cide® 5 is a surface and contact **READY-TO-USE** insecticide designed for use in flour mills, feed mills, rice mills, feed and food processing plants, cereal grain processing plants, grain elevators, granaries, ship holds, barges, empty boxcars, grain trucks, warehouses, feed and seed stores, grocery stores, restaurants and hotels.

WHEN USED AS A SPRAY in mills, cereal grain processing plants, grain handling facilities, elevators, granaries for the control of accessible stages of the granary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer, and other listed crawling insects: spray floors, walls and other surfaces of bins, storage and handling areas thoroughly with particular attention to cracks, crevices, and similar protected locations. Waste grain, dust, dirt, and debris should be removed and destroyed and storage areas thoroughly cleaned before spraying. Treat unloading, handling and processing areas, as well as EMPTY conveying, processing and handling equipment, for example the inside of reel sifters, purifier conveyors, sifters, roll housings and hoppers, pick-up conveyors, etc. Spray thoroughly around the base of heavy machinery and equipment. Let sprayed surface thoroughly dry before using. One gallon will cover 750 square feet of non-absorbent surface.

AS A PROTECTANT in empty boxcars, grain trucks, barges and shipholds for the control of accessible stages of the granary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer and other listed crawling insects: spray the floors, walls, beams, cracks, crevices and other protected harborage points until surfaces are wet. A tank-type sprayer may be used utilizing low pressure. Allow for complete drying before loading. One gallon will cover 750 square feet of non-absorbent surface.

WHEN USED AS A SPRAY in food plants, grocery stores, hotels, feed and seed stores and restaurants for the control of accessible stages of cockroaches, silverfish, spiders, ants, crickets and listed cereal grain insects: use a sprayer which can operate at a low pressure and which will produce a coarse non-misting spray pattern. Avoid contamination of food or foodstuffs as well as utensils or other food containers. Spray the floors, mold boards, cracks, crevices and other areas where insects are known to hide. (See other precautions on side panel.) Apply spray until areas are wet but not to point of run-off. One gallon will cover 750 square feet of non-absorbent surface.

WHEN USED AS A FOG for Indian meal moth, angoumois grain moth, hornets, wasps, gnats, mosquitoes, flies and accessible stages of listed insects in mills, food processing plants, elevators and empty granaries or grain bins: use a mechanical or air-operated fogging apparatus and **MAX KILL® Contacta-Cide® 5** at the rate of one quart per 5,000 cubic feet. Close all doors and windows before application and leave closed for 30 minutes after total dosage has been applied to allow for settling.

WHEN USED AS A FOG in empty boxcars, van type grain trucks, barges and ship holds for the control of listed flying insects and accessible stages of listed cereal grain insects: use a mechanical or air-operated fogging apparatus and **MAX KILL® Contacta-Cide® 5** at the rate of one quart per 5,000 cubic feet. Close all doors and hatches before spraying and leave closed for 30 minutes after total dosage has been applied to allow for settling.

WHEN USED AS A FOG in boxcars or van type trucks containing bagged flour or feed for the control of listed flying insects and accessible stages of listed cereal grain insects: cover the bags with paper or plastic tarp and apply at the rate of 8 ounces (1/2 quart) per 1,000 cubic feet of unoccupied space. Close all doors before spraying and leave closed for 30 minutes after total dosage has been applied.

KILLS THE ACCESSIBLE STAGES ON CONTACT:
Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drug Store Beetle, Lesser Grain Borer, Flies, Cockroaches, Silverfish, Spiders, Ants, Crickets, Gnats, Mosquitoes, *Hornets, *Wasps, *Mites.

ACTIVE INGREDIENTS
Pyrethrins 0.50%
*Technical Piperonyl Butoxide 1.0%
N-Octyl Bicycloheptene Dicarboximide . 1.67%

INERT INGREDIENTS 96.83%
*Equivalent to 0.80% of (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.20% of related compounds.

EPA REG. NO. 2548-54
EPA EST. NO. 2548-KS-1

*Use not registered in California.

**KEEP OUT OF THE REACH OF CHILDREN
CAUTION**

Statement of Practical Treatment

IF SWALLOWED DO NOT INDUCE VOMITING. Seek medical aid. Aspiration of product into lungs due to vomiting can cause chemical pneumonia which can be fatal. Contains petroleum distillates.
IF BREATHED If inhaled in heavy concentrations or if symptoms appear due to inhalation, remove to fresh air. Administer artificial respiration, oxygen, or cardiopulmonary resuscitation if needed.
IF ON SKIN Remove contaminated clothing. Wash with mild soap and water. Launder contaminated clothing. If irritation occurs seek medical aid.
IF IN EYES Flush with large amounts of water for at least 15 minutes. If irritation persists, seek medical attention.

See side panel for additional precautions.

NET CONTENTS

GALLONS



MANUFACTURED BY
Research Products Company

Div. of McShane, Inc.
SALINA, KANSAS 67401

BEST AVAILABLE COPY