



00050 DETIA TABLET LABEL -- FRONT PANEL

00100  
00150  
00200 RESTRICTED USE PESTICIDE  
00250 DUE TO ACUTE INHALATION TOXICITY OF HIGHLY  
00300 TOXIC HYDROGEN PHOSPHIDE (PHOSPHINE, PH<sub>3</sub>) GAS  
00350  
00400

00450 For retail sale to and use only by certified applicators for  
00500 those uses covered by the applicator's certification or persons  
00550 trained in accordance with the accompanying product manual  
00600 working under the direct supervision and in the physical  
00650 presence of the certified applicator. Physical presence means  
00700 on site or on the premises. Read and follow the label and the  
00750 Research Products Company product manual which contains complete  
00800 instructions for the safe use of this pesticide.  
00850  
00900

00950 Detia(R) TABLETS  
01000

01050 A fumigant for the control of most stored product insects and  
01100 their pre-adult stages.  
01150

01200 Active Ingredient: Aluminum Phosphide.....57%  
01250 Inert Ingredients:.....43%  
01300 TOTAL.....100%  
01350  
01400

01450 KEEP OUT OF REACH OF CHILDREN  
01500

01550 DANGER/PELIGRO-POISON  
01600

01650 PRECAUCION AL USUARIO: Si usted no lee ingles, no use este  
01700 producto hasta que la etiqueta se le haya sido explicado  
01750 ampliamente.  
01800

01850 STATEMENT OF PRACTICAL TREATMENT  
01900

01950 Symptoms of overexposure to hydrogen phosphide are headache,  
02000 dizziness, nausea, difficult breathing, vomiting and diarrhea.  
02050 In all cases of overexposure get medical attention immediately.  
02100 Take victim to the doctor or emergency treatment facility.

02150 IF GAS OR DUST FROM TABLETS IS INHALED: Get exposed person to  
02200 fresh air. Keep warm and make sure person can breathe freely.  
02250 If breathing has stopped, give artificial respiration by  
02300 mouth-to-mouth or other means of resuscitation. Do not give  
02350 anything by mouth to an unconscious person.

02400  
02500 IF THE TABLETS OR THEIR DUST ARE SWALLOWED: Drink or administer  
02550 one or two glasses of water and induce vomiting by touching back  
02600 of throat with finger, or if available, administer syrup of  
02650 ipecac. Do not give anything by mouth if victim is unconscious  
02700 or not alert.

02750  
02800 IF TABLETS OR THEIR DUST GET ON SKIN OR CLOTHING: Brush or  
02850 shake material off clothes and shoes in well ventilated area.  
02900 Allow clothes to aerate in a ventilated area prior to  
02950 laundering. Do not leave contaminated clothing in occupied  
03000 and/or confined areas such as automobiles, vans, motel rooms,  
03050 homes, etc. Wash contaminated skin thoroughly with soap and  
03100 water.

03150  
03200 IF DUST FROM THE TABLETS GETS IN EYES: Flush with plenty of  
03250 water. Get medical attention.

03300  
03350 See side panels for additional precautionary statements.

03400  
03450 Manufactured by: Detia Freyberg, GMBH  
03500 P. O. Box 10  
03550 6947 Laudenbach  
03600 F.R. of Germany

03650  
03700  
03750 Distributed by: Research Products Company  
03800 Div. of McShares, Inc.  
03850 P. O. Box 1460  
03900 Salina, KS 67402-1460

03950  
04000  
04050 EPA Establishment No. 33982WG01 Net Contents:  
04100 EPA Registration No. 2548-62 Net Weight:

04150  
04200  
04250  
04300 LEFT PANEL

04350  
04400 HAZARDS TO HUMANS AND DOMESTIC ANIMALS

04450  
04500 KEEP OUT OF REACH OF CHILDREN  
04550 DANGER/POISON

04600  
04650 Aluminum phosphide in tablets or their dust can be fatal if  
04700 swallowed. Do not get in eyes, in nose, on skin or on clothing.  
04750 Do not eat, drink or smoke while handling aluminum phosphide  
04800 fumigants. When the container is opened Detia(R) Tablets will  
04850 begin to release hydrogen phosphide (phosphine) which is an  
04900 extremely toxic gas. Contact with water, acids and some other  
04950 liquids will accelerate this reaction. If a garlic odor is  
05000 detected, refer to section on "Industrial Hygiene Monitoring" on  
05050 page of the accompanying product manual for appropriate

05100 monitoring procedures. Pure hydrogen phosphide gas is odorless;  
05150 the odor is due to a contaminant. Since an odor may not be  
05200 detected under certain circumstances, the absence of a garlic  
05250 odor does not mean that hydrogen phosphide gas is absent.  
05300 Observe proper application, aeration, reentry and disposal  
05350 procedures specified elsewhere in the labeling to prevent  
05400 overexposure.

05450  
05500 FREQUENT EXPOSURE TO LOW CONCENTRATIONS ABOVE PERMISSIBLE LEVELS  
05550 OVER A PERIOD OF DAYS OR WEEKS MAY CAUSE POISONING.

05600  
05650  
05700 NOTE TO PHYSICIAN

05750 Aluminum phosphide in tablets or their dust reacts with moisture  
05800 from the air, water, acids, and many other liquids to release  
05850 hydrogen phosphide (phosphine) gas. Mild exposure by inhalation  
05900 causes malaise (indefinite feeling of sickness), ringing of  
05950 ears, fatigue, nausea and pressure in chest which are relieved  
06000 by removal to fresh air. Moderate poisoning causes weakness,  
06050 vomiting, epigastric pain (pain just above the stomach), chest  
06100 pain, diarrhea and dyspnea (difficulty in breathing). Symptoms  
06150 of severe poisoning may occur within a few hours or up to  
06200 several days, resulting in pulmonary edema (fluid in lungs) and  
06250 may lead to dizziness, cyanosis (blue or purple skin color),  
06300 unconsciousness and death.

06350  
06400 In sufficient quantity, hydrogen phosphide affects the liver,  
06450 kidneys, lungs, nervous system and circulatory system.  
06500 Inhalation can cause lung edema (fluid in lungs) and hyperemia  
06550 (excess of blood in a body part), small perivascular brain  
06600 hemorrhages and brain edema (fluid in brain). Ingestion can  
06650 cause lung and brain symptoms, but damage to the viscera (body  
06700 cavity organs) is more common. Hydrogen phosphide poisoning may  
06750 result in (1) pulmonary edema, (2) liver elevated serum GOT, LDH  
06800 and alkaline phosphatase, reduced prothrombin, hemorrhage and  
06850 jaundice (yellow skin color) and (3) kidney hematuria (blood in  
06900 urine) and anuria (abnormal or lack of urination). Pathology is  
06950 characteristic of hypoxia (oxygen deficiency in body tissue).  
07000 Treatment is symptomatic.

07050

07150 P  
 07200  
 07250 CLASSIFIED BY UNDERWRITERS LABORATORIES, INC.(R) AS TO FIRE  
 07300 HAZARD ONLY WHEN USED SPECIFICALLY AS DIRECTED IN THE SEPARATE  
 07350 INSTRUCTIONS THAT ARE PART OF THE PRODUCT LABELING. DETIA(R)  
 07400 TABLETS ARE NONCOMBUSTIBLE, BUT EXPOSURE TO MOIST AIR OR WATER  
 07450 RELEASES FLAMMABLE AND TOXIC PHOSPHINE GAS. SPONTANEOUS  
 07500 IGNITION MAY RESULT IF CONTACTED BY WATER, ACIDS OR CHEMICALS.  
 07550 955P

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

The booklets "Application Procedures for Detia(R) Pellets and Detia(R) Tablets" and "Instructions for Intransit Fumigation of Ship Holds with Detia(R) Pellets and Tablets" are a part of labeling. Refer to them for application procedures and other information necessary to properly use Detia(R) Tablets.

THIS PRODUCT IS ACCOMPANIED BY THE LABELING LISTED ABOVE. READ AND UNDERSTAND THE ENTIRE LABELING. ALL PARTS OF THE LABELING ARE EQUALLY IMPORTANT FOR SAFE AND EFFECTIVE USE OF THIS PRODUCT. CALL RESEARCH PRODUCTS COMPANY OR EPA IF YOU HAVE ANY QUESTIONS OR DO NOT UNDERSTAND ANY PART OF THIS LABELING.

Refer to product labeling for use restrictions to protect ENDANGERED SPECIES.

STORAGE AND DISPOSAL

STORAGE

Flasks should be stored in a dry, well ventilated area, away from heat and under lock and key. Post as a pesticide storage area. Do not contaminate water, food or feed by storing pesticides in the same areas used to store these commodities.

Do not store in buildings where humans or domestic animals reside. Refer to the booklet "Application Procedures for Detia(R) Pellets and Detia(R) Tablets" for additional storage instructions.

09750 P DISPOSAL OF UNREACTED OR PARTIALLY REACTED TABLETS (From spills,  
09800 leaking flasks or other sources)

09850  
09900 Unreacted or partially reacted Detia(R) Tablets are acutely  
09950 hazardous. Improper disposal of this product is a violation of  
10000 federal law.

10050  
10100 If this product cannot be disposed of by ordinary use or  
10150 according to labeling instructions, contact your state pesticide  
10200 or environmental control agency or the hazardous waste  
10250 representative at the nearest EPA regional office for guidance.  
10300 Do not contaminate water by disposal.

10350  
10400 Reacted tablets are not hazardous. For complete disposal, spill  
10450 and leak procedures refer to the booklet "Application Procedures  
10500 for Detia(R) Pellets and Detia(R) Tablets".

10550

10600

10650

10700

10750

10800

10850

10900

10950

11000

11050

11100

11150

11200

11250

11300

11350

11400

11450

11500

11550

11600

11650

11700

11750

11800

#### DISPOSAL OF EMPTY FLASKS

METHOD ONE: Triple rinse flasks and stoppers with water. Then  
offer for recycling or reconditioning, or puncture and dispose  
of them in a sanitary landfill or other approved site or by  
other procedures approved by state and local authorities.  
Dispose of rinsate in a sanitary landfill or by other approved  
procedures.

METHOD TWO: Remove lids and place empty flasks outdoors or in  
structure being fumigated until residue in flasks is reacted.  
Puncture and dispose of them in a sanitary landfill or other  
approved site or by other procedures approved by state and local  
authorities.

#### GENERAL

Consult federal, state and local disposal authorities for  
approved procedures other than those given above. Approved  
procedures vary for different types of generators.

\*If in doubt concerning whether the dust is reacted and/or  
concerning proper disposal techniques contact Research Products  
Company.

9/44

ACCEPTED

NOV 13 1987

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 2548-62 + 63

RESTRICTED USE PESTICIDE  
DUE TO ACUTE INHALATION TOXICITY OF HIGHLY  
TOXIC HYDROGEN PHOSPHIDE (PHOSPHINE, PH<sub>3</sub>) GAS

For retail sale to and use only by certified applicators for those uses covered by the applicator's certification or persons trained in accordance with this product manual working under the direct supervision and in the physical presence of the certified applicator. Physical presence means on site or on the premises. Read and follow the label and the Research Products Company product manual which contains complete instructions for the safe use of this pesticide.

APPLICATION PROCEDURES  
FOR

Detia(R)

PELLETS

AND

Detia(R)

TABLETS

HYDROGEN PHOSPHIDE FUMIGANTS  
FOR

USE AGAINST LISTED INSECTS  
WHICH INFEST LISTED RAW AGRICULTURAL  
COMMODITIES, ANIMAL FEEDS, PROCESSED FOODS,  
NONFOOD PRODUCTS AND STORED TOBACCO

Research Products Company  
Div. of McShares, Inc.  
P. O. Box 1460  
Salina, Kansas 67402-1460

RECEIVED  
EPA

NOV 1987

EPA Establishment No. 33982WG01  
EPA Registration No. 2548-63  
EPA Registration No. 2548-62

00001  
00002  
00003  
00004  
00005  
00006  
00007  
00008  
00009  
00010  
00011  
00012  
00013  
00014  
00015  
00016  
00017  
00018  
00019  
00020  
00021  
00022  
00023  
00024  
00025  
00026  
00027  
00028  
00029  
00030  
00031  
00032  
00033  
00034  
00035  
00036  
00037  
00038  
00039  
00040  
00041  
00042  
00043  
00044  
00045  
00046

## TABLE OF CONTENTS

00048 P	
00049	
00050	I. INTRODUCTION.....
00051	A. History.....
00052	B. Product Description.....
00053	C. Product Packaging.....
00054	D. What is Hydrogen Phosphide?.....
00055	E. Safety Recommendations.....
00056	
00057	II. PRECAUTIONARY STATEMENTS.....
00058	A. Hazards to Humans and Domestic Animals.....
00059	B. Statement of Practical Treatment.....
00060	C. Note to Physician.....
00061	D. Physical and Chemical Hazards.....
00062	
00063	III. DIRECTIONS FOR USE.....
00064	A. General.....
00065	B. Efficacy.....
00066	C. Use Pattern.....
00067	1. Insect Pests.....
00068	2. Commodities.....
00069	D. Dosage Guidelines.....
00070	E. Sealing.....
00071	F. Exposure Guidelines.....
00072	G. Application Procedures.....
00073	1. General Statement.....
00074	2. Application Procedures for Direct
00075	Addition of Pellets or Tablets to
00076	Bulk Commodities.....
00077	3. Application Procedures for Space
00078	Fumigation.....
00079	4. Application Procedures for Intransit
00080	Fumigation of Ship Holds.....
00081	5. Application Procedures for Intransit
00082	Fumigation of Containers on Ships.....
00083	6. Application Procedures for Fumigation
00084	of Barges.....
00085	7. Application Procedures for Fumigation
00086	of Rodent and Mole Burrows.....
00087	8. Application Procedures for Fumigation
00088	of Beehives, Supers and Other
00089	Beekeeping Equipment.....
00090	H. Protective Clothing.....
00091	I. Respiratory Protection.....
00092	J. Placarding of Fumigated Areas.....
00093	K. Gas Detection Equipment.....
00094	L. Aeration of Fumigated Commodities.....
00095	M. Applicator and Worker Exposure.....
00096	N. Storage and Disposal.....
00097	O. Spill and Leak Procedures.....

I. INTRODUCTION

A. HISTORY

The history of Detia(R) pesticides is long, dating back to the mid-1930's. In 1970 Detia(R) GAS EX-B was introduced into the United States. Detia(R) Tablets and Detia(R) Pellets were introduced in 1977. The manufacturer, Detia Freyberg GMBH, West Germany was the early pioneer in the development of hydrogen phosphide as a fumigant gas.

B. PRODUCT DESCRIPTION

Both Detia(R) Pellets and Detia(R) Tablets are a mixture of aluminum phosphide (57% by weight), ammonium carbamate and urea which is pressed into tablet and/or pellet form. The nearly spherical pellets are about 3/8" in diameter and weigh 0.6 grams each. The tablets are either disc shaped (4/5" in diameter and 1/5" thick) or spherical in shape (5/8" in diameter) and weigh 3.0 grams each. A pellet will produce about 0.2 gram hydrogen phosphide, the tablet about 1.0 gram. Both react with atmospheric moisture to produce hydrogen phosphide (PH3) in the following way:



Warm, humid air accelerates the reaction while cool, dry air has the opposite effect. For example, when moisture and temperature of the fumigated commodity are high, decomposition of Detia(R) may be complete in less than 3 days. However, at moderate temperatures and low humidities decomposition may require 5 days or more. This reaction starts slowly, gradually accelerates and then tapers off again as the aluminum phosphide is spent.

Detia(R) Pellets and Tablets also contain ammonium carbamate which liberates ammonia and carbon dioxide as follows:



These gases are essentially nonflammable and act as inerting agents to reduce fire hazards. The ammonia gas also serves as a warning agent.

Spent Detia(R) is a gray-white powder composed almost entirely of aluminum hydroxide and other approved inert ingredients. If properly exposed, the spent Detia(R) will normally contain only a small amount of unreacted aluminum phosphide and may be disposed of without hazard. It is not considered a hazardous waste. However, the partially spent residue from incompletely exposed Detia(R) requires special care. Precautions and instructions for further deactivation and disposal will be given later in this manual.

C. PRODUCT PACKAGING



00154 The tablets are packaged 500 to a flask. The pellets are  
00155 packaged 1660 to a flask.

00156  
00157 The aluminum flasks in which they are packaged are  
00158 resealable and seamless. Their shelf life is almost  
00159 unlimited as long as the packaging remains well sealed and  
00160 intact. Once opened, the flasks may be tightly resealed and  
00161 stored for future use.  
00162

00163 D. WHAT IS HYDROGEN PHOSPHIDE?

00164 Hydrogen phosphide, more commonly referred to as phosphine,  
00165 is a colorless gas which is toxic to insects, humans, and  
00166 other forms of animal life. It is very mobile with a high  
00167 vapor pressure. Thus, the penetrating capability of hydrogen  
00168 phosphide is great. The combination of high molecular  
00169 activity, vapor pressure and toxicity to insects at low  
00170 dosages accounts for its wide acceptance as a fumigant.  
00171

00172 E. SAFETY RECOMMENDATIONS

- 00173 1. Carefully read the labeling and follow instructions  
00174 explicitly.
- 00175 2. Never work alone when applying fumigant from within the  
00176 storage structure.
- 00177 3. Never allow uninstructed persons to handle Detia(R).
- 00178 4. Approved respiratory protection must be available  
00179 for the fumigation of structures from within.
- 00180 5. Wear dry gloves made of cotton or other material when  
00181 contact with tablets, pellets or their dust is likely.
- 00182 6. It is preferable to open fumigant containers in open air  
00183 or near a fan that exhausts outside immediately. Never  
00184 open in a flammable atmosphere.
- 00185 7. Do not allow Detia(R) to contact liquid water or to  
00186 pile up.
- 00187 8. Dispose of empty containers and spent residual dust in a  
00188 proper manner consistent with the label instructions.
- 00189 9. Post "DANGER" signs on fumigated areas.
- 00190 10. Notify appropriate company employees, and provide  
00191 relevant safety information to local officials annually  
00192 for use in the event of an emergency.
- 00193 U 11. Hydrogen phosphide fumigants are not to be used for vacuum  
00194 fumigations.
- 00195 12. Exposure to hydrogen phosphide must not exceed the  
00196 8 hour TWA of 0.3 ppm during application or a maximum  
00197 concentration of 0.3 ppm after application is completed.  
00198 This includes reentry into a structure.
- 00199 13. Fumigated finished foods and feeds must be aerated  
00200 48 hours prior to offering to the end consumer.
- 00201 U 14. Transfer of a treated commodity to another site without  
00202 complete aeration (down to 0.3 ppm maximum) is  
00203 permissible provided the new site is placarded.
- 00204 15. Aerate contaminated clothing in well ventilated area  
00205 prior to washing.
- 00206 16. Keep containers tightly closed except when removing  
00207  
00208

- 00209 product.  
 00211 17. Do not reuse aluminum phosphide containers for any  
 00212 purpose other than recycling or reconditioning.  
 00213 18. OSHA recommends that the exposure screening of  
 00214 employees be conducted to detect impaired pulmonary  
 00215 function. OSHA recommends that any employees developing  
 00216 the above condition be referred for medical attention.  
 00217  
 00218  
 00219  
 00220  
 00221

## II. PRECAUTIONARY STATEMENTS

### A. HAZARDS TO HUMANS AND DOMESTIC ANIMALS

00222 Keep Out of Reach of Children  
 00223 DANGER-POISON  
 00224

( 00225  
 00226 Aluminum phosphide in pellets, tablets or their dust can be  
 00227 fatal if swallowed. Do not get in eyes, in nose, on skin or  
 00228 on clothing. Do not eat, drink or smoke while handling  
 00229 aluminum phosphide fumigants. When the container is opened,  
 00230 Detia(R) Tablets or Pellets will begin to release hydrogen  
 00231 phosphide (phosphine) which is an extremely toxic gas.  
 00232 Contact with water, acids and some other liquids will  
 00233 accelerate this reaction. If a garlic odor is detected,  
 00234 refer to section on "Industrial Hygiene Monitoring" on page  
 00235 for appropriate monitoring procedures. Pure hydrogen  
 00236 phosphide gas is odorless; the odor is due to a contaminant.  
 00237 Since an odor may not be detected under certain  
 00238 circumstances, the absence of a garlic odor does not mean  
 00239 that hydrogen phosphide gas is absent. Observe proper  
 00240 application, aeration, reentry and disposal procedures  
 00241 specified elsewhere in the labeling to prevent  
 ( 00242 overexposure.

00243  
 00244 FREQUENT EXPOSURE TO CONCENTRATIONS ABOVE PERMISSIBLE LEVELS  
 00245 OVER A PERIOD OF DAYS OR WEEKS MAY CAUSE POISONING.  
 00246

### B. STATEMENT OF PRACTICAL TREATMENT

00247 Symptoms of overexposure to hydrogen phosphide are headache,  
 00248 dizziness, nausea, difficult breathing, vomiting and  
 00249 diarrhea. In all cases of overexposure get medical  
 00250 attention immediately. Take victim to a doctor or emergency  
 00251 treatment facility.  
 00252  
 00253

00254 U 1. If gas or dust from tablets or pellets is inhaled: Get  
 00255 exposed person to fresh air. Keep warm and make sure  
 00256 person can breathe freely. If breathing has stopped,  
 00257 give artificial respiration by mouth-to-mouth or other  
 00258 means of resuscitation. Do not give anything by mouth  
 00259 to an unconscious person.  
 00260  
 00261

00262 U 2. If the pellets, tablets or their dust are swallowed:  
 00263 Drink or administer one or two glasses of water and induce  
 00264

00265 vomiting by touching back of throat with finger, or if  
 00267 available, administer syrup of ipecac. Do not give  
 00268 anything by mouth if victim is unconscious or not alert.  
 00269

00270 U 3. If pellets, tablets or their dust gets on skin or  
 00273 U clothing: Brush or shake material off clothes and shoes in  
 00274 well ventilated area. Allow clothes to aerate in a ventilated  
 00275 area prior to laundering. Do not leave contaminated  
 00276 clothing in occupied and/or confined area such as  
 00277 automobiles, vans, motel rooms, homes, etc. Wash  
 00278 contaminated skin thoroughly with soap and water.  
 00279

00280 U 4. If dust from the pellets or tablets gets in eyes:  
 00282 Flush with plenty of water. Get medical attention.  
 00283

00284 C. NOTE TO PHYSICIAN

00285 Aluminum phosphide tablets, pellets or their dust reacts  
 00286 with moisture from the air, water, acids and many other  
 00287 liquids to release hydrogen phosphide (phosphine) gas. Mild  
 00288 exposure by inhalation causes malaise (indefinite feeling of  
 00289 sickness), ringing of ears, fatigue, nausea and pressure in  
 00290 chest which are relieved by removal to fresh air. Moderate  
 00291 poisoning causes weakness, vomiting, epigastric pain (pain  
 00292 just above the stomach), chest pain, diarrhea and dyspnea  
 00293 (difficulty in breathing). Symptoms of severe poisoning may  
 00294 occur within a few hours or up to several days, resulting in  
 00295 pulmonary edema (fluid in lungs) and may lead to dizziness,  
 00296 cyanosis (blue or purple skin color), unconsciousness and  
 00297 death.  
 00298

00299 In sufficient quantity hydrogen phosphide affects the liver,  
 00300 kidneys, lungs, nervous system, and circulatory system.  
 00301 Inhalation can cause lung edema (fluid in lungs) and  
 00302 hyperemia (excess of blood in a body part), small  
 00303 perivascular brain hemorrhages and brain edema (fluid in  
 00304 brain). Ingestion can cause lung and brain symptoms, but  
 00305 damage to the viscera (body cavity organs) is more common.  
 00306 Hydrogen phosphide poisoning may result in (1) pulmonary  
 00307 edema, (2) liver elevated serum GOT, LDH and alkaline  
 00308 phosphatase, reduced prothrombin, hemorrhage and jaundice  
 00309 (yellow skin color) and (3) kidney hematuria (blood in  
 00310 urine) and anuria (abnormal or lack of urination).  
 00311 Pathology is characteristic of hypoxia (oxygen deficiency in  
 00312 body tissue). Frequent exposure over a period of days or  
 00313 weeks may cause poisoning. Treatment is symptomatic.  
 00314

00315 The following measures are suggested for use by the  
 00316 physician in accordance with his own judgment:  
 00317

00318 1. In its milder to moderate forms (symptoms of  
 00319 poisoning may take up to 24 hours to make their  
 00320 appearance), the following is suggested:  
 00321

- 00322 a. Complete rest 1-2 days during which the patient must  
00324 be kept quiet and warm.  
00325  
00326 b. If the patient suffers from vomiting or increased  
00327 blood sugar, appropriate solutions should be  
00328 administered. Treatment with oxygen is recommended  
00329 as is the administration of cardiac and circulatory  
00330 stimulants.  
00331

00332 2. In cases of severe poisoning (intensive care unit  
00333 recommended):  
00334

- 00335 a. Where pulmonary edema is observed, steroid therapy  
00336 should be considered and close medical supervision  
00337 is recommended. Blood transfusions may be  
00338 necessary.  
00339  
00340 b. In case of manifest pulmonary edema, venesection  
00341 should be performed under vein pressure control.  
00342 Heart glycosides (I.V.) can be used in case of  
00343 hemoconcentration. Venesection may result in shock.  
00344 In the case of progressive edema of the lungs,  
00345 immediately intubate and remove edema fluid and  
00346 administer oxygen over-pressure respiration, as well  
00347 as any measures required for shock treatment. In  
00348 case of kidney failure, extracorporeal hemodialysis  
00349 is necessary. There is no specific antidote known  
00350 for this poisoning.  
00351  
00352 c. If pellets or tablets are ingested, induce vomiting.  
00353 Flush the stomach with a diluted potassium  
00354 permanganate solution or a solution of magnesium  
00355 peroxide until flushing liquid ceases to smell of  
00356 carbide. Thereafter, apply carbomedicinals.  
00357

00358 D. PHYSICAL AND CHEMICAL HAZARDS  
00359

00360 Aluminum phosphide in tablets, pellets or partially spent  
00361 dust will release hydrogen phosphide gas if exposed to  
00362 moisture from the air or if it comes into contact with  
00363 water, acids or many other liquids. Filling of tablets,  
00364 pellets or dust from their fragmentation may cause a  
00365 temperature increase and confine the release of gas so that  
00366 ignition could occur.

00367 It is preferable to open flasks of Detia(R) Tablets or  
00368 Pellets in open air or near a fan which exhausts outside  
00369 immediately. Never open in a flammable atmosphere because  
00370 on rare occasions they may flash. When opening, point the  
00371 container away from the face and body and slowly loosen the  
00372 cap. These precautions will also reduce the applicator's  
00373 exposure to hydrogen phosphide gas.  
00374

00375 Pure hydrogen phosphide gas is practically insoluble in

00376 water and oils and is stable at normal fumigation  
00378 temperatures. However, it may react with certain metals and  
00379 cause corrosion, especially at higher temperatures and  
00380 relative humidities. Metals such as copper, brass and other  
00381 copper alloys, and precious metals such as gold and silver  
00382 are susceptible to corrosion by hydrogen phosphide. Thus,  
00383 small electric motors, smoke detectors, brass sprinkler  
00384 heads, batteries and battery chargers, fork lifts,  
00385 temperature monitoring systems, switching gears,  
00386 communication devices, computers, calculators and other  
00387 electronic or electrical equipment should be protected or  
00388 removed before fumigation. In most cases all electronic  
00389 equipment must be removed. Hydrogen phosphide gas will also  
00390 react with certain metallic salts and therefore, sensitive  
00391 items such as photographic film, some inorganic pigments,  
00392 etc., should not be exposed.

### 00393 00394 00395 00396 00397 00398 00399 00400 00401 00402 00403 00404 00405 00406 00407 00408 00409 00410 00411 00412 00413 00414 00415 00416 00417 00418 00419 00420 00421 00422 00423 00424 00425 00426 00427 00428 00429

### III. DIRECTIONS FOR USE

#### A. GENERAL

1. It is a violation of federal law to use this product in a manner inconsistent with its labeling. Detia(R) Tablets and Pellets are Restricted Use Pesticides due to the acute inhalation toxicity of hydrogen phosphide (phosphine, PH<sub>3</sub>) gas. For retail sale to and use only by certified applicators for those uses covered by the applicator's certification or persons trained in accordance with this product manual working under the direct supervision and in the physical presence of the certified applicator. Physical presence means on site or on the premises.
2. Detia(R) is a highly hazardous material and may be used only by individuals trained in its proper use. Before using, read and follow the label precautions and directions on the label and in labeling.

Additional copies of this manual are available from:

Research Products Company  
P. O. Box 1460  
Salina, Kansas 67402-1460  
913-825-2181

3. At least two trained persons must be present when Detia(R) Pellets or Detia(R) Tablets are applied from within the space being treated or during reentry into a fumigated or partially aerated site. Only one trained person is required when the fumigant is applied from outside the area to be treated.

14/44

00430 4. Prior to applying this product, you must inspect the  
00432 storage structure to determine if it can be made  
00433 sufficiently gas tight. Decide how personal exposure  
00434 monitoring should be conducted. Notify appropriate  
00435 company employees and provide relevant safety  
00436 information to local officials annually for use in the  
00437 event of an emergency. Apply this fumigant in an  
00438 effective and safe manner including emergency procedures,  
00439 etc.

00440  
00441 5. Ship holds, barges, containers on ships, railroad cars  
00442 and containers shipped piggyback by rail may be  
00443 fumigated intransit. However, fumigated trucks, vans,  
00444 trailers and similar transport vehicles cannot be moved  
00445 over public roads or highways until they are aerated.  
00446

( 00447 6. Pellets and/or tablets or their reacted residues must  
00448 not come into contact with any processed food with the  
00449 U EXCEPTION that both can be added directly to processed  
00450 U brewers rice, malt, and corn grits used in the  
00451 manufacture of beer.  
00452

00453  
00454 7. Protect copper, silver, gold and their alloys from  
00455 corrosive exposure to hydrogen phosphide.  
00456

00457 8. Do not fumigate commodities with this product when  
00458 commodity temperature is below 40 degrees F (5 degrees  
00459 C).  
00460

00461 B. EFFICACY  
00462 Complete control of listed insect pests is frequently not  
00463 achieved. Factors contributing to less than 100% control  
00464 are gas leakage, poor gas distribution, unfavorable exposure  
( 00465 conditions, etc. In addition, some insects are less  
00466 susceptible to hydrogen phosphide than others. To maximize  
00467 control, extreme care must be observed in sealing, higher  
00468 dosages must be used, exposure periods must be lengthened,  
00469 proper application procedures must be followed, and  
00470 temperature and humidity must be favorable.  
00471

00472 C. USE PATTERN  
00473 1. INSECT PESTS  
00474 Both pellets and tablets are registered with the U. S.  
00475 Environmental Protection Agency as an aid in the control  
00476 of the following insects:  
00477

00478 almond moth	khapra beetle
00479 angoumois grain moth	lesser grain borer
00480 bean weevil	maize weevil
00481 cadelle	Mediterranean flour moth
00482 cereal leaf beetle	pink bollworm
00483 cigarette beetle	raisin moth
00484 confused flour beetle	red flour beetle
00485	

00486	dermestid beetles	rice weevil
00488	dried fruit beetle	rusty grain beetle
00489	dried fruit moth	saw-toothed grain beetle
00490	European grain moth	spider beetles
00491	flat grain beetle	tobacco moth
00492	fruit fly	yellow meal worm
00493	granary weevil	Africanized bee
00494	greater wax moth	honey bee invested
00495	hairy fungus beetle	with tracheal mite
00496	Hessian fly	
00497	Indian meal moth	

## 2. COMMODITIES

Both Detia(R) Pellets and Tablets are registered by EPA for the fumigation of the following commodities.

### a. Raw Agricultural Commodities

00506	almonds	pistachio nuts
00507	barley	popcorn
00508	Brazil nuts	rice
00509	cashews	rye
00510	cocoa beans	safflower seed
00511	coffee beans	sesame seed
00512	corn	seed & pod vegetables
00513	cottonseed	sorghum
00514	dates	soybeans
00515	filberts	sunflower seeds
00516	flower seed	triticale
00517	grass seed	vegetable seed
00518	millet	walnuts
00519	oats	wheat
00520	peanuts	
00521	pecans	

### b. Processed Foods

The listed processed foods may be fumigated with Detia(R). Under no condition shall any processed food or bagged commodity come in contact with Detia(R) tablets, pellets or residual dust except that Detia(R) may be added directly to processed brewers rice, malt and corn grits for use in the manufacture of beer.

Processed candy and sugar  
 Cereal flours and bakery mixes  
 Cereal foods (including cookies, crackers, macaroni, noodles, pasta, pretzels, snack foods and spaghetti)  
 Processed cereal grains (including milled fractions and packaged cereals)  
 Cheese and cheese by-products

00542 Chocolate and chocolate products (assorted  
00544 chocolate, chocolate liquor, cocoa, cocoa powder,  
00545 dark chocolate coating and milk chocolate)  
00546 Processed coffee  
00547 Corn grits  
00548 Cured, dried and processed meat products and dried  
00549 fish  
00550 Dates  
00551 Dried eggs and egg yolk solids  
00552 Dried milk, dried powdered milk, nondairy creamers,  
00553 and nonfat dried milk  
00554 Dried or dehydrated fruits (apples, dates, figs,  
00555 peaches, pears, prunes, raisins and sultanas)  
00556 Dried and dehydrated vegetables (beans, carrots,  
00557 lentils, peas, potato flour, potato products  
00558 and spinach  
( 00559 Figs  
00560 Malt  
00561 Peanuts  
00562 Processed herbs, spices, seasonings and condiments  
00563 Processed nuts (almonds, apricot kernels, Brazil  
00564 nuts, cashews, filberts, pecans, pistachio nuts and  
00565 walnuts)  
00566 Processed oats (including oatmeal)  
00567 Rice (brewers rice grits, enriched and polished,  
00568 wild rice)  
00569 Soybean flour and milled fractions  
00570 Processed tea  
00571 Yeast (including primary yeast)  
00572  
00573 U c. Animal Feed and Feed Ingredients  
00575  
( 00576 U d. Nonfood Products  
00578  
00579 Animal hide  
00580 Clothing  
00581 Processed or unprocessed cotton, wool and  
00582 other natural fibers or cloth  
00583 Feathers  
00584 Furs  
00585 Human hair, rubberized hair, vulcanized hair, mohair  
00586 Leather products  
00587 Tobacco  
00588 Wood, cut trees, wood chips and wood and bamboo  
00589 products  
00590 Paper and paper products  
00591 Dried plants and flowers  
00592 Seeds (grass seed, ornamental herbaceous plant seed  
00593 and vegetable seed)  
00594 Straw or hay  
00595 Tires (for mosquito control)  
00596  
00597 D. DOSEAGE GUIDE



Since hydrogen phosphide is a mobile gas and will penetrate to all parts of the storage structure, dosage must be based upon the total volume of the space being fumigated and not on the amount of bulk commodity it contains. For example, the same amount of Detia(R) is required to treat a 30,000 bushel silo whether it is full or not. The following dosage ranges are allowed for bulk and space fumigations.

# DOSEAGE GUIDE

PRODUCT	PER 1000 CU. FT.	PER 1000 BU. STORAGE CAPACITY
PELLETS	100 - 725	125 - 905
TABLETS	20 - 145	25 - 180

NOTE: The maximum dosage allowed for dates, nuts and dried fruits is 40 tablets or 200 pellets per 1000 cubic feet.

These dosages should not be exceeded. It is important to realize that shortened exposure period cannot be compensated for with an increased dosage.

The wide dosage ranges listed above are designed to accommodate the variety of fumigation situations that might occur. The major factor in selecting dosage is the capability of the structure to hold hydrogen phosphide during the exposure period and thus obtain and sustain lethal concentrations throughout. It is more difficult to obtain penetration of gas throughout the structure in bulk stored commodities. An example of this is the treatment of grain stored in flat storage in which fumigant cannot be uniformly added to the grain but must be probed or surface applied.

Although it is permissible to choose from the full range of dosages listed above, the following dosage ranges are recommended for the various types of fumigations.

## RECOMMENDED DOSAGES FOR SEVERAL TYPES OF FUMIGATIONS

TYPE OF FUMIGATION	DOSAGE RANGE		UNIT OF VOLUME
	PELLETS	TABLETS	
1. SPACE (INCLUDING PACK-AGED COMMODITIES)			
A. MILLS, WAREHOUSES,	100-300	20-60	1000 CU. FT.

00655	ETC.			
00656	B. BAGGED COMMODITIES	150-300	30-60	1000 CU. FT.
00658	C. DRIED FRUITS, NUTS	100-200	20-40	1000 CU. FT.
00659	AND DATES			
00660	D. STORED TOBACCO	100-200	20-40	1000 CU. FT.
00661				
00662	2. BULK STORED COMMODITIES			
00663	A. VERTICAL STORAGE	150-300	30-60	1000 CU. FT.
00664		200-375	40-75	1000 BUSHELS
00665				
00666	B. TANKS	200-350	40-70	1000 CU. FT.
00667		250-450	50-90	1000 BUSHELS
00668				
00669	C. FLAT STORAGE	250-725	50-145	1000 CU. FT.
00670	(LOOSE CONSTRUCTION)	320-900	65-180	1000 BUSHELS
00671				
00672	D. FARM BINS	350-725	70-145	1000 CU. FT.
00673		450-900	90-180	1000 BUSHELS
00674				
00675	E. RAIL CARS	150-350	30-70	1000 CU. FT.
00676		200-450	40-90	1000 BUSHELS
00677				
00678	F. BUNKERS, TARPED	150-350	30-70	1000 CU. FT.
00679	GROUND STORAGE	200-450	40-90	1000 BUSHELS
00680				
00681	G. BARGES	150-400	30-80	1000 CU. FT.
00682		200-375	40-75	1000 BUSHELS
00683				
00684	H. SHIPHOLDS	150-330	30-66	1000 CU. FT.
00685		200-413	40-83	1000 BUSHELS
00686				

\*Volume or storage capacity of the area being treated.

The upper dosages listed are recommended in structures that are of loose construction.

#### E. SEALING

There are many factors affecting a fumigation but most are minor compared to sealing. Proper sealing is necessary to insure effective control of insects and to protect man and other forms of life in adjoining enclosed areas from hydrogen phosphide during the fumigation. Proper sealing must include the closure of all openings except tiny holes or narrow cracks that are very difficult to seal. Maximum results, however, can be achieved if even these are sealed. Polyethylene sheeting and masking or duct tape are adequate sealing materials. Contact Research Products Company for additional information.

#### F. EXPOSURE GUIDELINES

00709  
00710  
00711  
00712  
00713  
00714  
00715 U  
00717  
00718  
00720  
00721  
00722  
00723  
00724  
00725  
00726  
( 00727  
00728  
00729  
00730  
00731  
00732  
00733  
00734  
00735  
00736  
00737  
00738  
00739  
00740  
00741  
00742  
( 00743  
00744  
00745  
00746  
00747  
00748  
00749  
00750  
00751  
00752  
00753  
00754  
00755  
00756  
00757  
00758  
00759  
00760  
00761  
00762  
00763

The following table may be used as a guide in determining the minimum length of the exposure period at the indicated temperatures.

TEMPERATURE TO WHICH FUMIGANT AND/OR INSECTIS ARE EXPOSED	PELLETS	TABLETS
	-----	-----
Below 40 F	Do Not Fumigate	Do Not Fumigate
40 F - 53 F	8 days(192 hrs.)	10 days(240 hrs.)
54 F - 59 F	4 days (96 hrs.)	5 days (120 hrs.)
60 F - 68 F	3 days(72 hrs.)	4 days(96 hrs.)
Above 68 F	2 days(48 hrs.)	3 days(72 hrs.)

The length of the fumigation must be great enough so as to provide for adequate control of the insect pests which infest the commodity being treated. It is necessary to lengthen the fumigation at lower temperatures since insects are more difficult to kill under these conditions. In this regard, the temperature to which the insects are exposed is the critical factor.

There is little to be gained by extending the exposure period if the structure to be fumigated has not been carefully sealed. Careful sealing is required to ensure that adequate gas levels are retained. Proper application procedures must be followed to provide satisfactory distribution of hydrogen phosphide gas particularly in the fumigation of bulk commodity contained in large storages.

When pellets or tablets are not uniformly added to a bulk commodity mass (i.e. surface application or shallow probing) exposure times must be substantially lengthened to allow penetration of gas throughout the commodity. As a "rule of thumb" a minimum of 1 day should be added to the exposure time listed above for each 10 feet the gas must penetrate downward. It is preferable to add 2 days for each 10 feet. Some structures can only be treated when completely tarped.

In addition, the fumigation period should be long enough that the production of hydrogen phosphide has essentially ceased. This will minimize worker exposure during further storage and/or processing of the treated bulk commodity as well as reduce hazards in the disposal of spent aluminum phosphide products remaining after space fumigations. Temperature and humidity to which Detia(R) Pellets and Tablets are exposed are important to this determination since both lower temperatures and/or dry air retard gas release.

Consequently, exposure periods recommended in the table are minimum periods and may not be adequate to control all stored product pests under all conditions. This is particularly

00764 true at lower temperatures (below 60 degrees F). Nor will  
00765 they always provide for the cessation of the production of  
00766 hydrogen phosphide when pellets or tablets are exposed to  
00767 inadequate moisture levels. Grain at 70 degrees F and 12  
00768 percent moisture provides more than adequate conditions for  
00769 fumigation.

00770  
00771 If the temperature to which the insects are exposed is  
00772 warmer than the temperature to which the pellets or tablets  
00773 are exposed (i.e. may occur in a winter space fumigation),  
00774 it may be possible to obtain an effective insect kill before  
00775 the fumigant is totally spent. In this event it is  
00776 permissible to conclude a space fumigation as soon as an  
00777 effective kill has been achieved, however in this event the  
00778 pellets or tablets must be deactivated prior to disposal.  
00779 See deactivation instructions on page of this manual.  
00780

( 00781  
00782 Whenever possible, exposure periods should exceed minimum  
00783 periods listed on page . Remember, the key to  
00784 effective results lies with correct dosage, long exposure  
00785 periods, proper application procedures and well sealed  
00786 enclosures.  
00787

00788 R G. APPLICATION PROCEDURES

00790 1. GENERAL STATEMENT

00791

00792

00793

00794

00795

00796

00797

00798

00799

00800

00801

00803 U

00804

00805

00806

00807

00808 U

00810

00811

00813 U

00814

00815

00816

00817

00818

00819

00820

00821

00822

00823

00824

00825

00826

00827

00828

00829

00830

00831

00832

00833

00834

00835

00836

00837

00838

00840

00841

00842

00843

00844

00845

The following instructions are intended to provide general guidelines for typical fumigations. These instructions are not intended to cover every type of situation nor are they meant to be restrictive. Other procedures may be used if they are safe, effective and consistent with the properties of aluminum phosphide products.

2. APPLICATION PROCEDURES FOR DIRECT ADDITION OF PELLETS OR TABLETS TO BULK COMMODITIES.

a. Commodities: Listed raw agricultural commodities, seeds, wood chips, animal feed and feed ingredients, and processed brewers rice, malt and corn grits used in the manufacture of beer.

b. Storage Structures: Bins, tanks, silos, granaries, flat storage, bunkers, bulk rail cars, etc.

c. Procedures For Vertical Storage: (concrete upright bins and other silo type bins that can be quickly transferred)

(1) For best results all cracks and openings with the exception of fill openings should be closed or sealed prior to fumigating the bin. To this end, vents near the bin top connecting adjacent bins should be sealed prior to the fumigation. If the bin is entered to seal these openings after the fumigant has been added, proper respiratory protection must be worn.

(2) Determine minimum exposure time based on commodity temperature and moisture. At commodity moistures of below 11.5%, exposure periods should be extended to obtain complete reaction of the fumigant.

(3) Calculate the number of pellets or tablets needed and the rate at which they must be added based upon the rate at which the bin will be filled.

(4) Pellets or tablets may be applied by hand or by an automatic dispenser on the headhouse/gallery belt or into the fill opening. An automatic dispenser may also be used to add fumigant into the upleg of the elevator. Add fumigant in as continuous a manner as possible to the commodity stream.

(5) Seal the bin deck openings after the application is complete.

(6) Vertical bins can also be fumigated by deep

probing.

(7) Bins requiring more than 24 hours to fill should not be fumigated by direct addition as the bin is filled. These bins must be fumigated by probing, surface application, or other appropriate methods.

(8) Post "DANGER" placards on all entrances and on the discharge gate.

(9) Bins needn't be aerated until they are transferred. Workers must not be over exposed during this transfer.

d. Procedures For Flat Storage: (rectangular shaped bins, tanks, farm style bins and other horizontal bins)

(1) Check the storage for tightness.

(2) To the extent practical, seal any vents, cracks or other sources of leaks.

(3) Determine application procedure to be used. This can include shallow probing, deep probing, uniform addition as the bin is filled, or surface application.

Bins requiring more than 24 hours to fill should not be fumigated by addition as the bin is filled since large quantities of gaseous fumigant may escape before the bin is finally sealed.

Probes should be inserted at horizontal intervals along the length and width of the bin. The number of pellets or tablets per probe is determined by dividing the total number of pellets or tablets by the total number of probings. Pellets or tablets will be dropped into the probes at intervals as the probe is withdrawn. Releasing all the fumigant into the probe at once may retard the production of hydrogen phosphide and might cause an ignition of gas trapped in the clump of pellets or tablets.

Surface application can be used if the bin can be made sufficiently gas tight to contain the fumigant long enough for it to penetrate throughout. In this instance it is advisable to place 1/4 of the dosage in the floor level aeration ducts. This fumigant must not contact liquid phase water.

(4) Determine dosage and exposure time. The dosage will depend in large part on a combination of the tightness of the seal, the application procedure and the grain depth. The poorer the seal and the farther the gas must penetrate to

00901  
00902  
00903  
00904  
00905  
00906  
00907  
00908  
00909  
00910  
00911  
00912  
00913  
00914  
00915  
00916  
( 00917  
00918  
00919  
00920  
00921  
00922  
00923  
00924  
00925  
00926  
00927  
00928  
00929  
00930  
00931  
00932  
( 00933  
00934  
00935  
00936  
00937  
00938  
00939  
00940  
00941  
00942 U  
00943 U  
00944  
00945  
00946  
00947  
00948  
00949  
00950  
00951  
00952  
00953  
00954  
00955  
00956

reach throughout the bin the higher the required dosage will be. For good results add the length of time required for the gas to penetrate throughout the bin to the exposure time given on page of this manual. To the extent possible, lengthen the exposure period. As a "rule of thumb" a minimum of 1 day should be added to the exposure time for each 10 feet the gas must penetrate downward. It is preferable to add 2 days for each 10 feet.

Exposure periods listed on page of this manual should also be lengthened at commodity moistures below 11.5% to obtain complete reaction of the fumigant.

- (5) Arrange enough applicators and other workers to complete the job quickly enough to avoid excessive exposure to hydrogen phosphide gas. The production of gas during application can be significantly retarded by venting flasks outdoors, conducting fumigations when temperatures in the bin are lowest, and other work practices. It is often advisable to wear approved respiratory protection from start to finish. Monitoring with a suitable detection device is required to assure that the 0.3 ppm 8 hour TWA is not exceeded. See "Industrial Hygiene Monitoring" section on page of this manual.
- (6) It is often advisable as an additional sealing measure to cover the commodity with plastic tarps.
- (7) Seal all remaining exits.
- (8) Post "DANGER" placards on and lock all entrances.
- (9) The bin needn't be aerated unless reentry is required. Consult safety procedures listed elsewhere in labeling.

e. Procedures for Bunkers and Other Outdoor Tared Commodities:

- (1) See steps "3" and "4" in section "d" above.
- (2) When tarps are being spread over ground storage they should be glued, clamped or otherwise sealed together. Sand or water snakes can be used for a ground seal.
- (3) Application may be made through slits in the tarp or the tarp can be spread over the

00957 commodity after application. Seal slits after  
 00958 application.  
 00959

(4) Post "DANGER" placards.

(5) This is an outdoor application so safety  
 monitoring and respiratory equipment are not  
 required.

f. Procedures for Rail Cars, Containers, Trucks, and  
 other Transport Vehicles:

Rail cars, containers, trucks, and other transport  
 vehicles loaded with bulk commodities to which  
 Dettia(R) Tablets or Pellets may be added are treated  
 in essentially the same way as any other storage  
 facility. Dettia (R) may be added as the vehicle is  
 being filled, the dose may be scattered over the  
 surface after loading has been completed or the  
 tablets or pellets may be probed below the surface.  
 Carefully seal any vents, cracks or other leaks  
 particularly if the fumigation is to be carried out  
 intransit. Remember, rail cars and containers  
 shipped piggyback by rail may be fumigated  
 intransit, but it is not legal to move trucks,  
 trailers, etc., over public roads or highways until  
 they are aerated. See section "III.J" on page  
 of this manual for recommendations on placarding,  
 commodity aeration and training of persons  
 authorized to remove placarding.

Notify the consignee if the commodity is to be shipped  
 under fumigation. If the consignee is unfamiliar with  
 proper handling of fumigated rail cars, it is recommended  
 that they be provided with the necessary information.

g. Procedures for Farm Storage:

(1) General

Since on farm storage is almost always flat storage,  
 refer to "Procedures for Flat Storage" on page of  
 this manual. The instructions which follow provide  
 additional guidance.

(2) Sealing

Leakage is the single most important cause of  
 failure in the treatment of farm bins. Since  
 these bins are usually small by comparison they  
 have a higher leakage area in proportion to  
 their capacity. Most wooden granaries are so  
 porous that they cannot be successfully  
 fumigated unless they are completely covered  
 with plastic sheeting or similar tarp. Steel



- 01014 bins are also usually of very loose construction  
01015 and therefore, require much attention to sealing.  
01016 All vents and aeration ducts must be tightly  
01017 sealed using 4 mil polyethylene sheeting or its  
01018 equivalent. The plastic must be sealed directly  
01019 to the metal with tape or other adhesive. It is  
01020 not sufficient to "cinch up" the plastic as with  
01021 a belt. The surface of the grain should be  
01022 covered with plastic sheeting after Detia(R) has  
01023 been applied. Tarping of the grain surface will  
01024 greatly reduce leakage. Other sealing  
01025 techniques are recommended, i.e. closure of all  
01026 large cracks with caulking, foam insulation or  
01027 other sealant. Sealing these cracks will  
01028 greatly reduce the required dosage. Two mil or  
01029 thicker plastic can be used for tarping the  
( 030 grain surface, however, the plastic used on the  
01031 outside of the bin should be at least 4 mils.  
01032 When an entire structure is tarped the plastic  
01033 must be at least 6 mils thick to prevent  
01034 excessive tearing during the fumigation.  
01035  
01036 (3) Dosage  
01037 Unless all the large cracks are sealed as described  
01038 above the dosage recommended should be 90-180 tablets  
01039 or 450-900 pellets per 1000 bu. capacity of the space  
01040 under the plastic tarp.  
01041  
01042 (4) Additional Application Instructions  
01043 Probing tablets or pellets into the grain mass  
01044 is the recommended method of application. Probe  
01045 insertions should be scattered evenly over the  
( 046 surface. A rigid PVC pipe, about 5 to 7 feet  
01047 long and 1 1/4 inch diameter can be used. In  
01048 this event, use about 20-50 tablets or 100-250  
01049 pellets per probe. The fumigant is gradually  
01050 released into the probe as it is withdrawn from  
01051 the grain. Releasing all the fumigant into the  
01052 probe at once may retard the production of  
01053 hydrogen phosphide and might cause an ignition  
01054 of gas trapped in the clump of pellets or  
01055 tablets. Place no more than 1/4 of the total  
01056 dose in floor level aeration ducts. Be sure the  
01057 inside of the aeration duct is dry before adding  
01058 the pellets or tablets. Addition of Detia(R) to  
01059 water in an aeration duct can cause a fire.  
01060 Seal the aeration fan as described above.  
01061  
01062 (5) Additional Precautions  
01063 Do not fumigate bins that will be entered by humans or  
01064 animals prior to aeration. Do not fumigate areas which  
01065 house equipment containing copper or other metals which  
01066 will be corroded by hydrogen phosphide. This includes  
01067

electrical and electronic equipment.

Place "DANGER" placards on entrances to the bin and near the ladder. See section on "PLACARDING OF FUMIGATED AREAS" on page of this manual.

If monitoring equipment is not available, an approved canister respirator must be worn for indoor application. If an approved respirator is not available, application must be done from outside of the site to be fumigated. Also refer to all other precautions given in this manual.

(6) Post Aeration Treatment

It is good practice to spray the grain surface with an approved insecticide protectant to retard reinfestation and to fog the space above the grain to kill existing adult flying insects.

3. APPLICATION PROCEDURES FOR SPACE FUMIGATIONS.

a. Procedures for Mills, Warehouses, Food Processing Plants, Chambers, Trucks, Trailers, Containers and other Static Sealable Enclosures

- (1) Determine the dosage of tablets or pellets to be applied based upon the following parameters for space fumigation:

- The volume of the structure
- The air and/or commodity temperature
- The general tightness of the structure to be fumigated.

- (2) Determine exposure period based on the "Exposure Guide" on page of this manual.

- (3) Seal all openings except for the door being used to enter and leave. Pay particular attention to openings to connecting or adjacent structures.

- (4) Place trays or sheets of Kraft paper or foil, up to 12 sq. ft. (1.1 sq. m) in area, in the floor throughout the structure to hold Dettia(R) Tablets or Pellets.

- (5) Spread Dettia(R) on the sheets at a density no greater than 30 tablets per sq. ft. or 75 pellets per sq. ft. This corresponds to slightly more than one half flask of tablets or one half flask of pellets per 3'x4' sheet. Check to see that they have not piled up and that they are spread out evenly to minimize contact between the individual tablets or pellets.

- 01125  
01126  
01127  
01128  
01129  
01130  
01131  
01132  
01133  
01134  
01135  
01136  
01137  
01138  
01139  
01140  
01141  
01142  
01143  
01144  
01145  
01146  
01147  
01148  
01149  
01150  
01151  
01152  
01153  
01154  
01155  
01156
- (6) Pellets and tablets may also be applied in moisture permeable envelopes to fumigate commodities. When fumigating in this way the envelopes must be fastened to a substantial support. Place no more than 10 pellets nor more than 2 tablets into one envelope. Detia(R) Pellets and Tablets shall not be placed in or attached to commodity packages intended for retailers.
- (7) When fumigating multiple story buildings, each floor is considered a separate enclosure. Application should begin with the top floor and end with the ground floor.
- (8) Seal all remaining exits.
- (9) Flacard and lock all entrances.
- (10) Aerate the structure upon completion of the exposure period. Standard aeration time and practices should be developed using a low level detection device. Practices will vary widely at different sites but will usually include opening windows, doors, and vents and activating any ventilation equipment. Reentry of an unaerated structure must be done in pairs wearing appropriate respiratory equipment.
- (11) Dispose of remaining dust from tablets or pellets. SEE "STORAGE AND DISPOSAL" on page of this manual. Avoid breathing the dust.

01158 U  
01159  
01160  
01161  
01162  
01163  
01164  
01165  
01166  
01167  
01168  
01169  
01170  
01171  
01172  
01174  
01175  
01176  
01177  
01178  
01179

b. Procedures for Space Fumigations Under Tares:

- (1) General  
Follow the pertinent instructions given immediately above in part "a".  
  
Use of plastic sheeting or tarpaulins to provide a fumigation enclosure is one of the easiest and least expensive means for providing relatively gas tight enclosures which are very well suited for fumigation. Plastic tarps are penetrated only very slowly by hydrogen phosphide gas, and tight coverings are readily formed from the sheets. The volume of these enclosures may vary widely.
- (2) Sealing  
An enclosure suitable for fumigation may be formed by covering packaged commodities with plastic sheeting. The sheets may be taped, glued, or clamped together to provide a sufficient width of material to ensure that adequate sealing is obtained. If the flooring upon

01180 which the commodity rests is of wood or other porous  
01181 material, it should be repositioned onto plastic  
01182 sheeting prior to covering for fumigation. The plastic  
01183 covering of the pile may be sealed to the floor using  
01184 tape, glue, sand or water snakes, by shoveling soil or  
01185 sand onto the ends of the plastic covering or by other  
01186 suitable procedures. The plastic covering should be  
01187 reinforced by tape or other means around any sharp  
01188 corners or edges in the stack so as to reduce the risk  
01189 of tearing. Thinner sheeting, about 2 mils, is  
01190 suitable for most indoor tarp fumigations. However, 4  
01191 mil plastic or thicker is more suitable for outdoor  
01192 applications where wind or other mechanical stresses  
01193 are likely to be encountered.  
01194

( 01195 (3) Additional Application Instructions

01196 Tablets or pellets may be applied under the edge  
01197 of the tarp or through slits. The pellets or  
01198 tablets should be protected from condensation or  
01199 other source of water. The slits in the  
01200 covering should be carefully taped to prevent  
01201 loss of gas once the dose has been applied.  
01202 Pellets or tablets must be placed in a single  
01203 layer. Care should be taken to prevent the  
01204 plastic tarp from covering the pellets or  
01205 tablets in such a way as to prevent contact with  
01206 moist air or to confine the gas. Refer to other  
01207 sections for dosage and exposure times.  
01208

01209 (4) Additional Precautions

01210 See appropriate precautions if the fumigation is  
01211 conducted indoors as opposed to outdoors.  
( 01212 Indoor fumigation precautions are handled as any  
01213 other situation where the application is made  
01214 from outside the area being fumigated (i.e., the  
01215 adding of pellets or tablets to a dispenser for  
01216 uniform addition to grain). Workers may occupy  
01217 adjacent indoor areas but they must be protected  
01218 from overexposure to hydrogen phosphide by  
01219 adequate sealing, ventilation or as a last  
01220 resort, respiratory equipment.  
01221

01222 Do not walk on stacks during the fumigation.  
01223

01224 Place "DANGER" placards at conspicuous points on the  
01225 enclosure.  
01226

01227 Follow precautions listed elsewhere in labeling.  
01228

01229 (5) Aeration

01230 Precautions must be taken to assure that  
01231 exposure to hydrogen phosphide in excess of  
01232 allowed limits does not occur both during the  
01233

fumigation and aeration.

4. APPLICATION PROCEDURES FOR INTRANSIT FUMIGATION OF SHIP  
HOLDS

a. General Information:

- (1) Shipboard fumigation is also regulated by the U.S. Coast Guard Regulations 46 CFR 147A.
- (2) This product is toxic to fish. Keep out of lakes, streams and other aquatic environments. Do not contaminate water by cleaning equipment or disposal of wastes.

b. Pre-Voyage Fumigation Procedures and Precautions:

- (1) Refer to and comply with the regulations and procedures found in U.S. Coast Guard Regulation, 46 CFR 147A.
- (2) Prior to fumigating a vessel for intransit cargo fumigation, the master of the vessel or his representative, and the fumigator must determine whether the vessel is suitably designed and configured so as to allow for safe occupancy by the ship's crew throughout the duration of the fumigation/voyage.

If it is determined that the design and configuration of the vessel does not allow for safe occupancy by the ship's crew throughout the duration of the fumigation/voyage, then the vessel will not be fumigated unless all crew members are removed from the vessel. The crew members will not be allowed to re-occupy the vessel until the vessel has been properly aerated and a determination has been made by the master of the vessel and the fumigator that the vessel is safe for occupancy.

- (3) The person responsible for the fumigation must notify the master of the vessel or his representative of the requirements relating to personal protection equipment\*, low range detection equipment and that a person qualified in the use of this equipment must accompany the vessel with cargo under fumigation. Emergency procedures, cargo ventilation, periodic monitoring and inspections, and first aid measures must be discussed with and understood by the master of the vessel or his representative.
- (4) Seal all openings to the cargo hold or tank using suitable, water proof, gas tight materials. Lock

01290 and/or otherwise secure all openings, manways, etc.  
01291 used to enter the hold. Post appropriate "DANGER"  
01292 placards on same.  
01293

- 01294 (5) On tankers the over-space pressure relief system  
01295 of each tank must be sealed by (1) the closing  
01296 of appropriate valves and (2) sealing the  
01297 openings into the over-space with gas tight  
01298 materials.  
01299

- 01300 (6) Contact appropriate authorities.  
01301

- 01302 (7) If the fumigation is not completed and the vessel  
01303 aerated before the manned vessel leaves port, the  
01304 person in charge of the vessel shall insure that at  
01305 least two units of personal protection equipment and  
( 01306 one gas or vapor detection device and a person  
01307 qualified in their operation be on board the vessel  
01308 during the voyage.  
01309

- 01310 (8) During the fumigation or until a manned vessel  
01311 leaves port or the cargo is aerated, the person in  
01312 charge of the fumigation shall insure that a qualified  
01313 person using gas or vapor detection equipment test  
01314 spaces adjacent to the fumigated cargo area and all  
01315 regularly occupied spaces for fumigant leakage.  
01316

01317 If leakage of the fumigant is detected, the person in  
01318 charge of the fumigation shall take action to correct  
01319 the leakage or shall inform the master of the vessel or  
01320 his representative of the leakage so that corrective  
01321 action can be taken.  
( 01322

- 01323 (9) Review with the master, or his representative, the  
01324 voyage precautions and procedures.  
01325

01326 \*Personal protection equipment means a  
01327 respirator or gas mask fitted with a canister  
01328 designed for phosphine gas which is approved by  
01329 NIOSH/MSHA. A gas mask and canister is approved  
01330 for use up to 15 ppm. Above 15 ppm or at  
01331 unknown concentrations a SCBA or its equivalent  
01332 must be used.  
01333

01334 U c. Procedures for Bulk Dry Cargo Vessels and Tankers:  
01336

- 01337 (1) Apply either the tablets or pellets by scattering  
01338 them uniformly onto the commodity surface utilizing as  
01339 much of the total surface area as possible, or insert  
01340 them uniformly into the commodity mass by hand or with  
01341 probes to any depth desired.  
01342

- 01343 (2) Close and secure hatch covers, tank tops,  
01344

01345 butterworths, etc. immediately following application.

01346

01348 U

d. Voyage Precautions and Procedures:

01349

01350

01351

01352

01353

01354

01355

01356

01357

01358

01359

01360

01361

( 01362

01363

01364

01365

01366

01367

01368

01369

01370

01371

01373 U

01374

01375

01376

01377

01378

( 01379

01380

01381

01383 U

01384

01385

01386

01387

01388

01389

01390

01391

01392

01393

01394

01396

01397

01398

01399

01400

01401

(1) At regular intervals monitor spaces adjacent to areas containing fumigated cargo and all regularly occupied areas for fumigant leakage using appropriate gas detection equipment.

Special attention should be given to living quarters, kitchens, storerooms, mess halls, keel ducts, day rooms, the bridge, engine room and any other enclosed spaces occupied or frequented by crew members during a voyage.

(2) If hydrogen phosphide is detected, evacuate the space or area, locate and seal off the source of the leak wearing appropriate respiratory protection equipment. Ventilate the area before allowing occupants to return.

(3) Do not enter fumigated holds or tanks.

(4) Do not open, ventilate or aerate the fumigated holds during the voyage.

e. Precautions and Procedures During Discharge:

If necessary to enter holds prior to discharge, test spaces directly above cargo surface for fumigant concentration, using appropriate gas detection and personal protection equipment. Do not allow entry to fumigated areas without personal protection equipment, unless fumigant concentrations are at safe levels, as indicated by a suitable detector.

f. Personal Protective Equipment and Monitoring:

(1) Fully loaded holds on dry bulk carriers are considered an outdoor fumigation.

(2) Tanker holds which must be entered to fumigate and partially loaded holds on dry bulk carriers are fumigated from within the area being treated.

(3) See sections "I" and "M" on pages of this manual for requirements.

(4) If hydrogen phosphide is detected a minimum of two qualified persons on ship should wear the gas mask and canister described above while aerating the area and locating and sealing the leak.

5. APPLICATION PROCEDURES FOR INTRANSIT FUMIGATION OF CONTAINERS

01402  
01403  
01404  
01405  
01406  
01407  
01408  
01409  
01410  
01411  
01412  
01413  
01414  
01415  
01416  
01417  
( 01418  
01419  
01420  
01421  
01422  
01423  
01424  
01425  
01426  
01427  
01428 U  
01430  
01431  
01432  
01433  
01434  
( 01435  
01436  
01437  
01438  
01439  
01440  
01441  
01442  
01443  
01444  
01445 U  
01447  
01448  
01449  
01450  
01452  
01453  
01454  
01455 U  
01457  
01458

# ON SHIPS

- a. When fumigating bulk commodities to which direct addition of pellets or tablets is not allowed or packaged commodities, refer to section "3.a" on page of this manual. Do not place tablets loosely on trays or sheets of paper or foil since movement of the container may disrupt the correct placement of pellets or tablets. Instead they must be applied in moisture permeable envelopes as described in section "3.a.(6)".
- b. When fumigating a commodity by direct addition of pellets or tablets, refer to Section "2.f." on page of this manual.
- c. Intransit fumigation of containers on ships is regulated by Coast Guard Regulation 46 CFR 147A and the applicator or shipper must obtain and comply with U.S. Coast Guard Special permit No. 52-75. Contact the Coast Guard or Research Products Company for additional information.
- d. Comply with general precautions given in labeling.

## 6. APPLICATION PROCEDURES FOR FUMIGATION OF BARGES

### a. General

Since barge fumigation is a type of flat storage fumigation as well as having similarities in common with a ship, refer to the sections "Procedures for Flat Storage" on page and "APPLICATION PROCEDURES FOR INTRANSIT FUMIGATION OF SHIP HOLDS" on page .

Barge fumigation is regulated by the U. S. Coast Guard Regulations 46 CFR 147A as modified by U. S. Coast Guard Special Permit 2-75. The shipper or fumigator must possess this permit prior to fumigating. To obtain this permit contact

U.S. Coast Guard  
Hazardous Materials Branch  
Washington, D.C. 20593-0001.

### b. Sealing

Special care must be taken in determining whether a barge is suitable for fumigation. Excessive leakage may occur through poorly sealed hold covers.

## 7. APPLICATION PROCEDURES FOR FUMIGATION OF RODENT AND MOLE BURROWS

### a. List of Burrowing Pests

Detia(R) Tablets and Pellets may be used out of doors only for the control of the following burrowing rodents and



01459 moles; marmot sp. - woodchucks and yellow-belly marmots  
 01460 (rockchucks), prairie dogs (except Utah prairie dog),  
 01461 Norway and roof rats, mice, ground squirrels, moles (except  
 01462 in Indiana), voles, gophers and chipmunks (except in  
 01463 California).  
 01464

b. Application Instructions

Add from 1 to 4 Detia(R) Tablets or 5 to 20 Detia(R) Pellets to each burrow opening. Seal tightly by shoveling soil over the entrance. Place the pellets or tablets far enough down the burrow that the soil used to plug the burrow doesn't cover the pellets or tablets, slowing down their action. Where possible, subsurface tunnels or runways should be treated every 5 to 10 feet with a dose of 2 to 4 tablets or 10 to 20 pellets. Use lower rates in smaller burrows, in tight soils, under moist soil conditions and higher rates in larger burrows, in porous soils and/or when soil moisture is low. In extremely dry or porous soil, it is sometimes not possible to obtain satisfactory results. This is particularly true in instances where the burrow systems are extensive such as moles or gophers. It is always better not to fumigate during extended periods of dry weather. Treat reopened burrows and fresh runways a second time 1 to 3 days after the initial treatment.

Detia(R) may be used out of doors only, for control of burrowing pests. Do not use within 15 feet (5 meters) of inhabited structures. Do not apply to burrows which may open under or into occupied buildings.

c. Environmental Hazards

This product is highly toxic to wildlife. Non-target organisms exposed to hydrogen phosphide gas in burrows will be killed. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water by cleaning of equipment or disposal of wastes.

d. Endangered Species Restrictions

The use of Detia(R) ROTOX(R) in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal laws. Before using this pesticide on range and/or pastureland in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your county extension agent, state fish and game office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR

01515 PROTECTION OF ENDANGERED SPECIES is a violation of  
01516 federal laws.  
01517  
01518 Even if applicable county bulletins do not prohibit  
01519 the use of this product at the intended site of  
01520 application, you may not use this product for  
01521 control of prairie dogs in the states of Arizona,  
01522 Colorado, Kansas, Montana, Nebraska, New Mexico,  
01523 North Dakota, Oklahoma, South Dakota, Texas, Utah or  
01524 Wyoming unless a pre-control survey has been  
01525 conducted. Contact the nearest U.S. Fish and  
01526 Wildlife Service endangered species specialist to  
01527 determine survey requirements in your area. This  
01528 survey must be in compliance with the black-footed  
01529 ferret survey guidelines, developed by the U.S. Fish  
01530 and Wildlife Service, and a determination must be  
531 made in accordance with the guidelines that  
01532 black-footed ferrets are not present in the  
01533 treatment area.  
01534

01535 CALIFORNIA

01536 Fresno, Inyo, Kern, Kings, Madera, Merced, Monterey,  
01537 San Benito, San Luis Obispo, Santa Barbara,  
01538 Stanislaus and Tulare  
01539

01540 FLORIDA

01541 Statewide  
01542

01543 GEORGIA

01544 Appling, Atkinson, Bacon, Baker, Ben Hill, Bleckley,  
01545 Berrien, Brantley, Brooks, Bryan, Bullock, Calhoun,  
01546 Camden, Candler, Charlton, Chatham, Clinch, Coffee,  
547 Colquitt, Cook, Crisp, Decatur, Dodge, Dooly,  
01548 Daugherty, Early, Echols, Effingham, Emanuel, Evans,  
01549 Glynn, Grady, Irwin, Jeff Davis, Jenkins, Johnson,  
01550 Lanier, Laurens, Lee, Liberty, Long, Lowndes, Macon,  
01551 McCintosh, Miller, Mitchell, Montgomery, Pierce,  
01552 Pulaski, Screven, Seminole, Telfair, Tattnall,  
01553 Thomas, Tift, Toombs, Treutlen, Turner, Ware, Wayne,  
01554 Wheeler, Wilcox and Worth  
01555

01556 NEW MEXICO

01557 Hidalgo  
01558

01559 UTAH

01560 Beaver, Garfield, Iron, Kane, Piute, Sevier,  
01561 Washington and Wayne  
01562

01563 WYOMING

01564 Albany  
01565

01566 U e. Special Local Restrictions  
01567

- 01570  
01571  
01572  
01573  
01574  
01575  
01576  
01577  
01578  
01579  
01580  
01581  
01582  
01583  
01584  
01585  
( 1586  
01587  
01588  
01589  
01590  
01591  
01592  
01593  
01594  
01595  
01596  
01597  
01598  
01599  
01600  
01601  
( 01602  
01603  
01604  
01605  
01606  
01607  
01608  
01609  
01610  
01611  
01612  
01613  
01614  
01615  
01616  
01617  
01618  
01619  
01620  
01621
- (1) NORTH CAROLINA  
Detia(R) Tablets and Pellets may only be used for control of rats and mice in the state of North Carolina. Use against other pests is not permitted.
- (2) OKLAHOMA  
A special permit for black-tailed prairie dog control by poisoning is required in Oklahoma. Contact the Oklahoma State Department of Wildlife Conservation to obtain this permit.
- (3) WISCONSIN  
A state permit is required for use of pesticides in Wisconsin to control small mammals, except rats or mice. Please contact your local Department of Natural Resources office for information.
- (4) INDIANA  
Use of Detia(R) Tablets or Pellets for mole control is not legal in the state of Indiana.
- (5) MISSOURI  
A state permit is required for use of pesticides in Missouri to control small mammals, except rats and mice. Please contact the Missouri Department of Conservation office for information.
- (6) KANSAS  
A special permit for black-tailed prairie dog control by poisoning is required in Kansas. Contact the Kansas Fish and Game Commission to obtain this permit.
- (7) CALIFORNIA  
Use of Detia(R) Tablets and Pellets for chipmunk control is not legal in the state of California.
8. APPLICATION PROCEDURES FOR FUMIGATION OF BEEHIVES, SUPERS AND OTHER BEEKEEPING EQUIPMENT
- Detia(R) Tablets and Pellets may be used for the control of the greater wax moth in stored beehives, supers and other beekeeping equipment and for the destruction of bees, Africanized bees, and diseased bees including those infested with tracheal mites and foulbrood. The recommended dosage for this use is 30-45 tablets or 150-225 pellets per 1000 cu. ft.
- Fumigations may be performed in chambers at atmospheric pressure, under tarpaulins, etc., by placing the tablets or pellets on trays or in moisture permeable envelopes. Do not add more than 2 tablets or 10 pellets to each envelope. Honey from treated hives or supers may only be used for bee food.

01624 R H. PROTECTIVE CLOTHING

01625 Wear dry gloves made of cotton or other material when  
01626 contact with tablets, pellets, or their dust is likely.

01627 Wash hands after use.

01628

01629 I. RESPIRATORY PROTECTION

01630 1. WHEN RESPIRATORY PROTECTION MUST BE WORN

01631 NIOSH/MSHA approved respiratory protection must be worn  
01632 during exposure to concentrations in excess of permitted  
01633 limits or when concentrations are unknown.  
01634

01635

01636 2. PERMISSIBLE GAS CONCENTRATION RANGES FOR RESPIRATORY  
01637 PROTECTION DEVICES  
01638

01639 A NIOSH/MSHA approved, full face gas mask - hydrogen  
01640 phosphide canister combination may be used at levels up  
01641 to 15 ppm or to escape from levels up to 1500 ppm.  
01642 Above this level or in situations where the hydrogen  
01643 phosphide concentration is unknown, a NIOSH/MSHA  
01644 approved, self-contained breathing apparatus (SCBA) or  
01645 its equivalent must be used. The NIOSH/OSHA Pocket  
01646 Guide, 8-85, DHEW/NIOSH 78-210, lists these and other  
01647 types of approved respirators and the concentration  
01648 limits at which they may be used.  
01649

01650

01651 3. REQUIREMENTS FOR AVAILABILITY OF RESPIRATORY PROTECTION

01652 Respiratory protection must be available at the site of  
01653 application in case it is needed when applying Detia(R)  
01654 from within the structure being fumigated. An approved  
01655 full face gas mask - phosphine canister combination or  
01656 self-contained breathing apparatus (SCBA) or its  
01657 equivalent must be available at the site of application.  
01658 If SCBA or its equivalent is not available at the  
01659 application site, it must be available locally, for  
01660 example, at a fire station or rescue squad.

01661

01662 Respiratory protection need not be available for  
01663 application from outside the area to be fumigated such  
01664 as addition of tablets or pellets to automatic  
01665 dispensing devices, etc., if exposures above the  
01666 permitted exposure limit will not be encountered.

01667

01668 Respiratory protection need not be available for outdoor  
01669 applications.  
01670

01671

01672 If monitoring equipment is not available on a farm and  
01673 application cannot be done from outside the structure,  
01674 an approved canister respirator must be worn during  
01675 application from within the enclosed indoor area.  
01676

01677

J. PLACARDING OF FUMIGATED AREAS

01678 The applicator must placard or post all entrances to the  
01679 fumigated area with signs bearing:  
01680

- 01681 1. The signal word "DANGER/PELIGRO" and the SKULL and  
01682 CROSSBONES symbol in red.
- 01683 2. The statement, "Area and/or commodity under fumigation,  
01684 DO NOT ENTER/NO ENTRE".
- 01685 3. The statement "This sign may only be removed after the  
01686 commodity is completely aerated (contains 0.3 ppm or  
01687 less phosphine gas). If incompletely aerated commodity  
01688 is transferred to a new site, the new site must also be  
01689 placarded and workers must not be exposed to more than  
01690 0.3 ppm phosphine."
- 01691 4. The date and time fumigation begins and is completed.
- 01692 5. Name of fumigant used.
- 01693 6. Name, address, telephone number of the applicator.

01694  
( 01695 All entrances to a fumigated area must be placarded. Where  
01696 possible, placards should be placed in advance of the  
01697 fumigation in order to keep unauthorized persons away. For  
01698 railroad hopper cars, placarding must be placed securely on  
01699 both sides of the car near the ladders and next to the top  
01700 hatch into which the fumigant is introduced.  
01701

01702 Do not remove a placard until the treated commodity is  
01703 aerated down to 0.3 ppm or less. To determine whether  
01704 aeration is complete, each fumigated site or vehicle must be  
01705 monitored and shown to contain 0.3 ppm or less hydrogen  
01706 phosphide gas in the air space around and, when feasible, in  
01707 the mass of the commodity.  
01708

01709 Transfer of incompletely aerated commodity to a new site is  
( 01710 permissible, however, the new storage must be placarded if it  
01711 contains more than 0.3 ppm hydrogen phosphide.  
01712

01713 Workers who handle incompletely aerated commodity must be  
01714 informed and appropriate measures must be taken (i.e.,  
01715 ventilation or respiratory protection) to prevent exposures  
01716 from exceeding the exposure limits for hydrogen phosphide.  
01717

01718 It is recommended that the person responsible for removing  
01719 the placards be familiar with the physical, chemical and  
01720 toxicological properties of hydrogen phosphide. They should  
01721 also be knowledgeable in how to take gas readings, exposure  
01722 limits, symptoms and first aid treatment for hydrogen  
01723 phosphide poisoning.  
01724

#### 01726 K. GAS DETECTION EQUIPMENT

01727 There are several reliable devices marketed. One type  
01728 is the hand pump when used in conjunction with the  
01729 appropriate detector tube. They are portable, simple  
01730 devices and do not require intensive training or elaborate  
01731 supporting equipment to operate. Furthermore, they are

01732 Inexpensively adaptable to remote monitoring procedures and .  
01733 will measure concentrations of hydrogen phosphide in air in  
01734 trace amounts on up. Use instructions are enclosed with  
01735 each purchase. Consult your local supplier of such  
01736 equipment or contact Research Products Company for more  
01737 information.  
01738

01739 L. AERATION OF FUMIGATED COMMODITIES

01740 1. FOODS AND FEEDS

01741 Tolerances for hydrogen phosphide residues have been  
01742 established at 0.1 ppm for animal feeds and 0.01 ppm for  
01743 finished foods. To guarantee compliance with these  
01744 tolerances, it is necessary to aerate these commodities  
01745 for 48 hours prior to offering them to the end  
01746 consumer.  
01747

( 01748 2. TOBACCO

01749 Tobacco must be aerated for at least three days (72  
01750 hours) when fumigated in hogsheads and for at least two  
01751 days (48 hours) when fumigated in other containers.  
01752 When plastic liners are used, longer aeration periods  
01753 will probably be required to aerate the commodity down  
01754 to 0.3 ppm.  
01755

01756 3. As an alternative to these aeration periods, each  
01757 container of a treated commodity may be analyzed for  
01758 residues using accepted analytical methods. If residues  
01759 are less than tolerance levels, the commodity may be  
01760 shipped to the consumer regardless of the above holding  
01761 periods.  
01762

01763 M. APPLICATOR AND WORKER EXPOSURE

( 01764 1. HYDROGEN PHOSPHIDE EXPOSURE LIMITS

01765 Exposure to hydrogen phosphide must not exceed the 8  
01766 hour TWA of 0.3 ppm for applicators and workers during  
01767 application. Application is defined as the time period  
01768 covering the opening of the first container, applying  
01769 the appropriate dosage of fumigant and closing up the  
01770 site to be fumigated. All persons in the treated site  
01771 and in adjacent indoor areas are covered by this  
01772 exposure standard.  
01773

01774 After application is completed worker or applicator  
01775 exposure must not exceed 0.3 ppm maximum concentration.  
01776 Such exposures may occur because of leakage into  
01777 enclosed areas from fumigation sites, during reentry or  
01778 during transfer of unaerated commodity.  
01779

01780 2. APPLICATION OF FUMIGANT

01781 Depending upon temperature and humidity, Dettia(R)  
01782 Tablets and Pellets release hydrogen phosphide gas  
01783 slowly upon exposure to moisture from the air. This  
01784 release is often slow enough to permit applicators to

01785 deposit fumigant in the desired areas and then vacate  
01786 the premises without significant exposure to the gas.  
01787 If the fumigator's exposure exceeds the 8 hour TWA of  
01788 0.3 ppm, approved respiratory protection must be worn.  
01789 Gas concentration measurements for safety purposes must  
01790 be made using low level detector tubes or other suitable  
01791 low level detection equipment. See the "Industrial  
01792 Hygiene Monitoring" section below. Information on  
01793 hydrogen phosphide (phosphine, PH<sub>3</sub>) detector tubes may  
01794 be obtained from Research Products Company.  
01795

01796 It is often practical to wear approved respiratory  
01797 protection from start to finish. This is particularly  
01798 true when performing large space fumigations or when  
01799 fumigating bulk stored commodities in flat storage  
01800 buildings.  
01801

01802 3. LEAKAGE FROM FUMIGATED SITES

01803 Hydrogen phosphide is highly mobile and given enough  
01804 time may penetrate seemingly gas tight materials such as  
01805 concrete and cinder block. Therefore, adjacent,  
01806 enclosed areas likely to be occupied should be examined  
01807 to ensure that significant leakage has not occurred.  
01808 Sealing of the fumigated site and/or air flow in the  
01809 occupied areas should be used to reduce exposure.  
01810

01811 4. AERATION AND REENTRY

01812 If the area is to be entered after fumigation, it must  
01813 be aerated until the level of hydrogen phosphide gas is  
01814 0.3 ppm or below. The area or site must be monitored to  
01815 ensure that liberation of gas from the treated commodity  
01816 does not result in the development of unacceptable  
01817 levels of hydrogen phosphide. Do not allow reentry into  
01818 treated areas by any person before this time unless  
01819 protected by an approved respirator.  
01820

01821 5. HANDLING UNAERATED COMMODITIES

01822 Transfer and processing of a treated commodity prior to  
01823 complete aeration is permissible, however, workers must  
01824 not be exposed to hydrogen phosphide in excess of the  
01825 permitted exposure limits.  
01826

01827 6. INDUSTRIAL HYGIENE MONITORING

01828 It is recommended that hydrogen phosphide exposure be  
01829 documented in an operation log or manual for each site  
01830 and operation where exposure may occur. The purpose of  
01831 this monitoring is to prevent excessive exposure and to  
01832 determine when and where respiratory protection is  
01833 required. This monitoring is mandatory although once  
01834 exposures have been adequately characterized, subsequent  
01835 monitoring is not routinely required. However, spot  
01836 checks should be made occasionally, especially if  
01837 conditions significantly change or an unexpected garlic

40/44

01838 odor is detected. Gas concentration measurements should  
01839 be taken in the worker's breathing zone. Monitoring is  
01840 not required outdoors.

7. ENGINEERING CONTROLS AND WORK PRACTICES

01842 If initial monitoring shows that workers are exposed to  
01843 concentrations in excess of the permitted exposure  
01844 limits then engineering controls (such as forced air  
01845 ventilation) and/or appropriate work practices should be  
01846 used where possible in an attempt to reduce exposure to  
01847 below permitted limits.  
01848  
01849

N. STORAGE AND DISPOSAL

1. STORAGE

01852 Flasks should be stored in a dry, well ventilated area,  
01853 away from heat and under lock and key. Post as a  
01854 pesticide storage area. Do not contaminate water, food  
01855 or feed by storing pesticides in the same areas used to  
01856 store these commodities. Do not store in buildings  
01857 where humans or domestic animals reside. Keep out of  
01858 reach of children.  
01859

01860 Detia(R) Tablets and Pellets are supplied in gas tight  
01861 resealable, aluminum flasks. Do not expose the product  
01862 inside flasks to atmospheric moisture any longer than is  
01863 necessary. Seal tightly before returning opened flasks  
01864 to storage. The shelf life of Detia(R) is virtually  
01865 unlimited if the containers are tightly sealed.  
01866

01867 Flasks should not be stored at sub-zero temperatures  
01868 because this will increase the possibility of an  
01869 ignition (flash) when opened.

2. DISPOSAL OF UNREACTED OR PARTIALLY REACTED TABLETS OR PELLETS

01872 U (From spills, leaking flasks or other sources)  
01873 Unreacted or partially reacted Detia(R) Pellets or  
01874 Detia(R) Tablets are acutely hazardous. Improper  
01875 disposal of these products is a violation of federal  
01876 law. If these products cannot be disposed of by  
01877 ordinary use or according to the instructions that  
01878 follow, contact your state pesticide or environmental  
01879 control agency or the hazardous waste representative at  
01880 the nearest EPA regional office for guidance. Do not  
01881 contaminate water by disposal.  
01882  
01883

01884 Some local and state waste disposal regulations may vary  
01885 from the following recommendations. Disposal procedures  
01886 should be reviewed with appropriate authorities to  
01887 ensure compliance with local regulations.  
01888  
01889

01890 FOR SPECIFIC INSTRUCTIONS SEE "SPILL AND LEAK  
01891 PROCEDURES" ON PAGE OF THIS MANUAL.



01893  
01894  
01895  
01898 U  
01898  
01899  
01900  
01901  
01902  
01903  
01904  
01908 U  
01907  
01908  
01909  
01910  
( 01911  
01912  
01913  
01914  
01915  
01916  
01917  
01918  
01920 U  
01921  
01922  
01923  
01924  
01925  
01926  
01927  
( 01928  
01929  
01930  
01931  
01932  
01933  
01934  
01935  
01936  
01937  
01938  
01939  
01940  
01941  
01942  
01943  
01944  
01945

3. DISPOSAL OF PELLET OR TABLET DUST FOLLOWING A SPACE FUMIGATION

a. General

If properly exposed, the residual dust remaining after a fumigation with Detia(R) will be a grayish white, spent, nonhazardous waste and will contain only a small amount of unreacted aluminum phosphide. However, residual dust from incompletely exposed pellets or tablets (See "EXPOSURE GUIDE" on page of this manual.) will require special care. Confinement of partially spent residual dust, as in a closed container, or collection and storage of large quantities of this dust may result in a fire hazard. Small amounts of hydrogen phosphide may be given off from the unreacted aluminum phosphide, and confinement of the gas may result in a flash. UNLESS IT CAN BE DETERMINED WITH CERTAINTY THAT THIS DUST IS SPENT IT MUST BE HELD FOR SEVERAL DAYS BEYOND THE REQUIRED EXPOSURE TIME PRIOR TO DISPOSAL OR THE WET METHOD (SEE BELOW) OF DEACTIVATION MUST BE USED. IF THE DUST RETAINS ANY OF ITS GREENISH COLOR THE WET METHOD IS RECOMMENDED.

b. Dry Method

In open areas, small amounts (up to 5 flasks) of residual dust may be disposed of on site by burial or by spreading over the land surface away from inhabited buildings. Up to 3 flasks of this residual dust (4 to 7 lbs.) may be collected in a one gallon bucket for holding or disposal. Larger amounts of residual dust may be collected in a porous cloth bag (burlap, cotton, etc.) for holding and/or transportation to a suitable disposal site. Do not put more than one half cas. (8 flasks of tablets or 10 flasks of pellets) of residual dust in each bag. Always transport these bags in an open vehicle. Do not pile bags. CAUTION: Do not use this method for dust that still retains some of its original greenish color. Never confine, dispose of or store residual dust in closed containers such as dumpsters, drums or plastic bags.

Spent residual dust from Detia(R) may be collected and disposed of at a sanitary landfill, approved pesticide incinerator or other approved sites or by other procedures approved by federal, state and local authorities.

Do not dispose of dust in a toilet.

01947 F

01948 U

01950

01951

01952

01953

01954

01955

01956

01957

01958

01959

01960

01961

01962

01963

01964

01965

01966

01967

01968

01969

01970 U

01972

01973

01974

01975

01976

01977

01978

01979

01980 U

01982

01983

01984

01985

01986

01987

01988

01989

01990

01991

01992

01993

01994

01995

01996

01997

01998

01999

02000

02001

02002

c. Wet Method

Fill an appropriate sized metal container 2/3 full with water. For each gallon of water add 1/4 cup of low sudsing detergent or surfactant. Use no less than 10 gallons of water/detergent solution for each case of spent material. Slowly pour the dust into the container as the water is stirred. Wear appropriate respiratory protection. DO NOT COVER THE CONTAINER AT ANY TIME. This must be done outdoors or in front of an adequate fan that exhausts immediately outside.

Dispose of the water/dust mixture (slurry) (with or without preliminary pouring out of excess water) in a sanitary landfill or other suitable burial site approved by local authorities. Where permissible, the slurry may be poured out on the ground. If it is held 36 hours it may be poured into a storm sewer.

## 4. DISPOSAL OF EMPTY FLASKS

a. Method One: Triple rinse flasks and stoppers with water. Then offer for recycling or reconditioning, or puncture and dispose of them in a sanitary landfill or other approved site or by other procedures approved by state and local authorities. Dispose of rinsate in a sanitary landfill or by other approved procedures. Small quantities can be poured out on the ground.

b. Method Two: Remove lids and place empty flasks outdoors or in structure being fumigated until residue in flasks is reacted. Puncture and dispose of them in a sanitary landfill or other approved site or by other procedures approved by state and local authorities.

## D. SPILL AND LEAK PROCEDURES

## 1. GENERAL

A spill other than incidental to application or normal handling or punctured flasks, can produce high levels of gas, and therefore, attending personnel must wear a SCBA or its equivalent when the concentration of hydrogen phosphide gas is unknown. If the concentration is known, other NIOSH/MSHA approved respiratory protection can be worn. Wear dry cotton or other gloves when handling spilled material.

## 2. DAMAGE TO FIBERBOARD CASE

Check aluminum flasks. If they are damaged handle as described on page . If they are undamaged return them to cardboard cartons or other suitable packaging

02003  
02004  
02005  
02006  
02007  
02008  
02009  
02010  
02011  
02012  
02013  
02014  
02015  
02016  
02017  
02018  
( 02019  
02020  
02021  
02022  
02023  
02024  
02025  
02026  
02027  
02028  
02029  
02030  
02031  
02032  
02033  
02034  
( 02035  
02036  
02037  
02038  
02039  
02040  
02041  
02042  
02043  
02044  
02045 U  
02047  
02048 U  
02050  
02051  
02052  
02053  
02054  
02055  
02056  
02057

which complies with DOT regulations.

### 3. LEAKING FLASK PROCEDURES

If aluminum flasks have been punctured or damaged causing a leak, the product may be immediately used, the container may be temporarily repaired with aluminum tape or the Detia(R) may be transferred from the damaged flask to a sound metal container which should be sealed and properly labeled as aluminum phosphide. Transport the damaged containers to an area suitable for pesticide storage for inspection. Further instructions and recommendations may be obtained, if required, from Research Products Company.

Handle empty damaged containers as described under "DISPOSAL OF EMPTY FLASKS" above.

### 4. SPILL PROCEDURES

Do not flush spillage down drain with water. DO NOT use water at anytime to clean up a spill. Water in contact with unreacted tablets or pellets will rapidly accelerate the production of hydrogen phosphide gas and could cause spontaneous ignition of the gas. If the spill is only a few minutes old and is not contaminated by other materials, collect the spillage and place it back into the original flask or other sound metal container and tighten the cap. If possible, use immediately. CAUTION: AN IGNITION MAY OCCUR WHEN THESE CONTAINERS ARE REOPENED.

If the spilled material is contaminated or has begun to visibly decompose, gather it up and place it into open top, perforated gallon cans and process it immediately.

Do not add more than about one flask (2 to 3 lbs.) of spilled material to the bucket. If on-site deactivation is not feasible, these open containers should be transported in open vehicles to a suitable area away from occupied buildings. Wet or dry deactivation may then be carried out as described in the section immediately below.

### 5. DEACTIVATION AND DISPOSAL OF UNREACTED OR PARTIALLY REACTED TABLETS OR PELLETS

#### a. Wet Method

Transport material by hand or in open vehicles to open air away from occupied structures. Fill a drum 2/3 full with water.

Add 1/4 cup of low sudsing detergent or surfactant in each gallon of water. Each flask of tablets or pellets should be mixed with no less than 1 gallon of water/detergent solution. Slowly pour the

02058 material into the water as it is stirred. Stir  
02059 occasionally thereafter for at least 36 hours. Wear  
02060 appropriate respiratory protection. DO NOT COVER  
02061 THE CONTAINER. IF THE CONTAINER IS COVERED THE  
02062 HYDROGEN PHOSPHIDE BEING GENERATED WILL BE CONFINED  
02063 AND WILL DECOMPOSE EXPLOSIVELY. The wet method of  
02064 deactivation is the method of choice for quantities  
02065 in excess of 5 flasks (10 to 15 pounds). It is safe  
02066 to dispose of this slurry.

02067  
02068 Dispose of the resulting deactivated slurry, with or  
02069 without preliminary pouring out of excess water, at  
02070 a sanitary landfill or other suitable burial site  
02071 approved by local authorities. Where permissible  
02072 this slurry may be poured into a storm sewer or out  
02073 onto the ground.

02074

02075 U

b. Dry Method

02077 As an alternative to the wet method, when  
02078 permissible small amounts (up to 5 flasks) of  
02079 partially reacted or unreacted material may be  
02080 spread out in an open, secure area away from  
02081 occupied buildings to be deactivated by atmospheric  
02082 moisture.

02083

02084 NOTE: Never place pellets, tablets, their dust or  
02085 the dust/water slurry in a confined container such  
02086 as a closed drum or plastic bags. Any hydrogen  
02087 phosphide generated will be confined and may  
02088 decompose explosively.