

PRECAUTIONARY STATEMENTS

Detia® Pellets react with atmospheric moisture to form and release the poisonous gas phosphine (Syn:Hydrogen Phosphide). The reaction begins about 1 hour after exposure to air. Atmospheric and/or commodity temperature dictates the rate and duration of the reaction.

HAZARDS TO HUMANS: DANGER

Wear gloves when handling. Open flasks in well ventilated areas, preferably outside. Do not breathe vapors. Do not breathe dust. Do not get pellet dust in eyes or on hands, skin or clothing. Do not eat, drink or smoke while handling. Wash hands thoroughly with soap and water after handling. Have available a gas mask and canister approved by the U.S. Department of Interior, Bureau of Mines, for phosphine protection.

PHYSICAL OR CHEMICAL HAZARDS: Spontaneous ignition may result if pellets come into contact with water or other liquids. Phosphine reacts corrosively with copper, brass, gold and other precious metals.

SYMPTOMS OF PHOSPHINE POISONING

Sensation of cold, diarrhea, gastric pains, acute indigestion, dizziness, dry cough, loss of appetite, intense thirst, vomiting, enlarged pupils, choking attacks, reeling.

ANTIDOTE-FIRST AID: Any of the above may be taken as symptoms of phosphine poisoning. At first warning take victim to fresh air immediately. **CALL A DOCTOR!** Lay the victim down, keep warm with blankets. Supply pure oxygen and maintain respiration, artificially if necessary until the doctor arrives. If the pellets or the pellet dust has been swallowed remove victim to open air and induce vomiting with 1 teaspoon of salt dissolved in a glass of warm water. Repeat until the vomit fluid is clear. **TAKE VICTIM DIRECTLY TO HOSPITAL!** Lay the victim down after removal of any contaminated clothing. Keep warm.

RESTRICTED USE PESTICIDE

For Retail Sale To And Use Only By Certified Applicators Or Persons Under Their Direct Supervision And Only For Those Uses Covered By The Certified Applicator's Certification

Detia®
PELLETS

A Fungicide For Use Against Listed
Insects Which Infest Listed Raw Agricultural
Commodities And Animal Feeds

Active Ingredient: Aluminum Phosphide	57%
Inert Ingredients	43%
TOTAL	100%



KEEP OUT OF REACH OF CHILDREN



DANGER-POISON

Statement of Practical Treatment

If Swallowed: Induce vomiting with teaspoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. **TAKE VICTIM TO HOSPITAL**
If Inhaled: Remove victim to fresh air, immobilize and keep warm. Sustain breathing, artificially if necessary. **CALL A PHYSICIAN IMMEDIATELY.**
See Side Panel for Additional First Aid Procedures

Manufactured by: **Werner Freytag & Söhne, GmbH**
454 Wehmer, Reigelsheim, F.R.G. of Germany
U.S. Branch: **Werner Freytag & Söhne Company, Inc.**
10000 Kingsport, Tenn.

EPA Establishment No. 33982WG01
EPA Registration No. 2548-01

Net Contents: 1660 Pellets
Net Weight: 1000 grams (2 lbs. 3.28 ozs.)

211

ACCEPTED

JUN 3 1990

Under Federal Insecticide
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 2548-01

ENVIRONMENTAL

This product and other
pesticides are
by the manufacturer.

It is a violation
in a manner

Refer to
TION PESTICIDE
DETIA®
Used as
the control
grain and
saw, for
bean weevil
pupae.

STORAGE
room or
flames in
store near

DISPOSAL
times with

The bags
of DETIA®
PELLETS
should be
stored in a
cool, dry place.
They should
not be used
in a confined
space.
Use DETIA®

Pellets react with atmospheric moisture and release the poisonous gas phosphine (hydrogen Phosphide). The reaction begins 1 hour after exposure to air. Atmospheric commodity temperature dictates the rate of the reaction.

gloves when handling. Open flasks in well
ed areas, preferably outside. Do not breathe
Do not breathe dust. Do not get pellet dust
or on hands, skin or clothing. Do not eat,
r smoke while handling. Wash hands thor-
with soap and water after handling. Have
le a gas mask and canister approved by
i. Department of Interior, Bureau of Mines,
sphine protection.

SIGNS AND SYMPTOMS OF PHOSPHINE POISONING
 on of cold diarrhoea gastric pains acute
 tion dizziness dry cough loss of appetite
 thirst vomiting enlarged pupils choking
 s. feeling

NOTE-FIRST AID Any of the above may be as symptoms of phosphine poisoning. At first get victim to fresh air immediately. **CALL A DOCTOR!** Lay the victim down, keep warm with its. Supply pure oxygen and maintain respiration artificially if necessary until the doctor. If the pellets or the pellet dust has been swallowed remove victim to open air and induce vomiting with 1 teaspoon of salt dissolved in a glass of water. Repeat until the vomit fluid is clear. **TAKE VICTIM DIRECTLY TO HOSPITAL!** Lay the victim after removal of any contaminated clothing warm.

For Retail Sale To And Use Only By Certified
Applicators Or Persons Under Their Direct
Supervision And Only For Those Uses Covered
By The Certified Applicator's Certification

[illegible]

DANGER-POISON

If Swallowed: induce vomiting with teaspoonful of salt in a glass of warm water. Repeat until vomit is clear. **TAKE VICTIM TO HOSPITAL**

If Inhaled: remove victim to fresh air. Immobilize and keep warm. Sustain breathing artificially if necessary. **CALL A PHYSICIAN IMMEDIATELY**

See Side Panels for Additional First Aid Procedures

1970年12月，在“大跃进”中，毛泽东在中央工作会议上提出“抓革命，促生产”的口号，要求“抓革命”和“促生产”并举。这一口号在1971年4月《毛泽东选集》第五卷中正式发表。

EPA Establishment No. 33982WGC
EPA Registration No. 2548

Net Contents 1660 Pellets

Net Weight 1000 grams (2 lbs 3 28 ozs)

1. The first step is to identify the problem. This involves understanding the current situation and what needs to be changed.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE Store in cool dry locked ventilated room or building. Protect from moisture, open flames heat acids and other chemicals. Never store near homes or living quarters.

DISPOSAL OF EMPTY FLASKS: Flush several times with water crush and bury Bury stoppers

1. **Raw Agricultural Commodities, Animal Feeds, and Tobacco:**

212