

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS **Hazards To Humans** **(and Domestic Animals)**

CAUTION

irritating to skin and eyes
 Do not get in the eyes
 Avoid skin contact
 Wash thoroughly with soap and water after using
 Avoid inhalation of spray mist

ANTIDOTE:

In case of contact, immediately flush eyes or skin with plenty of water. Use mild soap if known persons.
 If ingested, consult a physician. Do not induce vomiting unless directed by a physician. It can be hazardous to induce vomiting.

Do not remain in treated areas. Ventilate the area after treatment is completed.

Avoid contamination of cooking utensils, food ingredients, feed and water supplies.

Remove fish and birds and other domestic pets from room during spraying and leave out of room until spray is dry.

Do not spray directly on bare, decomposed livestock, especially dairy animals.

Do not give as topical treatment to animals.

Do not use in milk houses or dairy barns.

Do not apply directly to food.

Do not apply when spraying while feed processing is under way.

With the exception of factory inspected feed and poultry plants, feed processing operations do not have to be stopped while spraying a wet spray with care and in accordance with the directions and cautions indicated.

Stability: dry, undisturbed feed, feed or raw ingredients.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by disposal of equipment, or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Keep container closed when not in use.

Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

USE ONLY AS SPECIFIED ON LABEL. Research Products Company is not responsible for the use of this product in a manner inconsistent with the labeling. Do not use in a manner inconsistent with the labeling. Do not use in a manner inconsistent with the labeling. Do not use in a manner inconsistent with the labeling.

CONTACTICIDE 2

KILLS THE ACCESSIBLE STAGES ON CONTACT:

Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drug Store Beetle, Lesser Grain Borer, Flies, Cockroaches, Silverfish, Spiders, Ants, Crickets, Hornets, Wasps, Gnats, Mites, Mosquitoes.

ACTIVE INGREDIENTS

Pyrethrins 0.20%
 *Piperonyl Butoxide, technical 0.40%
 N-Octyl bicycloheptene dicarboximide 0.88%
 Petroleum distillates 98.74%
 *Equivalent to 0.32% of (Butylcarbityl) (3-Propylpiperonyl) ether and 0.08% of related compounds.

EPA REG. NO. 2548-65

EPA EST. NO. 2548-KS-1

CAUTION **KEEP OUT OF THE REACH OF CHILDREN**

See side panel for additional
 Precautionary statements.

NET CONTENTS

GALLONS

MANUFACTURED BY



RPC 1/88

Research Products Company
 SALINA, KANSAS 67401

WHEN USING AS SPRAY - in grain processing plants, grain handling facilities, granaries for the storage of accessible stages of the primary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer and other stored grain insects. Spray 100% wet and other surfaces of bins, storage and handling areas thoroughly, with particular attention to cracks, crevices, and similar protected locations. Waste grain dust, dirt and debris should be removed and conveyed, and storage areas thoroughly cleaned before spraying. Treat unloading, handling and processing areas, as well as empty conveying, processing and handling equipment, for example the inside of rail cars, pulley conveyors, chutes, rail loadings and hoppers, pick-up conveyors, etc. Spray thoroughly around the base of heavy machinery and equipment. Let sprayed surface thoroughly dry before using. One gallon will cover 750 square feet of non-absorbent surface.

AS A PROTECTANT in empty, bakers grain trucks, barges and ship holds for the control of accessible stages of the primary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer and other stored grain insects. Spray the floors, walls, beams, cracks, crevices and other protected harborage points until surfaces are wet. A kerosene oil spray may be used without loss of protection. Allow for complete drying before loading. One gallon will cover 750 square feet of non-absorbent surface.

WHEN USED AS A FOG in food plants, grocery stores, hotels, food and feed stores and restaurants for the control of accessible stages of cockroaches, silverfish, spiders, ants, crickets, and house cricket grain insects, use a sprayer which can operate at a low pressure and which will produce a coarse non-draining spray pattern. Avoid concentration of fog or fog-buffs as well as vapors or other fumes. Spray the floors, walls, beams, cracks, crevices, and other areas where insects are known to hide. Also other structures on site (e.g., walls) apply spray until areas are wet but not to point of runoff. One gallon will cover 750 square feet of non-absorbent surface.

WHEN USED AS A FOG for Indian meal moth, angoumois grain moth, hornets, wasps, gnats, mosquitoes, flies and accessible stages of stored insects in mills, feed processing plants, conveyors and empty granaries or grain bins, use a mechanical or an approved fogging apparatus and **SHALL CONTACTICIDE 2** at the rate of one quart per 1,000 cubic feet. Close all doors and windows before application and leave closed for 30 minutes after total dosage has been applied to areas for setting.

WHEN USED AS A FOG in empty, bakers grain trucks, barges and ship holds for the control of accessible stages of the primary weevil, rice weevil, cadelle, confused flour beetle, saw-toothed grain beetle, lesser grain borer and other stored grain insects use a mechanical or approved fogging apparatus and **SHALL CONTACTICIDE 2** at the rate of one quart per 1,000 cubic feet. Close all doors and windows before applying and leave closed for 30 minutes after total dosage has been applied to areas for setting.

WHEN USED AS A FOG in bakers grain type trucks containing bagged flour or feed for the control of accessible stages of stored insects use a mechanical or approved fogging apparatus and **SHALL CONTACTICIDE 2** at the rate of one quart per 1,000 cubic feet of unoccupied space. Close all doors and windows before applying and leave closed for 30 minutes after total dosage has been applied.

STORAGE AND DISPOSAL

- 1. PRECAUTIONS**
 Do not contaminate water, food or feed by storage or disposal.
- 2. PESTICIDE DISPOSAL**
 Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 3. CONTAINER DISPOSAL**
 Triple rinse (or equivalent) and then recycle or recrafting, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
- 4. GENERAL**
 Consult federal, state and local authorities for approved procedures other than those given. Do not reuse containers or reuse for purposes other than those given. Do not reuse containers or reuse for purposes other than those given.
- 5. DISPOSAL BY OTHER MEANS**
 Empty drums or containers on approved premises. Remove the bungs and place the drums upside down until liquid has evaporated.

Non Warranty

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material. No such use and/or handling is contrary to label instructions.

MAR 20 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2548-65