

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Hydrogen phosphide (phosphine) is a highly toxic gas which is most commonly produced in sewers and in the presence of certain chemicals. It is to be used only by persons under the direct supervision of a Certified Applicator. Do not inhale or ingest and avoid contact with skin. Always wear protective clothing and wash hands thoroughly after use. Wear necessary protective gear and use a respirator carrying the canisters of MESA (formerly the U.S. Bureau of Mines) or NIOSH type phosphine protection. SYMEX TCMs (Pressing Serial #) are tested, sealed, and dated.

ENVIRONMENTAL HAZARDS

Hydrogen phosphide decomposes in the atmosphere to form traces of phosphate. Residual dust is not an environmental hazard when disposal instructions are followed. Pure hydrogen phosphide is practically insoluble in water, fats, and oils and is stable at normal temperatures. It may, however, react with certain metals such as copper, brass, silver, and gold and cause corrosion, especially at high temperatures and humidity. Precautions should be taken to protect materials made from such materials by using the types of covering paper and of deerskin.

This product is highly toxic to wildlife and to man. A warning should be checked for signs of target animals and if they are present that caution should be taken to avoid contact with the water.

ENDANGERED SPECIES CONSIDERATIONS

- Black footed Ferret** - Do not use this product in areas likely to be inhabited by the black footed ferret. Contact the Endangered Species Specialist at the nearest U.S. Fish and Wildlife Service office to arrange for a ferret survey of the proposed treatment site prior to use of this product.
- Utah Prairie Dog** - This product is not intended for use against the Utah prairie dog.
- San Joaquin Kit Fox** - This pesticide should not be used within the active ranges of the kit foxes in the following California counties - Kern, Kings, Fresno, San Luis Obispo, Merced, Monterey, Santa Barbara, Ventura, Tulare, and San Benito. Contact the California Department of Fish and Game for recommendations prior to use of this product.
- Blunt Nosed Leopard Lizard** - This pesticide should not be used within the range of the Blunt Nosed Leopard Lizard in the following California counties - Kern, Fresno, Kings, Modero, Merced, and Tulare. Contact the California Department of Fish and Game for recommendations prior to use of this product.
- Desert Tortoise** - This pesticide should not be used in the critical habitat of the Beaver Dam Slope population of the desert tortoise in Utah. This comprises a 1000 acre area in the southwest facing slope of the Beaver Dam Mountains across Highway 89 and west along the Arizona border from the Nevada border.
- Eastern Indigo Snake** - Do not use this product in the range of the Eastern Indigo Snake in the following states: Mississippi, Alabama, South Carolina, Georgia, and Florida.

RESTRICTED USE PESTICIDE

For Retail Sale To and Use Only By Certified Applicators Or Persons Under Their Direct Supervision And Only For Those Uses Covered by The Certified Applicator's Certification



ROTOX AT

FOR CONTROL OF RODENTS
AND MOLES IN BURROWS

Active Ingredient: Aluminum phosphide 57%
Inert Ingredients 43%

KEEP OUT OF REACH OF CHILDREN



DANGER-POISON



Statement of Practical Treatment

- | | |
|-----------------------------|--|
| In case of acute poisoning: | Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by forcing back of throat with finger, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. |
| In case of contact: | Remove victim to fresh air, undress and keep warm. Sustain breathing artificially if necessary. CALL A PHYSICIAN IMMEDIATELY. |

Manufactured by: Detia Freyberg GMBH
P.O. Box 9
6341 Lauterbach
F.R.G. Germany

Imported by: Research Products Company
Box 157
Salem, Kansas 67401

EPA Establishment No. 33982WG01
EPA Registration No. 2546-08

Net Contents: 500 Tablets
Net Weight: 1500 grams (3 lbs. 4.6 oz.)

PHYSICAL OR CHEMICAL HAZARDS

Keep away from liquid or water as this causes limited rate release of gas. Piling of Rotox or the dust from their decomposition may cause a temperature increase and a flash could occur. Protect from moisture, fire, flames or heat.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product is for outdoor use only. For use on non-crop areas only.

STORAGE AND DISPOSAL

Store only in dry, locked and ventilated room. Protect from moisture, open flames or heat. Containers triple rinsed with water may be offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place. Dispose of shippers by burying.

FOR CONTROL OF FOLLOWING RODENTS AND MOLES IN BURROWS: Marsh Squirrels, Woodchucks and Yellow Belli, Marsh Squirrels, Prairie Dogs, except Utah Prairie Dogs, Field Squirrels, Ground Squirrels, Moles, Voles, except in California, Gophers, and Chipmunks (except in California).

DIRECTIONS FOR USE AGAINST BURROWING PESTS: Add from 2 to 4 Deltamethrin Rotox pellets to the burrow. Seal tightly by plugging or covering the entrance after first packing the opening with crumpled newspaper. This will prevent the pest from covering the Rotox pellets and blowing down the reaction. Use lower rates in smaller burrows. Use must be 1 to 2 days and higher rates in larger burrows when soil moisture is very low. Treat reopened burrows a second time 1 to 2 days after the initial treatment.

OUTDOOR USE ONLY:

Do not use within 15 feet (5 meters) of inhabited structures. Do not apply to burrows which may open under or into occupied buildings.

Please consult local State or Federal Game Authorities to ensure that endangered species do not inhabit the area proposed for treatment.

NON-WARRANTY

Owner makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes a risk of use and handling of this material when such use and handling is contrary to label instructions.

RECEIVED

10/1/74

2574624