

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Releases hydrogen phosphide (phosphine) gas when moist. Poisonous if Inheled or swallowed. Do not get in eyes or on skin or on clothing. To be used only by, or under the direct supervision of, a Certified Applicator. Do not open can except for immediate usage, Always open in open air. Wash handa if aghly after use. When necessary use a gas mask and canister carrying the approval of MESA (formerly the U.S. Bureau of Mines) or NIOSH for phosphine protection, SYMP-TOMS: Pressing sensation in the chest, neuses, and diarrhaa.

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Call a physician or Polson Control Center, Drink 1 or 2 glasses of water and induce vomiting by louching back of threat with linger, or, if available, by administering syrup of specac. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air, immobilize* and keep warm. Sustain breathing, artificially if necessary, CALL A PHYSICIAN IMMEDIATELY.

ENVIRONMENTAL HAZARDS

Hydrogen phosphide decomposes in the almosphere to form traces of phosphate. Residual dust is of no environmental hazard when disposal instructions are followed. Pure hydrogen phosphide is practically insoluble in water, fats, and oils and is ciable at normai fumigation temperatures, it may, however, react with certain metals such as copper, brass, sliver, and gold and cause corresion, especially at high temperatures and humidity. Precautions should be taken to protect materials made from such compounds including some types of copying paper and undeveloped (Ilm.

This product is highly toxic to wildlife and fish. All butrows should be checked for signs of nonlarget animals, and if they are present, that burrow should not be treated. Keep out of any body of water.

RESTRICTED USE PESTICIDE

For Retail Sale To and Use Only By Certifled Applicators Or Persons Under Their Direct Supervision And Only For Those Uses Covered By The Certifled Applicator's Certification.



FOR CONTROL OF RODENTS AND MOLES IN BURROWS

Active ingredient: Aluminum phosphide .:.....57%

KEEP OUT OF REACH OF CHILDREN



DANGER-POISON



See left panel for additional precautionary statements Refer to panel 1 for "Directions for Use"

Manufactured by: Della Freyberg, GMBH P.O. Box 10

6947 Laudenbech F.R. of Germany

Research Products Company Box 1268

Salina, Kansse 87402

EPA Establishment No. 33942WG01 EPA Registration No. 2548-89 Net Contents: 100 Tableta

Net Weight: 300 grams (.66 ibe.) RPC MA1

utstributed by:

PHYSICAL OR CHEMICAL HAZARDS

Keep away from liquid or water as this causes immediate release of gas, Piling of Rotox or the dust from their decomposition may cause a temperature increase and a flash could occur. Protect from moisture, open fiames or heat.

ENDANGERED SPECIES CONSIDERATIONS

- 1. Black-looted Ferret Do not use this product in areas likely to be inhabited by the Black-footed ferret. Contact the Endangered Species Specialist at the nearest U.S. Fish and Wildlife Service office to arrange for a ferrel survey of the proposed treatment sile prior to use of this product.
- 2. Utah Prairie Dog This product is not intended for use against the Utah Prairie Dog.
- 3. San Josquin Kit Fps This posticide should not be used within 1 mile of active dens of the San Joaquin-Kit Fox in the following California counties-Kern, Kings, Freeno, San Luis Obispo, Merced, Monterey, Santa Barbara, Ventura, Tulare, and San Benito, Contact the California Department of Fish and Game for recommendations prior to use of this product.
- 4. Blunt-Nosed Leopard Lizard This posticide should not be used in the range of the Blunt-Nosed Leopard Lizard in the following California counties: Kern, Fresno, Kings, Madera, Merced, and Tulare. Contact the California Department of Fish and Game for recommendations prior to use of this product.
- 5. Desert Tortoise This posticide should not be used In the critical habital of the Beaver Dam Slope population of the Desert Tortoise in Utah. This comprises an area extending from the southwest facing slope of the Beaver Dam Mountains, across Highway 91, and wes! along the Arizona border 10 miles to the Nevada
- 8. Eastern Indigo Snake Do not use this product in the range of the Eastern Indigo Snake in the following states: Mississippl, Alabama, South Carolina, Georgie, and Florida.

DIRECTIONS FOR USE

It is a viciation of federal law to use this product in a manner inconsistent with its labeling. This product is for cutdoor use only. For use on non-crop areas only.

STORAGE AND DISPOSAL

Store only in dry, locked, and ventiliated room, Protect from moisture, open flames or heat. Containers triple tinsed with water may be offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place. Dispose of stoppers by burying.

FOR CONTROL OF FOLLOWING RODENTS AND MOLES IN BURROWS: Marmot sp. - Woodchucks and Yellow-Belly Mermots (Rockchuck), Prairie Doge (except Utah Prairie Dogs), Norway and Roof Rats, Mice, Ground Squirrels, Moles, Voles (except in California), Gophers, and Chipmunks (except in California). PIRECTIONS FOR USE AGAINST BURROWING

STS: Add from 2 to 4 Della Rotox AT lablets to the urrow. Seel tightly by shoveling soll over the entrance after first packing the opening with crumpled newspaper. This will prevent soil from covering the Rotox labiels and slowing down their action. Use lower rates in smaller buttows under moist soil conditions and higher rates in targer burrows when soil moisture is very low. Treat reopened burrows a second time 1 to 2 days after the Initial treatment.

OUTDOOR USE ONLY:

Do not use within 15 feet (5 meters) of inhabited structures. Do not apply to burrows which may open under or into occupied buildings.


Please consult Local, State, and Federal Game Authorities to ensure that endangered species do not inhabit the area proposed for treatment-

HON-WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

ACCEPTED

Under the Pederal Insociicide. Fungillio, and Rodenticide Act. as amonaed, fer the posticide registered under -EPA Reg. No. 2544



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Releases hydrogen phosphide (phosphine) gas when moist. Poisonous if inhaled or swallowed. Do not get in eyes or on skin or on clothing. To be used only by, or under the direct supervision of, a Cartitled Applicator. Do not open can except for immediate usage. Always open in open air, Wash hands thoroughly siter use. When necessary use a gas mask and cantaler carrying the approval of MESA (formerly the U.S. Bureau of Mines) or NIOSH for phosphine protection. SYMPTOMS: Pressing sensation in the chest, nausea, and diarrhea.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Polson Control Center. Drink 1 or 2 glasses of water and induce vomiting by louching back of throat with finger, or, if available, by administering syrup of specac. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air, immobilize and keep warm. Sustain breathing, artificially if necessary. CALL A PHYSICIAN IMMEDIATELY.

ENVIRONMENTAL HAZARDS

Hydrogen phosphide decomposes in the atmosphere to form traces of phosphate. Residual dust is of no environmental hazard when disposal instructions are followed. Pure hydrogen phosphide is practically insoluble in water, fats, and oils and is stable at normal fumigation temperatures. It may, however, react with certain metals such as copper, brass, silver, and gold and cause corrosion, especially at high temperatures six4 humidity. Precautions should be teken to protect materials made from such compounds including some types of copying paper and undeveloped film.

This product is highly toxic to wildlife and fish. All burrows should be checked for signs of nonlarget animists, and if they are present, that burrow should not be treated. Keep out of any body of water.

RESTRICTED USE PESTICIDE

For Retail Sale To and Use Only By Certified Applicators Or Persons Under Their Direct Supervision And Only For Those Uses Covered By The Certified Applicator's Certification.



FOR CONTROL OF RODENTS AND MOLES IN BURROWS

KEEP OUT OF REACH OF CHILDREN



DANGER-POISON



See left panel for additional precautionary statements. Refer to panel 1 for "Directions for Use"

Manufactured by: Detla Freyberg, GMBH

P.O. Box 10 6947 Laudenbach

F.R. of Germany

Distributed by: Research Products Company Box 1258

Salina, Kanasa 87402

EPA Establishment No. 33982WQ01 EPA Registration No. 2548-89

Net Contents: 100 Tablets

Net Weight: 300 grams (.66 lbs.) RPC 6/83

WLC Men

3

PHYSICAL OR CHEMICAL HAZARDS

Keep away from liquid or water as this causes immediate release of gas. Piling of Rotox or the dust from their decomposition may cause a temperature increase and a first could occur. Protect from molature, open flames or heat.

ENDANGERED SPECIES CONSIDERATIONS

- 1. Black-looted Ferret Do not use this product in areas likely to be inhabited by the Black-footed ferret. Contact the Endangered Species Specialist at the nearest U.S. Fish and Wildilfs Service office to arrange for a letret survey of the proposed treatment alte prior to use of this product.
- 2. Ulah Prairie Dog This product is not inlended for use against the Utah Prairie Dog.
- 3. San Joaquin Kii Épa. This pesticide should not be used within 1 mile of active dens of the San Joaquin-Kii Fox in the following California counties—Kern, Kings, Fresno, San Luis Obispo, Merced; Monterey, Senta Barbara, Ventura, Tulare, and San Benito, Contact the California Department of Fish and Game for recommendations prior to use of this product.
- 4. Blunt-Nosed Leopard Lizard This pesticide should not be used in the range of the Blunt-Nosed Leopard Lizard in the following California counties: Kern, Fresno, Kings, Maders, Merced, and Tuisra. Contact the California Department of Fish and Game for recommendations prior to use of this groduct.
- 8. Desert Tortolse This posticide should not be used in the critical habitat of the Beaver Dam Slope population of the Desert Tortolse in Utah. This comprises an area extending from the southwest facing slope of the Beaver Dam Mountains, across Highway 91, and west along the Arizona border 10 miles to the Nevada border.
- 6. Eastern indigo Snake Do not use this product in the range of the Eastern Indigo Snake in the following states: Mississippi, Afabama, South Carolina, Georgia, and Florida.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product le for outdoor use only. For use on non-crop areas only,

STORAGE AND DISPOSAL

Siore only in dry, locked, and ventilated room. Protect from molature, open (fames or heat. Containers triple classed with water may be offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place. Dispose of stoppers by burying.

FOR CONTROL OF FOLLOWING RODENTS AND MOLES IN BURROWS: Marmot sp.—Woodchucks and Yellow-Belly Marmots (Rockchuck), Prairie Dogs (except Utah Prairie Dogs), Norway and Roof Rats, Mice, Ground Squirrats, Moles, Voles (except in California), Gophers, and Chipmunks (except in California). DIRECTIONS FOR USE AGAINST BURROWING PESTS: Add from 2 to 4 Delis Rotox AT tablets to the burrow. Seal tightly by shovaling soil over the snirance after first packing the opening with crumpled newspaper. This will prevent soil from covering the Rotox tablets and slowing down their action. Use lower rates in smaller burrows under molal soil conditionary and the conditions of the conditions of the conditions of the condition of the conditions of the conditions of the condition of the conditions of the conditions of the condition of the conditions of

OUTDOOR USE ONLY:

Do not use within 15 feet (5 meters) of inhabited structures. Do not apply to burrows which may open under or into occupied buildings.

tions and higher rates in larger burrows when soil

moisture is very low. Treat reopened burrows a second

lime 1 to 2 days after the initial treatment.

Please consult Local, State, and Federal Game Authorities to ensure that endangered species do not inhabit the area proposed for treatment.

NON WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

ACCEPTED

SEP 9 198

Under the Pederal Inscribite, Fungility, and Redenticide Rot, as amonded, for the pesticide registered under 2548-69