

ACCEPTED
SEP 30 1994
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2548-69

SPECIMEN LABEL

HAZARDS TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN DANGER/POISON

Aluminum phosphide in tablets or their dust can be fatal if swallowed. Do not get in eyes, in nose, on skin, or on clothing. Do not eat, drink, or smoke while handling aluminum phosphide fumigants. When the container is opened, Detia® ROTOX® AT will begin to release hydrogen phosphide (phosphine) which is an extremely toxic gas. Contact with water, acids, and some other liquids will accelerate this reaction. Pure hydrogen phosphide gas is odorless; the odor is due to a contaminant. Since an odor may not be detected under certain circumstances, the absence of a gas odor does not mean that hydrogen phosphide gas is absent. Observe proper aeration, fumigation, and disposal procedures specified elsewhere in the labeling to prevent overexposure.

FREQUENT EXPOSURE TO LOW CONCENTRATIONS ABOVE PERMISSIBLE LEVELS OVER A PERIOD OF DAYS OR WEEKS MAY CAUSE POISONING.

NOTE TO PHYSICIAN

Aluminum phosphide in tablets or their dust reacts with moisture from the air, water, acids, and many other liquids to release hydrogen phosphide (phosphine) gas. Brief exposure by inhalation causes moderate to severe irritation of the respiratory tract, including cough, wheezing, and pressure in the chest which are relieved by removal to fresh air. Moderate poisoning causes weakness, vomiting, epigastric pain, loss of appetite, chest pain, diarrhea, and dyspnea (difficulty in breathing). Symptoms of severe poisoning may occur within a few hours to up to several days, resulting in pulmonary edema (fluid in lungs) and may lead to dizziness, cyanosis (blue or purple skin color), unconsciousness, and death.

Insufficient quantity hydrogen phosphide affects the liver, kidneys, lungs, nervous system, and circulatory system. Inhalation can cause lung edema (fluid in lungs) and hyperemia (excess of blood in a body part), small perivascular brain hemorrhages, and brain edema (fluid in brain). Ingestion can cause lung and brain symptoms, but damage to the viscera (body cavity organs) is more common. Hydrogen phosphide poisoning may result in (1) pulmonary edema, (2) liver elevated serum GOT, LDH, and alkaline phosphatase, reduced prothrombin, hemorrhage and jaundice (yellow skin, redness) and (3) kidney hemorrhage (blood in urine) and azotemia (abnormal or lack of urination). Pathology is characteristic of hypoxic oxygen deficiency in body tissues. Treatment is symptomatic.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The product listed, Application Procedures for Detia® ROTOX® AT and Detia® ROTOX® AP, is a part of labeling. Refer to it for application procedures and other information necessary to properly use Detia® ROTOX®.

Refer to product labeling for use restrictions to protect ENDANGERED SPECIES.

RESTRICTED USE PESTICIDE

**DUE TO ACUTE INHALATION TOXICITY OF HIGHLY
TOXIC HYDROGEN PHOSPHIDE (PHOSPHINE, PH₃) GAS**

For retail sale to and use only by certified applicators for those uses covered by the applicator's certification or persons trained in accordance with the accompanying product manual working under the direct supervision and in the physical presence of the certified applicator. Physical presence means on site or on the premises. Read and follow the label and the Research Products Company product manual which contains complete instructions for the safe use of this pesticide.



ROTOX® AT

Active ingredient: Aluminum Phosphide
Inert ingredients
TOTAL

57%
43%
100%



**KEEP OUT OF REACH OF CHILDREN
DANGER/PELIGRO-POISON**



PRECAUTIONAL USUARIO: Si usted no lee inglés, no use este producto hasta que se le quite la etiqueta bilingüe.

STATEMENT OF PRACTICAL TREATMENT

Symptoms of overexposure to hydrogen phosphide are headache, dizziness, nausea, difficulty breathing, vomiting, and diarrhea. In all cases of overexposure get medical attention immediately. Take victim to the doctor or emergency treatment facility.

IF GAS OR DUST FROM TABLETS IS INHALED: Get exposed person to fresh air. Keep warm and make sure person can breathe freely. If breathing has stopped, give artificial respiration by mouth to mouth or other means of resuscitation. Do not give anything by mouth to an unconscious person.

IF THE TABLETS OR THEIR DUST ARE SWALLOWED: Drink or administer one or two glasses of water and induce vomiting by touching back of throat with finger, or if available administer syrup of ipecac. Do not give anything by mouth if victim is unconscious or not alert.

IF TABLETS OR THEIR DUST GET ON SKIN OR CLOTHING: Brush or shake material off clothes and shoes in well-ventilated area. Allow clothes to aerate in a ventilated area prior to laundering. Do not leave contaminated clothing in occupied and/or confined area such as automobiles, vans, metal rooms, homes, etc. Wash contaminated skin thoroughly with soap and water.

IF DUST FROM THE TABLETS GETS IN EYES: Flush with plenty of water. Get medical attention.

See side panels for additional precautionary statements.

Manufactured by
Research Products Company
Div. of McShaw, Inc.
P.O. Box 1160
Salina, KS 67402-1160

EPA Establishment No. 4077, VA 01
EPA Reg. No. 2548-69

Net Wt. 50
Net Wt. 50

Net Contents: 500 Tablets
Net Weight: 1500 grams (3 lbs 6 oz)

STORAGE AND DISPOSAL

STORAGE

Flasks should be stored in a dry, well-ventilated area, away from heat and under lock and key. Post as a pesticide storage area. Do not contaminate water, food or feed by storing pesticides in the same areas used to store these commodities.

Do not store in buildings where humans or domestic animals reside. Refer to the product label, Application Procedures for Detia® ROTOX® AT and Detia® ROTOX® AP, for additional storage instructions.

DISPOSAL OF UNREACTED OR PARTIALLY REACTED TABLETS (From spills, leaking flasks or other sources)

Unreacted or partially reacted Detia® ROTOX® tablets are acutely hazardous. Improper disposal of this product is a violation of Federal law.

If this product cannot be disposed of by ordinary use or according to labeling instructions, contact your state pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance. Do not contaminate water by disposal.

Reacted tablets are not hazardous. For complete disposal, spill and leak procedures refer to the booklet titled, Application Procedures for Detia® ROTOX® AT and Detia® ROTOX® AP.

DISPOSAL OF EMPTY FLASKS

METHOD ONE: Triple rinse flasks and stoppers with water. Then offer for recycling or reconditioning, or puncture and dispose of them in a sanitary landfill or other approved site or by other procedures approved by state and local authorities. Dispose of residue in a sanitary landfill or by other approved procedures.

METHOD TWO: Remove lids and place empty flasks outdoors in a secure safe area until residue in flasks is dried. Puncture and dispose of them in a sanitary landfill or other approved site or by other procedures approved by state and local authorities.

GENERAL

Contact federal, state and local disposal authorities for approved procedures other than those given above. Approved procedures vary for different types of generators.

* If in doubt concerning whether the dust is reacted and/or concerning proper disposal techniques, contact Research Products Company.

THIS PRODUCT IS ACCOMPANIED BY THE LABELING LISTED ABOVE. READ AND UNDERSTAND THE ENTIRE LABELING. ALL PARTS OF THE LABELING ARE EQUALLY IMPORTANT FOR SAFE AND EFFECTIVE USE OF THIS PRODUCT. CALL RESEARCH PRODUCTS COMPANY OR EPA IF YOU HAVE ANY QUESTIONS OR DO NOT UNDERSTAND ANY PART OF THIS LABELING.

BEST AVAILABLE COPY

PM 32 2548-69 Page 1 of 7

GAS

For retail sale to and use only by certified applicators for those uses covered by the applicator's certification or persons trained in accordance with the accompanying product manual working under the direct supervision and in the physical presence of the certified applicator. Physical presence means on site or on the premises. Read and follow the label and the Research Products Company product manual which contains complete instructions for the safe use of this pesticide.

APPLICATION PROCEDURES FOR




ROTOX® AT

AND



ROTOX® AP



Research Products Company
Div. of McShares, Inc.
P.O. Box 1460
Sarina, Kansas 67402-1460

EPA Establishment No. 40285-VA-01
EPA Registration No. 2548-69
EPA Registration No. 2548-70

11-11
11-11

TABLE OF CONTENTS

I	INTRODUCTION	2
A	History	2
B	Product Description	2
C	Product Packaging	2
D	What is Hydrogen Phosphide?	2
E	Safety Recommendations	2
II	PRECAUTIONARY STATEMENTS	3
A	Hazards to Humans and Domestic Animals	3
B	Statement of Practical Treatment	3
C	Note to Physician	3
D	Physical and Chemical Hazards	4
III	DIRECTIONS FOR USE	4
A	General	4
B	Protective Clothing	4
C	Respiratory Protection	5
D	Hydrogen Phosphide Exposure Limits	5
E	Industrial Hygiene Monitoring	5
F	List of Burrowing Pests	5
G	Application Instructions	5
H	Environmental Hazards	5
I	Endangered Species Restrictions	5
J	Special Local Restrictions	5
K	Storage and Disposal	5
L	Spill and Leak Procedures	5

I. INTRODUCTION

A. HISTORY

The history of Delta[®] pellets is long, dating back to the mid 1930's. In 1971, Delta[®] GAS 1A-B was introduced into the United States. Delta Freyberg GMBH, West Germany was the early pioneer in the development of hydrogen phosphide as a fumigant gas.

B. PRODUCT DESCRIPTION

Both Delta[®] ROTOX[®] AP and Delta[®] ROTOX[®] AT are a mixture of aluminum phosphide (57% by weight) and ammonium carbamate which is pressed into tablet and/or pellet form. The nearly spherical pellets are about 3/8" in diameter and weigh 0.6 grams each. The tablets weigh 3.0 grams each. A pellet will produce about 0.2 gram hydrogen phosphide; the tablet about 1.0 gram. Both react with atmospheric moisture to produce hydrogen phosphide (PH₃) in the following way:



Warm, humid air accelerates the reaction while cool, dry air has the opposite effect.

Delta[®] ROTOX[®] contains ammonium carbamate which liberates ammonia and carbon dioxide as follows:



These gases are essentially nonflammable and act as inerting agents to reduce fire hazards. The ammonia gas also serves as a warning agent.

C. PRODUCT PACKAGING

The tablets are packaged 500 and 100 to a flask. The pellets are packaged 1660 and 500 to a flask.

The aluminum flasks in which they are packaged are resealable and seamless. Their shelf life is almost unlimited as long as the packaging remains well sealed and intact. Once opened, the flasks may be tightly resealed and stored for future use.

D. WHAT IS HYDROGEN PHOSPHIDE?

Hydrogen phosphide, more commonly referred to as phosphine, is a colorless gas which is toxic to insects, humans, and other forms of animal life. It is very mobile with a high vapor pressure. Thus, the penetrating capability of hydrogen phosphide is great. The combination of high molecular activity, vapor pressure and toxicity at low dosages accounts for its wide acceptance as a fumigant.

E. SAFETY RECOMMENDATIONS

1. Carefully read the labeling and follow instructions explicitly.
2. Never allow uninstructed persons to handle Delta[®].
3. Wear dry gloves made of cotton or other material when contact with tablets, pellets or their dust is likely.
4. Open fumigant containers in open air. Never open in a flammable atmosphere.
5. Do not allow Delta[®] to contact liquid water or to pile up.
6. Dispose of empty containers in a proper manner consistent with the label instructions.
7. Aerate contaminated clothing in well ventilated area prior to washing.
8. Keep containers tightly closed except when removing product.
9. Do not reuse aluminum phosphide containers for any purpose other than recycling or reconditioning.
10. OSHA recommends that the exposure screening of employees be conducted to detect impaired pulmonary function. OSHA recommends that any employees developing the above condition be referred for medical attention.

II. PRECAUTIONARY STATEMENTS

A. HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep Out of Reach of Children

DANGER-POISON

Aluminum phosphide in pellets, tablets or their dust can be fatal if swallowed, inhaled, or gets in eyes, in nose, on skin or on clothing. Do not eat, drink or smoke while handling aluminum phosphide fumigants. When the container is opened, Delta[®] ROTOX[®] will begin to release hydrogen phosphide (phosphine) which is an extremely toxic gas. Contact with water, acids and some other liquids will accelerate this reaction. Pure hydrogen phosphide gas is odorless; the odor is due to a contaminant. Since an odor may not be detected under certain circumstances, the absence of a garlic odor does not mean that hydrogen phosphide gas is absent. Observe proper application and disposal procedures specified elsewhere in the labeling to prevent overexposure.

FREQUENT EXPOSURE TO CONCENTRATIONS ABOVE PERMISSIBLE LEVELS OVER A PERIOD OF DAYS OR WEEKS MAY CAUSE POISONING

B. STATEMENT OF PRACTICAL TREATMENT

Symptoms of overexposure to hydrogen phosphide are headache, dizziness, nausea, difficult breathing, vomiting and diarrhea. In all cases of overexposure get medical attention immediately. Take victim to a doctor or emergency treatment facility.

1. If gas or dust from tablets or pellets is inhaled: Get exposed person to fresh air. Keep warm and make sure person can breathe freely. If breathing has stopped, give artificial respiration by mouth to mouth or other means of resuscitation. Do not give anything by mouth to an unconscious person.
2. If the pellets, tablets or their dust are swallowed: Drink or administer one or two glasses of water and induce vomiting by touching back of throat with finger. If not available, administer syrup of ipecac. Do not give anything by mouth if victim is unconscious or not alert.
3. If pellets, tablets or their dust gets on skin or clothing: Brush or shake material off clothes and shoes in well ventilated area. Allow clothes to aerate in a ventilated area prior to laundering. Do not take contaminated clothing in occupied and/or confined area such as automobiles, ships, motels, homes, etc. Wash contaminated skin thoroughly with soap and water.
4. If dust from the pellets or tablets gets in eyes: Flush with plenty of water. Get medical attention.

C. NOTE TO PHYSICIAN

Aluminum phosphide tablets, pellets or their dust reacts with moisture from the air, water, acids and many other liquids to release hydrogen phosphide (phosphine) gas. Mild exposure by inhalation causes malaise, indefinite feeling of sickness, ringing of ears, fatigue, nausea and pressure in chest which are relieved by removal to fresh air. Moderate poisoning causes weakness, vomiting, epigastric pain (pain just above the stomach), chest pain, diarrhea and dyspnea (difficulty in breathing). Symptoms of severe poisoning may occur within a few hours or up to several days, resulting in pulmonary edema (fluid in lungs) and may lead to dizziness, cyanosis (blue or purple skin color), unconsciousness and death.

An insufficient quantity hydrogen phosphide affects the liver, kidneys, lungs, nervous system and circulatory system. Inhalation can cause lung edema (fluid in lungs) and hyperemia (excess of blood in a body part), small perivascular brain hemorrhages and brain edema (fluid in brain). Ingestion can cause lung and brain symptoms, but damage to the viscera (body cavity organs) is more common. Hydrogen phosphide poisoning may result in (1) pulmonary edema, (2) liver elevated serum GOT, LDH and alkaline phosphatase, reduced prothrombin, hemorrhage and jaundice (yellow skin color) and (3) kidney hematuria (blood in urine) and anuria (abnormal or lack of urination). Pathology is characteristic of hypoxia (oxygen deficiency) in vital tissues. Frequent exposure over a period of days or weeks may cause poisoning. Treatment is symptomatic.

The following measures are suggested for use by the physician and hospital with this poisoning:

587

1. In its milder to moderate forms (symptoms of poisoning may take up to 24 hours to make their appearance) the following is suggested:

- a. Complete rest 1-2 days during which the patient must be kept quiet and warm.
- b. If the patient suffers from vomiting or increased blood sugar, appropriate solutions should be administered. Treatment with oxygen is recommended as is the administration of cardiac and circulatory stimulants.
2. In cases of severe poisoning (intensive care unit recommended)
 - a. Where pulmonary edema is observed, steroid therapy should be considered and close medical supervision is recommended. Blood transfusions may be necessary.
 - b. In case of manifest pulmonary edema, venesection should be performed under vein pressure control. Heart glycosides (I.V.) can be used in case of hemoconcentration. Venesection may result in shock. In the case of progressive edema of the lungs, immediately intubate and remove edema fluid and administer oxygen over-pressure respiration as well as any measures required for shock treatment. In case of kidney failure, extracorporeal hemodialysis is necessary. There is no specific antidote known for this poisoning.
 - c. If pellets or tablets are ingested, induce vomiting. Flush the stomach with a diluted potassium permanganate solution or a solution of magnesium peroxide until flushing liquid ceases to smell of carbide. Thereafter, administer oral fluids.

D. PHYSICAL AND CHEMICAL HAZARDS

Aluminum phosphide in tablets, pellets or partially spent dust will release hydrogen phosphide gas if exposed to moisture from the air or if it comes into contact with water, acids or many other liquids. Piling of tablets, pellets or dust from their fragmentation may cause a temperature increase and confine the release of gas so that ignition could occur.

Away from tasks of Delta[®] ROTOX[®] in operation, never open in a flammable atmosphere because on rare occasions they may flash. When opening, point the container away from the face and body and slowly loosen the cap. These precautions will also reduce the applicator's exposure to hydrogen phosphide gas.

Pure hydrogen phosphide gas is practically insoluble in water and oils and is stable at normal fumigation temperatures. However, it may react with certain metals and cause corrosion, especially at higher temperatures and relative humidities. Metals such as copper, brass and other copper alloys, and precious metals such as gold and silver are susceptible to corrosion by hydrogen phosphide.

III. DIRECTIONS FOR USE

A. GENERAL

1. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Delta[®] ROTOX[®] AT and AP are Restricted Use Pesticides due to the acute inhalation toxicity of hydrogen phosphide (phosphine, PH₃) gas. These products are for retail sale to and use only by certified applicators for those uses covered by the applicator's certification or persons trained in accordance with this product manual working under the direct supervision and in the physical presence of the certified applicator. Physical presence means on site on the premises.
2. Delta[®] is a highly hazardous material and may be used only by individuals trained in its proper use. Before using, read and follow the label carefully for use and directions on the label and in labeling. Additional copies of this manual are available from:
Research Products Company
P.O. Box 1346
Salem, Kansas 67402-1346
(313) 825-2181
3. Do not mix with this product when burrow temperature is below 50°F (10°C).

B. PROTECTIVE CLOTHING

Wear protective clothing when working with Delta[®] ROTOX[®] AT and AP. Wash thoroughly after use.

C. RESPIRATORY PROTECTION

Respiratory protection need not be available for outdoor applications.

D. HYDROGEN PHOSPHIDE EXPOSURE LIMITS

Exposure to hydrogen phosphide must not exceed the 8 hour TWA of 0.3 ppm.

E. INDUSTRIAL HYGIENE MONITORING

Monitoring is not required outdoors.

F. LIST OF BURROWING PESTS

Delta[®] ROTOX[®] AT and AP may be used out of doors only for the control of the following burrowing rodents and moles: marmot sp., woodchucks and yellow belly marmots (rockchucks), prairie dogs (except Utah prairie dog), Norway and roof rats, mice, ground squirrels, moles (except in Indiana), voles, gophers and chipmunks (except in California).

G. APPLICATION INSTRUCTIONS

Add from 1 to 4 Delta[®] ROTOX[®] AT tablets or 5 to 20 Delta[®] ROTOX[®] AP pellets to each burrow opening. Seal tightly by shoveling soil over the entrance. Place the pellets or tablets far enough down the burrow that the soil used to plug the burrow doesn't cover the pellets or tablets, slowing down their action. Where possible, subsurface tunnels or runways should be treated every 5 to 10 feet with a dose of 2 to 4 tablets or 10 to 20 pellets. Use lower rates in shallower burrows, in tight soils, under most conditions, and in granular or larger burrows. In porous soils and/or when soil moisture is low, in extremely dry or porous soil, it is sometimes not possible to obtain satisfactory results. This is particularly true in instances where the burrow systems are extensive such as moles or gophers. It is always better not to fumigate during extended periods of dry weather. Treat reopened burrows and fresh runways a second time 1 to 3 days after the initial treatment.

Delta[®] may be used out of doors only, for control of burrowing pests. Do not use within 15 feet (5 meters) of inhabited structures. Do not apply to burrows which may open under or into occupied buildings.

H. ENVIRONMENTAL HAZARDS

This product is highly toxic to wildlife. Non-target organisms exposed to hydrogen phosphide gas in burrows will be killed. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water by cleaning of equipment or disposal of wastes.

I. ENDANGERED SPECIES RESTRICTIONS

The use of Delta[®] in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal law. The use of this product is controlled to prevent death or harm to endangered or threatened species that occur in the following counties or elsewhere in their range. Use of this product in the areas listed below is prohibited without first contacting and obtaining permission from the Endangered Species Specialist at the nearest regional offices of the U.S. Fish and Wildlife Service (FWS):

Areas Inhabited by Endangered or Threatened Species

1. Black-footed ferret: States of Arizona, Colorado, Kansas, Montana, Nebraska, New Mexico, North Dakota, Oklahoma, South Dakota, Texas, Utah and Wyoming.
2. Bristle-thighed curlew: States of California, Oregon, Nevada, Mexico, and Turkey in the state of California.
3. Western gull: Washington County, in the state of Utah.
4. Eastern kingbird: States of Florida and Georgia.
5. San Diego redwing: States of California, Oregon, Nevada, Mexico, Monterey, San Antonio, Texas, and Santa Barbara, Texas.

BEST AVAILABLE COPY

J. SPECIAL LOCAL RESTRICTIONS

(1) NORTH CAROLINA

Detia® ROTOX® may only be used for control of rats and mice in the state of North Carolina. Use against other pests is not permitted.

(2) OKLAHOMA

A special permit for black-tailed prairie dog control by poisoning is required in Oklahoma. Contact the Oklahoma State Department of Wildlife Conservation to obtain this permit.

(3) WISCONSIN

A state permit is required for use of pesticides in Wisconsin to control small mammals except rats or mice. Please contact your local Department of Natural Resources office for information.

(4) INDIANA

Use of Detia® ROTOX® for mole control is not legal in the state of Indiana.

(5) MISSOURI

A state permit is required for use of pesticides in Missouri to control small mammals except rats and mice. Please contact the Missouri Department of Conservation office for information.

(6) KANSAS

A special permit for black-tailed prairie dog control by poisoning is required in Kansas. Contact the Kansas Fish and Game Commission to obtain this permit.

(7) CALIFORNIA

Use of Detia® ROTOX® for chipmunk control is not legal in the state of California.

K. STORAGE AND DISPOSAL

1. STORAGE

Flasks should be stored in a dry, well-ventilated area away from heat and under lock and key. Post as a pesticide storage area. Do not contaminate water, food or feed by storing pesticides in the same areas used to store these commodities. Do not store in buildings where humans or domestic animals reside. Keep out of reach of children.

Detia® ROTOX® is supplied in gas-tight resealable aluminum flasks. Do not expose the product inside flasks to atmospheric moisture. Any product that is necessary, seal tightly before returning opened flasks to storage. The shelf life of Detia® ROTOX® is virtually unlimited if the containers are tightly sealed.

2. DISPOSAL OF UNREACTED OR PARTIALLY REACTED TABLETS OR PELLETS

(From spills, leaking flasks or other sources) Unreacted or partially reacted Detia® ROTOX® and Detia® ROTOX® are acutely hazardous. Improper disposal of these products is a violation of Federal law. These products cannot be disposed of by pouring, use or allowing to flow into structures that house humans, animals, birds or other mammals, into the sewerage or the public sewer, waste receptacles at the household, regional or other public waste treatment or disposal facility.

Some local and state waste disposal regulations may vary from the following recommendations. Disposal procedures should be reviewed with the appropriate authorities and the local laws with the regulations.

FOR SPILLAGE, CONTACT THE STATE DEPARTMENT OF AGRICULTURE FOR RECOMMENDATIONS.

FOR SPILLAGE, CONTACT THE STATE DEPARTMENT OF AGRICULTURE FOR RECOMMENDATIONS.

L. SPILL AND LEAK PROCEDURES

1. GENERAL

A spill other than incidental to application or normal handling of purified flasks can produce high levels of gas, and therefore attending personnel must wear a SCBA or its equivalent when the concentrations of hydrogen phosphide gas is unknown. If the concentration is known, other NIOSH/MSHA approved respiratory protection can be worn. Wear dry cotton or other gloves when handling spilled material.

2. DAMAGE TO FIBERBOARD CASE

Check aluminum flasks. If they are damaged handle as described below. If they are undamaged return them to cardboard cartons or other suitable packaging which complies with DOT regulations.

3. LEAKING FLASK PROCEDURES

If aluminum flasks have been punctured or damaged causing a leak, the product may be immediately used. The container may be temporarily repaired with aluminum tape or the Detia® may be transferred from the damaged flask to a sound metal container which should be sealed and properly labeled as aluminum phosphide. Transport the damaged containers to an area suitable for pesticide storage for inspection. Further instructions and recommendations may be obtained if required from Research Products Company.

Handle empty damaged containers as described under DISPOSAL OF EMPTY FLASKS above.

4. SPILL PROCEDURES

Do not flush spillage down drain with water. (DO NOT use water at any time to clean up a spill.) Water in contact with unreacted tablets or pellets will rapidly accelerate the production of hydrogen phosphide gas and could cause spontaneous ignition of the gas. If the spill is only a few minutes old and is not contaminated by other materials, collect the spillage and place it back into the original flask or other sound metal container and tighten the cap. If possible use immediately. CAUTION: A HIGH FIGHT MAY OCCUR WHEN THESE CONTAINERS ARE REOPENED.

If the spilled material is contaminated or has begun to visibly decompose, gather it up and place it into open top perforated gallon cans and process it immediately.

Do not add more than about one flask (2 to 3 lbs.) of spilled material to the bucket. If on-site deactivation is not feasible, these such containers should be transported in open vehicles to a suitable disposal from occupied buildings. Wet or dry deactivation must then be carried out as described in the section immediately below.

5. DEACTIVATION AND DISPOSAL OF UNREACTED OR PARTIALLY REACTED TABLETS OR PELLETS

Wet Method

Transport material by hand or in open vehicles to open air away from occupied structures. Fill a drum 2/3 full with water.

Add 1/4 cup of low sudsing detergent or surfactant in each gallon of water. Each flask of tablets or pellets should be mixed with no less than 1 gallon of water/detergent solution. Slowly pour the material in to the water as it is stirred. Stir occasionally thereafter for at least 36 hours. Appropriate respiratory protection must be worn. DO NOT COVER THE CONTAINER IF THE CONTAINER IS COVERED THE HYDROGEN PHOSPHIDE BEING GENERATED WILL BE CONFINED AND WILL DECOMPOSE EXPLOSIVELY. The wet method of deactivation is the method of choice for quantities more than 100 lbs. (45 kg.) of tablets or pellets.

None of the resulting deactivation solution should be used for any other purpose, including irrigation. The solution should be disposed of in a suitable manner as determined by local authorities. Where permitted, it may be applied to a lawn or garden.

b. Dry Method

As an alternative to the wet method, when permissible small amounts (up to 5 flasks) of partially reacted or unreacted material may be spread out in an open, secure area away from occupied buildings to be deactivated by atmospheric moisture.

NOTE Never place pellets, tablets, their dust or the dust/water slurry in a confined container such as a closed drum or plastic bags. Any hydrogen phosphide generated will be confined and may decompose explosively.

BEST AVAILABLE COPY