

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

Releases hydrogen phosphide (phosphine) gas when moist. Poisonous if inhaled or swallowed. Do not get in eyes or on skin or on clothing. To be used only by, or under the direct supervision of, a certified applicator. Do not open can except for immediate usage. Always open in open air. Wash hands thoroughly after use. When necessary use a gas mask and canister carrying the approval of MSHA (formerly the U.S. Bureau of Mines and MESA) or NIOSH for phosphine protection. **SYMPTOMS:** Pressing sensation in the chest, nausea, and diarrhea.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Immobilize and keep warm. Sustain breathing, artificially if necessary.

CALL A PHYSICIAN IMMEDIATELY.

ENVIRONMENTAL HAZARDS

Hydrogen phosphide decomposes in the atmosphere to form traces of phosphine. Residual dust is of no environmental hazard when disposal instructions are followed. Pure hydrogen phosphide is practically insoluble

RESTRICTED USE PESTICIDE

For Retail Sale To and Use Only By Certified Applicators Or Persons Under Their Direct Supervision And Only For Those Uses Covered By The Certified Applicator's Certification.



ROTOX AP

**FOR CONTROL OF RODENTS
AND MOLES IN BURROWS**

Active Ingredient: Aluminum phosphide 51%
Inert Ingredients 49%

**KEEP OUT OF REACH OF CHILDREN
DANGER-POISON**

See full panel for additional precautionary statements

EPA Est. No. 33982WG01
EPA Reg. No. 2548-70

Net Contents: 500 Pellets
Net Wt.: 300 grams (.66 lbs.)

in water, fats, and oils and is stable at normal fumigation temperatures. It may, however, react with certain metals such as copper, brass, silver, and gold and cause corrosion, especially at high temperatures and humidity. Precautions should be taken to protect materials made from such compounds including some types of copying paper and undeveloped film. This product is highly toxic to wildlife and fish. All burrows should be checked for signs of non-target animals, and if they are present, that burrow should not be treated. Keep out of any body of water.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from liquid and water as this causes immediate release of gas. Piling of Rotox or the dust from its decomposition may cause a temperature increase and a flash could occur. Protect from moisture, open flames or heat.

The "Delta ROTOX AT and Delta ROTOX AP Instruction Booklet" is a part of labeling. Refer to it for endangered species considerations, directions for use, storage and disposal.

Distributed by:

Research Products Company
Box 1268
Salina, Kansas 67402

Manufactured by:

Delta Frayberg, GMBH
P.O. Box 10
6947 Laidenbach
F.R. of Germany

RPC 284

ACCEPTED

NOV 26 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2548-70

BEST AVAILABLE COPY

Please consult local, state, and federal game authorities to ensure that endangered species do not inhabit the area proposed for treatment.

NON-WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

RESTRICTED USE PESTICIDE

For Retail Sale To And Use Only By
Certified Applicators Or Persons Under Their
Direct Supervision And Only For Those Uses
Covered By The Certified Applicator's
Certification



DETIA ROTOX AT
DETIA ROTOX AP

INSTRUCTION BOOKLET

EPA Registration No. 2548 00
EPA Registration No. 2548 70
EPA Establishment No. 3J9882WQ001

product.

Game for recommendations prior to use of this
Contact the California Department of Fish and
Kern, Fresno, Kings, Madera, Merced, and Tulare;
should be used in the following California counties:
should not be used in the range of the blunt-nosed
Leopard lizard in the range of the blunt-nosed
Leopard lizard - This pesticide
4. Blunt-nosed Leopard Lizard - This pesticide
prior to use of this product.

Department of Fish and Game for recommenda-
Tulare, and San Benito Contact the California
Merced, Monterey, Santa Barbara, Ventura,
Kern, Kings, Fresno, San Luis Obispo,
Joquin kill for in the following California coun-
be used within 1 mile of active dams of the San
Joquin kill for in the following California coun-
3. San Joquin Kill For - This pesticide should not
for use against the Utah prairie dog.

2. Utah Prairie Dog - This product is not intended
for use against the Utah prairie dog.
treatment all prior to use of this product.

1. Black-footed Cat - This pesticide should not be
used in the critical habitat of the Beaver Dam
Snake population of the desert tortoise in Utah.
This comprises an area extending from the
southwest facing slope of the Beaver Dam moun-
tain, across Highway 89, and west along the
Arizona border 10 miles to the Nevada border.
4. Eastern Indigo Snake - Do not use this product
in the range of the eastern indigo snake in the
following states: Mississippi, Alabama, South
Carolina, Georgia, and Florida.

STORAGE AND DISPOSAL

Store only in dry, locked, and ventilated room.
Protect from moisture, open flames or heat.
Containers light rinsed with water may be offered
for recycling, reconditioning, or disposal in an
approved landfill or buried in a safe place.
Dispose of leftover by drying.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling. This
product is for outdoor use only. For use on non-
crop areas only.
4. Eastern Indigo Snake - Do not use this product
in the range of the eastern indigo snake in the
following states: Mississippi, Alabama, South
Carolina, Georgia, and Florida.

Do not use within 15 feet (5 meters) of inhabited
structures. Do not apply to burrows which may
open under or into occupied buildings.

OUTDOOR USE ONLY

second time 1 to 2 days after the initial treatment.
moisture is very low. Treat reopened burrows a
lions and higher rates in larger burrows when soil
rates in smaller burrows under moist soil condi-
the Rotox and slowing down its action. Use lower
newspaper. This will prevent soil from covering
first packing the opening with crumpled
lightly by shoveling soil over the entrance after
10 to 20 Dett Rotox AP pellets to the burrow. Seal
PESTS: Add from 2 to 4 Dett Rotox AT tablets, or
DIRECTIONS FOR USE AGAINST BURROWING
gophers, and chipmunks (except in California)
and root rats, mice, ground squirrels, moles, voles,
prairie dogs (except Utah prairie dogs), Norway
chucks and yellow belly marmots (rockchuck),
MOLES IN BURROWS: marmot sp. - wood-
FOR CONTROL OF FOLLOWING RODENTS AND

ACCEPTED

NOV 26 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for this pesticide
registered under
EPA Reg. No. 2548-70

BEST AVAILABLE COPY