

BEST DOCUMENT AVAILABLE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)
CAUTION**

Do not get in the eyes

Avoid skin contact

Wash thoroughly with soap and water after using

Avoid inhalation of spray mist

Harmful if swallowed

Do not spray directly on pet's domestic livestock, especially dairy animals

Do not use in milk houses or dairy barns

If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS

This product is toxic to fish

Keep out of lakes, streams, or ponds

Do not apply where run-off is likely to occur.

Do not apply where weather conditions favor drift from areas treated

Non Warranty

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE:

Keep containers closed when not in use. Do not use, pierce, spill or store near heat or open flame.

DISPOSAL:

PESTICIDE DISPOSAL

Pesticide, spray mixture, or residue that cannot be used according to label instructions must be disposed of according to federal, state, or local procedures under the Resource, Conservation, and Recovery Act.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of them in a sanitary landfill, or follow other approved federal, state or local procedures.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures.

ACCEPTED

SEP 1 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2548-77.

**MAX/KILL.
MALATHION**

80 - WE

Water Emulsifiable - Dilute Before Using

**AIDS IN CONTROL OF
EXPOSED STAGES OF:**

Rice Weevil, Granary Weevil, Saw-Toothed Grain Beetle, Flat Grain Beetle, Red Flour Beetle, Rusty Grain Beetle, Lesser Grain Borer, Indian Meal Moth, Angoumois Grain Moth, in wheat, barley, oats, rice, rye, corn and sorghum.

ACTIVE INGREDIENTS

Malathion* 80.7%

Aromatic Petroleum
Derivative Solvent 3.3%

INERT INGREDIENTS 16.0%

Total 100.0%

*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

CONTAINS:

8 lbs. Malathion* per gal.

*(From Premium Grade Technical Malathion)

EPA REG. NO. 2548-

EPA EST. NO. 2548-KS-1

CAUTION

**Keep Out Of Reach
Of Children**

**SEE OTHER PRECAUTIONS
ON BACK/SIDE PANEL**

NET CONTENTS

GALLONS

MANUFACTURED BY

Research Products Company
SALINA, KANSAS 67401

BEST DOCUMENT AVAILABLE

MAX/KILL. MALATHION

80 - WE

Water Emulsifiable - Dilute Before Using

AIDS IN CONTROL OF EXPOSED STAGES OF:

Rice Weevil, Granary Weevil,
Saw-Toothed Grain Beetle, Flat
Grain Beetle, Red Flour Beetle,
Rusty Grain Beetle, Lesser Grain
Borer, Indian Meal Moth, Angou-
mois Grain Moth, in wheat,
barley, oats, rice, rye, corn
and sorghum.

ACTIVE INGREDIENTS

Malathion* 80.7%

Aromatic Petroleum
Derivative Solvent 3.3%

INERT INGREDIENTS 16.0%

Total 100.0%

*O, O-dimethyl dithiophosphate
of diethyl mercaptosuccinate.

CONTAINS:

8 lbs. Malathion* per gal.

*(From Premium Grade Technical
Malathion)

EPA REG. NO. 2548-

EPA EST. NO. 2548-KS-1

CAUTION

Keep Out Of Reach
Of Children

SEE OTHER PRECAUTIONS
ON BACK/SIDE PANEL

NET CONTENTS

GALLONS

MANUFACTURED BY

Research Products Company

SALINA, KANSAS 67401

CRACK AND CREVICE TREATMENT IN FOOD HANDLING ESTABLISHMENTS

IN FOOD AREAS: Includes areas for receiving, sorting, packing, cleaning, bottling, wrapping, freezing, packing, edible waste storage and enclosed processing systems (mills, edible oils, syrups).

As an aid in the control of ROACHES, ANTS, SPIDERS, SILVERFISH, CRICKETS, CLOVERBILLS, CARPET BEETLES, DRUG STORE BEETLES, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, BLUE WEAVES, RICE GRAIN BEETLES, INDIAN MEAL MOTHS, SAW-TOOTHED GRAIN BEETLES, RED FLOUR BEETLES, LEAS-TOOTHED BEETLES, and GRANARY BEETLES. Apply MAX 80-WE MALATHION Emulsifiable Liquid at the rate of 1.25 to 2.5 pailons of water. Apply in small amounts directly to cracks and crevices using a pin stream of insecticide at points between different elements of construction, between equipment bases and the floor, wall voids, or hollow equipment legs where the above named insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Repeat application as necessary.

Do not use this product in combats, motor housings, or electrical switch boxes.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

IN NON-FOOD AREAS: Includes garbage rooms, locker rooms, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, restrooms, closets and storage (after canning or bottling).

Apply as a coarse spray to baseboard areas, under pipes, surfaces behind and beneath sinks, lockers, restrooms, and similar areas where insects hide or travel which they may enter.

AS A GRAIN PROTECTANT: For each 1000 bushels of grain to be put into storage, mix 10 fl.oz. (.63 pints) of this concentrate with 3 gallons of water and spray the emulsion onto the grain as it is put into storage. Spray as much of the grain surface as possible. Good coverage is necessary for good protection.

AS A TOP DRESSING FOR GRAIN IN STORAGE: For each 1000 square feet of grain surface on top of grain bins mix 5 fl.oz. (.31 pts.) of this concentrate with 6 quarts of water and spray the surface. Where infestation has already taken place, rake the surface to a depth of about 4 inches after spraying and re-spray the new surface with the same strength mixture.

AS A CLEAN-UP SPRAY FOR GRAIN FACILITIES: First clean up the storage bins, elevators, elevator boots, handling equipment, shipholds, barges, grain trailers, rail cars, and all other grain facilities to be sprayed. Remove all old grain dirt and debris. Best results are obtained when the emulsion is used on clean surfaces. Mix 1 pint of this concentrate with 5 gallons of water and spray the surface until they are wet.

BEST DOCUMENT AVAILABLE