


(1 LB. NET WT.)

# ZEE-TOX



## IMPROVED FLEA POWDER

Quickly Kills Fleas, Ticks, and Lice  
On Dogs and Cats

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See other precautions on the back panel.

### ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-Methylcarbamate)\*

### INERT INGREDIENTS

TOTAL

5.0%  
95.0%  
100.0%

\*Carbaryl (1-Naphthyl N-Methylcarbamate) is also known as "Sevin".

EPA EST. NO. 2553-FL-1

EPA REG. NO. 2553-32

Packed By

**BUHL CHEMICAL**

Orlando, Florida

**ACCEPTED**

JUN 3 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 2553-32

## DIRECTIONS

**FOR DOGS:** Dust thoroughly and rub down to skin, paying particular attention to all areas where one finds fleas, ticks, and lice. Do not shake dust in eyes and do not apply to sick animals or puppies less than 4 weeks old.

**FOR CATS:** Use same as for dogs. Keep out of eyes and do not use on kittens less than 4 weeks old.

Discard old bedding and replace with fresh bedding and apply Zee-Tox Flea Powder to fresh bedding.

Do not use more often than once a week. Inspect animals to see if it is necessary to repeat application after one week.

## CAUTION

Harmful if swallowed or inhaled. Avoid breathing dust. Avoid skin contact. Wash with soap and water after using. Keep out of eyes.

Do not contaminate food or foodstuffs. Do not reuse empty container. Destroy by perforating or crushing, bury or discard in a safe place away from water supplies. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

**NOTE TO PHYSICIAN:** This product is a Cholinesterase inhibitor. Atropine is antidote.