

ESTABLISHED 1870

# REGATTA YACHT PAINT

3000

**EXTRA-FINE**

**COPPER BRONZE  
BOTTOM PAINT  
ANTI-FOYLING**

**CAUTION: KEEP OUT OF  
REACH OF CHILDREN. SEE BACK  
PANEL FOR OTHER CAUTIONS.**

1 U.S. QUART  
.946 LITER

MANUFACTURED BY

**BALTIMORE COPPER PAINT CO.**

**OLIVER REEDER & SON, INC.**

BALTIMORE, MD. PROPRIETORS NEW YORK, N. Y.

Active Ingredients .... 39.1%  
Metallic Copper .... 33.4%  
Pine Oil ..... 5.7%  
Inert Ingredients ..... 60.9%  
100.0%

Feb. 4-1970

2568-15

**COPPER BRONZE  
BOTTOM PAINT**  
Pigment ..... 33.4%  
Metallic Copper  
Vehicle ..... 66.6%  
100.0%  
Maleic-terpene Modified  
vinyl copolymer .. 12.4%  
Pine Oil ..... 8.6%  
Denatured Alcohol.. 79.0%  
100.0%  
USDA REG. NO. 2568-15

### DIRECTIONS

REGATTA COPPER BRONZE is an extremely attractive and efficient anti-fouling paint, carefully compounded and finely ground for maximum effectiveness. Stir thoroughly before and while being used. Normally no solvent need be used, but if found a little heavy, a small quantity of alcohol may be added. Extreme care should be taken to see that all dirt, grease and loose paint are removed from the bottom of the boat. Sandpaper where necessary to insure a hard, smooth surface before paint is applied. For best results two coats should be applied, and on new work not less than three coats. Allow at least 1 or 2 hours drying time between coats and four hours between final coat and launch. Intended for application to wood and fibreglass bottoms. For detailed instructions see the REGATTA "Paintenance" booklet.

**WARNING! FLAMMABLE!** Keep away from heat, sparks and open flame. CONTAINS MERCURIC OXIDE OR OTHER COMPOUNDS THAT MAY BE FATAL IF SWALLOWED. Do not apply on any interior surfaces of a dwelling, or a place used for the care of children, or on window sills, toys, cribs, and other furniture which might be chewed by children. Do not breathe vapor or spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling and before eating or smoking. Keep container closed when not in use. KEEP OUT OF REACH OF CHILDREN. Use with adequate ventilation. Do not take internally. (B)