

1-7-69 2566-31.

EVERTOX COPPER ANTI-FOULING BL.UC

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE BACK PANEL FOR OTHER CAUTIONS.

1 U. S. GALLON (3.785 LITERS)

ACTIVE INGREDIENTS

Pine Gil 1.4°
Copper Resinate 3.0%
Cupric Acetoarsenite 12.6°
Cuprous Dxide 16.8°
Total Copper as
Metallic 25.6%
Arsenic expressed to 4.8°
Metallic 4.8°
Arsenic in Water
Soluble Form
Expressed as
Metallic 0.3%
INERT INGREDIENTS 66.2%
100.0°

USDA REG. NO. 2568-7

MANUFACTURED BY

## BALTIMORE COPPER PAINT CO.


OLIVER REEDER & SON, INC.

BALTIMORE, MD.

PROPRIETORS

NEW YORK, N. Y.





## **DIRECTIONS**

Stir thoroughly both before and during application. Allow 4-6 hours drying time between coats and before launching. It is not advisable to delay launching longer than 24 hours.

No thinner is normally needed. REGATTA 3800 Thinner may be used for washing brushes or to replace solvent lost by evaporation. On new work apply a minimum of three coats. Calcuta Blue may be applied directly over most old anti-fouling paints that are in good condition after sanding to remove any powdery film. Two coats should be used in such repainting.

WOOD BOTTOMS — Apply directly to bare wood.

FIBREGLASS BOTTOMS — Calcutta Blue may be applied directly to bare fibreglass that has been prepared as follows; sand to remove the gloss using 80-120 grit sand paper and then wash with REGATTA to remove any residual mold release agent.

STEEL AND ALUMINUM BOTTOMS — Prepare surfaces with RE-GATTA Vinyltex 50/51 Wash Primer, then apply two coats RE-CAUTION! COMBUSTIBLE! K. GATTA 3630/3631 Epoxydur Black Mastic. Follow with at least for the care of children, or on wi two coats REGATTA Anti-Fouling Paint.

Avoid breathing vapor or sprzy
CAUTION! COMBUSTIBLE! Keep away from heat, sparks, and open flame. CONTAINS
before eating or smeking. Keep
COMPOUNDS HARMFUL IF EATEN. Do not apply on any interior surfaces Use with adequate ventilation. D of a dwelling, or a place used for the care of children, or on window sills, toys, cribs and other furniture which might be chewed by children. Avoid breathing vapor or spray mist and prolonged contact with skin. Wash thoroughly after handling and before eating or smoking. Keep container closed when not in use. KEEP OUT OF REACH OF CHILDREN.

COMPOUNDS HARMFUL IF E