


HARTZ[®]

MY-T-MITE[®]

BIRD SPRAY

kills mites and red lice

\$1.59 PLASTER BOARD APPLICATIONS



NET WT. 6 OZ. - 169 gms.

WARNING: Keep out of reach of children.
See back panel for further warnings

DIRECTIONS: Shake well! Spray parakeets, canaries and other caged birds as follows: For cage mite control remove bird and spray the entire cage thoroughly. For bird lice leave bird in cage and spray directly on bird, holding unit at least 18 inches from bird or any surface. Spray lightly—one burst of 2 or 3 seconds; for control apply no more than 2 times per week.


WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Cover fish and turtle bowls when spraying. Do not spray on foods.

ACTIVE INGREDIENTS:

Pyrethrins030%
Technical Piperonyl Butoxide*060%
N-Octyl bicycloheptene dicarboximide100%
Petroleum Distillate146%
Propylene Glycol100%
Triethylene Glycol100%
INERT INGREDIENTS:	99.464%
	<u>100.000%</u>

*Equivalent to .048% (butylcarbityl) (6-propyl-piperonyl) ether and .012% related compounds.
Contains Sodium Nitrite.

Distributed by:
THE HARTZ MOUNTAIN CORPORATION
 Harrison, N.J. 07029 and St. Thomas, Ontario,
 MSP 1G4, Canada Made and printed in U.S.A.
 EPA Reg. No. 2596-5-A1
 PA Est. 11525-RI-1 N4110



RECEIVED
 OCT 2 1978
 Mr. [illegible]
 P.O. Box [illegible]
 04 [illegible]
 25965