



PM 10 2596-5 PS 172
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PESTICIDES AND TOXIC
SUBSTANCES

APR 29 1991

Pat Bieler
Hartz Mountain Corp.
700 South 4'th Street
Harrison, NJ 07029

Dear Pat Bieler:

Subject: Hartz My-T-Mite Bird Spray
EPA Reg. No. 2596-5
Submission: June 26, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

- 1) Due to the change in ingredients, this is considered a new product requiring new product specific data. Please submit new data as soon as possible.
- 2) Delete petroleum distillate as an active ingredient on your label. It is no longer being supported for registration as an active ingredient. Increase the inert ingredients to 99.810%.
- 3) Provide the chemical identity of all components, the percentage composition, CAS Registry Number, and Material Safety Data Sheet (two copies) for Antifoam FD-62.
- 4) Update the label storage and pesticide and container disposal statements in accordance with PR Notice 83-3. Add to the statement "Do Not Puncture or Incinerate".
- 5) Revise your CSF by providing the pH of the product and providing the amount and upper and lower limits for each active ingredient in the source material.

Sincerely,


RFM
Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

BEST AVAILABLE COPY

Printed on Recycled Paper

HARTZ MY-T-MITE BIRD SPRAY

Kills mites and red lice



NET WT 6 OZ 169 g

WARNING: Keep out of reach of children.
See back panel for further warnings

Directions: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well. Spray parakeets, canaries and other caged birds as follows. For cage mite control remove bird and spray the entire cage thoroughly. For bird lice leave bird in cage and spray directly on bird, holding unit at least 12 inches from bird or any surface. Spray with one burst of 2 or 3 seconds. For control apply no more than 2 times per week.

Storage and Disposal: Replace cap, wrap empty container and put in trash.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Cover fish and turtle bowls when spraying. Do not spray on foods.

ACTIVE INGREDIENTS:

Pyrethrins	.030%
Technical Piperonyl Butoxide*	.060%
N-Octyl bicycloheptene dicarboximide	100%
Petroleum Distillate	.144%

INERT INGREDIENTS: 99.666%
100.000%

*Equivalent to 0.48% (butylcarbityl) (6-propylpiperonyl) ether and 0.12% related compounds.
Contains Sodium Nitrate

Distributed by ©THE HARTZ MOUNTAIN CORP
Harrison, N.J. 07029 and St. Thomas, Ontario
N5P 3W7 Canada. Made and printed in U.S.A.
EPA Reg No. 2596 5EPA Est. 11525 RI 1 82058

BEST AVAILABLE COPY