

ACCEPTED
APR 12 1971
3294-2
2-16-91




LOGLIFE ALGI-STOP FOR AQUARIUM USE ONLY

DIRECTIONS To remove tablet slit cellophane. Start with clean clear tank. Place one tablet in tank for each five gallons of water. Tablet will slowly disintegrate and will continue to stop the growth of algae in your aquarium for thirty days. Replace with new tablet once monthly.

| | |
|--|---------|
| ACTIVE INGREDIENTS: | |
| Streptomycin Sulphate | 15.00% |
| Dichlone (2,3 Dichloro 1,4 Naphthoquinone) | 0.18% |
| INERT INGREDIENTS | 84.82% |
| | 100.00% |


CAUTION: Avoid prolonged storage near food products.



LOGLIFE® ALGI-STOP®



**CONTROLS GROWTH
OF ALGAE
COMMONLY FOUND
IN TROPICAL
FISH AQUARIUMS**



Distributed by ©LOGLIFE FISH FOOD PRODUCTS, Division of STERICO INDUSTRIES, INC.
ROBINSON N.J. 07079

Printed in U.S.A.

U.S.D.A. Reg. No. 3254-2

No. 100

CAUTION: Keep out of reach of children. **NET WT. 0.27 OZ.**
See back panel for additional cautions.

APR 12 19
UNDER THE FEDERAL IN
FUNGICID
FOR ECONOMIC POISON
ED UNDER NO. 5294-
TO ATTACHED COMMENT



LONGLIFE ALGI-STOP


FOR AQUARIUM USE ONLY

DIRECTIONS: To remove tablet slit cellophane. Start with clean, clear tank. Place one tablet in tank for each five gallons of water. Tablet will slowly disintegrate and will continue to stop the growth of algae in your aquarium for thirty days. Replace with new tablet once monthly.

ACTIVE INGREDIENTS:

| | |
|--|----------------|
| Streptomycin Sulphate | 15.00% |
| Dichlone (2,3 Dichloro 1,4 Naphthoquinone) | 0.18% |
| INERT INGREDIENTS | 84.82% |
| | 100.00% |

CAUTION: Avoid prolonged storage near food products.



Distributed by: **LONGLIFE FISH FOOD PRODUCTS**, Division of **STERNO INDUSTRIES, INC.**
HARRISON, N. J. 07033

Printed in U.S.A.

U.S.D.A. Reg. No. 3294-2

No. 400

APR 12 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTER-
ED UNDER NO. 3294-2 SUBJECT
TO ATTACHED COMMENTS.

2596-41




LONGLIFE ALGI-STOP FOR AQUARIUM USE ONLY

DIRECTIONS: To remove tablet slit cellophane. Start with clean, clear tank. Place one tablet in tank for each five gallons of water. Tablet will slowly disintegrate and will continue to stop the growth of algae in your aquarium for thirty days. Replace with new tablet once monthly.

ACTIVE INGREDIENTS:
Streptomycin Sulphate 15.00%
Dichloro (2,3 Dichloro 1,4
Naphthoquinone) 0.18%
INERT INGREDIENTS 84.82%
100.00%

CAUTION: Avoid prolonged storage near food products.



LONGLIFE® ALGI-STOP®



CONTROLS GROWTH
OF ALGAE
COMMONLY FOUND
IN TROPICAL
FISH AQUARIUMS

Distributed by: ©LONGLIFE FISH FOOD PRODUCTS, Division of STERNCO INDUSTRIES, INC.
HARRISON, N. J. 07029

Printed in U.S.A.

U.S.D.A. Reg. No. 3294-2

No. 400

CAUTION: Keep out of reach of children. NET WT. 0.27 OZ.
See back panel for additional cautions.