



002596-00062-042399

Printed: 12:59:39 Friday, 21 May, 1999 # 47 / 2913

Systems Integration Group, Inc.

HARTZ 2 in 1 COLLAR

for Dogs With Necks To 20"

WHITE
COLLAR

LONG TERM PROTECTION

2 in 1[®] FLEA & TICK COLLAR

with Rabon[®]*

BRIGHT WHITE



FOR DOGS



Kills for 5 Months

CAUTION: Do not let children play with this collar. See back panel for ingredient statement.


CONTENTS: 1 WHITE COLLAR, NET WT. 0.85 oz 24g

60424 9

HARTZ 2 in 1 COLLAR

for Dogs With Necks To 20"

To activate collar, hold at each end... STRETCH... it's ready to work



UNCONDITIONAL MONEY BACK GUARANTEE
by HARTZ

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR.

| | |
|------------------------------------|------------------|
| ACTIVE INGREDIENT: | BY WEIGHT (Nom.) |
| Tetrachlorvinphos (CAS#22248-79-9) | 14.55% |
| OTHER INGREDIENTS: | 85.45% |
| TOTAL | 100.00% |

Kills fleas and ticks common to dogs, including Rocky Mountain Wood Tick, carrier of Rocky Mountain Spotted Fever, and the Deer Tick, which may carry Lyme Disease

Do not use on puppies under 6 weeks of age. Do not unroll collar until ready to use. Place the Hartz[®] 2 in 1[®] Flea & Tick Collar around the dog's neck, adjust to proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that when fastened will snugly slide over the dog's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Consult a veterinarian before using this product on debilitated, aged or medicated animals. If used on pregnant or nursing dogs, do not replace collar until the puppies are at least 6 weeks old. Sensitivities may occur after using ANY pesticide product for pets. Some animals may become irritated by any collar if it is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the animal. If signs of sensitivity occur, remove the collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea & tick collars may be immediately replaced. This collar is intended for use only as an insecticide generator. The collar will begin to kill fleas and ticks immediately. Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet. For continuous flea and tick protection under normal conditions replace the collar every five months. Under conditions where dogs are exposed to severe flea or tick infestations it may be necessary to replace the collar more frequently. Wetting will not impair the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain it is not necessary to remove the collar. The Hartz[®] 2 in 1[®] collar may be worn with a regular collar. DISPOSAL: Do not use empty pouch. Dispose in trash collection.

For more information call our flea & tick experts at 1-800-275-1414 weekdays, 9am-5pm E.S.T.

EPA Reg. No. 796-62
EPA Est. No. 2596-NJ-1



VISIT OUR WEBSITE
www.hartz.com

Made in U.S.A. by
The Hartz Company, Inc. Attention
Secaucus, New Jersey, U.S.A.

*Rabon is the Hartz[®] trademark
for Tetrachlorvinphos
HAI12757 554386



0 32700 80484 8

APR 23 1993

2596-62

PM 03

2596-62

4/23/99

Page 1 of 1