

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

October 21, 2020

Joe Conti Senior Director Regulatory Affairs & Quality Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094

Subject: Label Amendment –Adding alternate brand names, revising claims, and various minor label changes Product Name: HARTZ 2 IN 1 PLUS LONG LASTING COLLAR FOR DOGS EPA Registration Number: 2596-62 Application Date: June 30, 2020 Decision Number: 564624

Dear Mr. Conti:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 2596-62 Decision No. 564624

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact David Gardner by phone at (703) 347-8599, or via email at gardner.david@epa.gov.

Sincerely,

Shanta adeeb

Shanta Adeeb, Product Manager 10 Invertebrate-Vertebrate Branch 2 Registration Division (7505P) Office of Pesticide Programs

Enclosure

## Hartz® 2 IN 1® Plus Long Lasting Collar for Dogs

{Note to Reviewer: Alternate Brand Names are listed at the end of this document.}

#### **ACTIVE INGREDIENT:**

Tetrachlorvinphos	14.55%
OTHER INGREDIENTS:	
TOTAL	100.00%

**CAUTION:** Do not let children play with this collar. See back panel for additional precautionary statements.

**NET CONTENTS:** 1 [{*color designation*}] collar. {*Note to Reviewer*: *Length can range from 15 to 27 inches for dog (@0.88g/inch. Net Weight: 0.46oz to 0.84oz (13.2g to 23.7g)*}

EPA Reg. No. 2596-62 EPA Est. No.

Made [in [the] U.S.A.] by The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094 (U.S.A.)

## READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. This product may cause skin sensitization reactions in certain individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

# ACCEPTED 10/21/2020 Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the

and Rodenticide Act as amended, for th pesticide registered under EPA Reg. No.

2596-62

## FIRST AID

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents) you may call 1-800-275-1414 [1-800-234-2269] [1-800-781-4738].

**Note to Physicians and Veterinarians:** This product contains Tetrachlorvinphos (an organophosphate), which is a cholinesterase inhibitor. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting and diarrhea. Atropine is antidotal. 2-PAM maybe effective as an adjunct to atropine. Call 1-800-275-1414 [1-800-234-2269] [1-800-781-4738] or your local Poison Control Center for further information.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Restrictions:** Do not use on puppies less than **12** weeks of age. Do not use this product on dogs simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals.

This collar is intended for use only as an insecticide.

**Precautions:** Consult a veterinarian before using this product on debilitated, aged, or medicated animals. If used on pregnant or nursing dogs, do not replace collar until the puppies are over 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. Some animals may become irritated by any collar if it is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the dog. If signs of sensitivity occur, remove the collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not replace collar more frequently than every 5 months.

**Application Instructions:** Do not unroll collar until ready to use. REMOVE COLLAR FROM PACKAGE, UNROLL, AND STRETCH TO ACTIVATE INSECTICIDE. Place the collar around the dog's neck, adjust to proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over the dog's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of extra length.

The collar will begin to kill fleas and ticks immediately. Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet. For continuous flea and tick protection under normal conditions replace the collar every 5 [6] [7] months. Under conditions where dogs are exposed to severe flea or tick infestations it may be necessary to replace more frequently. However, do not replace the collar more frequently than every 4 months. Wetting will not impair the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain it is not necessary to remove the collar.

## **STORAGE AND DISPOSAL**

#### Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage**: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

**Pesticide Disposal: If empty:** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information (or in case of emergency) call our [flea and tick] [experts] [at] 1-800-275-1414 (weekdays, 9 am-5pm E.S.T.)

#### NOTICE: This product contains a chemical known to the State of California to cause cancer.

## <u>{OPTIONAL TEXT – PESTICIDE-RELATED CLAIMS}</u>

- with Rabon® a registered trademark for Tetrachlorvinphos
- 7 Month Protection, Kills for 7 months
- 6 Month Protection Kills for 6 months
- 5 Month Protection Kills for 5 months
- Kills for [up to] 5 [6][7] months]
- Starts Killing [Fleas] [&] [and] [Ticks] [through contact] for [up to] 5 [6] [7] Months
- Starts to Kill [Fleas] [&] [and] [Ticks] [through contact] for [up to] 5 [6][7] Months
- Kills [Fleas] [&] [and] [Ticks] [through contact] for [up to] 5 [6] [7] Months
- Starts Killing [Fleas] [&] [and] [Ticks] on contact for [up to] 5 [6] [7] [five][six][seven] months
- Starts to Kill [Fleas] [&] [and] [Ticks] on contact for [up to] 5 [6] [7] months
- 5 [6] [7] Month[s] Protection
- Starts Working on [with] Contact
- Kills Up to 5 [6] [7] Months
- Kills Ticks Kills Fleas
- Kills fleas and ticks
- Kills fleas and ticks [for] up to 5] [6] [7] months
- Long Term 5-Month [6 Month] [7 Month]
- Continuous Protection [against fleas and ticks] for [up to] 5 [6][7] months
- Controls [Kills] fleas [and] [&] ticks] round-the-clock for [up to] 5 [five][6][six][7][seven] months

## {OPTIONAL TEXT - NON-PESTICIDE RELATED CLAIMS}

- For Dogs
- For Puppies over 12 weeks of age
- For Dogs & [and] Puppies over 12 weeks of age
- EASY ACTIVATION To activate collar, hold at each end ... STRETCH ... and it's ready [to work] [to kill fleas & ticks] [for your dog to wear].
- Water resistant
- Fits up to 15" [16"] [17"][18"][19"][20"][21"][22"][23"][24"][25"][26"][27"] necks
- 7 Months continuous protection from flea and ticks
- 6 Months continuous protection from fleas and ticks
- 5 Months continuous protection from fleas and ticks
- For dogs [and] [&] [puppies] with necks up to 15" [16"] [17"][18"][19"][20"][21"][22"][23"][24"][25"][26"][27"]

- For dogs [and] [&] [puppies over 12 weeks of age] with necks up to15" [16"] [17"][18"][19"][20"][21"][22"][23"][24"][25"][26"][27"]
- Hartz® products are designed to complement each other in an integrated program for flea [and] [&] [tick] management.
- To assure proper treatment, we recommend use of only Hartz® products.
- To learn more about treating current infestations and preventing future outbreaks please visit our website <a href="http://www.hartz.com][www.hartzultraguard.com">www.hartz.com</a>][www.hartzultraguard.com]
- To learn more visit [our website] [at] <u>ww.hartz.com][www.hartzu1traguard.com]</u>
- [PLEASE] VISIT OUR WEBSITE [AT] ww.hartz.com [www.hartzultraguard.com]
- Hartz<sup>®</sup> and other trademarks [is a trademark] of The Hartz Mountain Corporation.
- Hartz, the company with over 90 years [of] experience caring for pets
- Hartz, the company with over 90 years of experience
- Caring for Pets for over 90 years
- Serving Pets for over 90 years
- Hartz, the company with over 95 years [of] experience caring for pets
- Hartz, the company with over 95 years of experience
- Caring for Pets for over 95 years
- Serving Pets for over 95 years
- Rabon® is a Hartz Mountain trademark for Tetrachlorvinphos.
- Hartz Rabon trademark is for the active ingredient Tetrachlorvinphos.

#### October 19, 2020

#### {OPTIONAL MARKETING ICONS}



#### {Alternate Brand Names}

2 IN 1® Hartz® Flea & Tick Collar For Dogs

2 IN 1® Hartz® Flea & Tick Collar For Large Dogs

2 IN 1® Hartz® Flea & Tick Collar For Puppies Over 12 weeks of age

Hartz® InControl® Flea & Tick Collar for Puppies Over 12 weeks of age

Hartz® InControl® 5 Month Flea & Tick Collar for Large Dogs